Nagar YuwakShikshanSanstha's
YeshwantraoChavan College of Engineering
(An Autonomous Institution affiliated to RashtrasantTukadojiMaharaj Nagpur University)
Hingna Road, Wanadongri, Nagpur - 441 110
NAAC A++
Ph.: 07104-237919, 234623, 329249, 329250 Fax: 07104-232376, Website: www.ycce.edu
Department of Computer Technology

Vision of the Department

To be a well-known centre for pursuing computer education through innovative pedagogy, value-based education and industry collaboration.

Mission of the Department

To establish learning ambience for ushering in computer engineering professionals in core and multidisciplinary area by developing Problem-solving skills through emerging technologies.

Session 2025-2026

Vision: *To be a well-known centre for pursuing computer education through innovative pedagogy, value-based education and industry collaboration*	**Mission:** *To establish learning ambience for ushering in computer engineering professionals in core and multidisciplinary area by developing Problem-solving skills through emerging technologies.*

Program Educational Objectives of the program (PEO): (broad statements that describe the professional and career accomplishments)

PEO1	**Preparation**	**P: Preparation**	**Pep-CL abbreviation pronounce as Pep-si-lL easy to recall**
PEO2	**Core Competence**	**E: Environment (Learning Environment)**	
PEO3	**Breadth**	**P: Professionalism**	
PEO4	**Professionalism**	**C: Core Competence**	
PEO5	**Learning Environment**	**L: Breadth (Learning in diverse areas)**	

Program Outcomes (PO): (statements that describe what a student should be able to do and know by the end of a program)

Keywords of POs:
Engineering knowledge,Problem analysis, Design/development of solutions,Conduct Investigations of Complex Problems, Engineering Tool Usage, The Engineer and The World,Ethics, Individual and Collaborative Team work,Communication, Project Management and Finance, Life-Long Learning

PSO Keywords: Cutting edge technologies, Research

"I am an engineer, and I know how to apply engineering knowledge to investigate, analyse and design solutions to complex problems using tools for entire world following all ethics in a collaborative way with proper management skills throughout my life." *to contribute to the development of cutting-edge technologies and Research*.

Integrity: I will adhere to the Laboratory Code of Conduct and ethics in its entirety.

Name and Signature of Student and Date
(Signature and Date in Handwritten)
Sheikh Wasimuddin



Nagar YuwakShikshanSanstha's
YeshwantraoChavan College of Engineering
(An Autonomous Institution affiliated to RashtrasantTukadojiMaharaj Nagpur University)
Hingna Road, Wanadongri, Nagpur - 441 110
NAAC A++
Ph.: 07104-237919, 234623, 329249, 329250 Fax: 07104-232376, Website: www.ycce.edu
Department of Computer Technology

Vision of the Department

To be a well-known centre for pursuing computer education through innovative pedagogy, value-based education and industry collaboration.

Mission of the Department

To establish learning ambience for ushering in computer engineering professionals in core and multidisciplinary area by developing Problem-solving skills through emerging technologies.

Session	2025-26 (EVEN)	Course Name	Competitive Coding Lab
Semester	6	Course Code	23IOT1605
Roll No	63	Name of Student	Sheikh Wasimuddin
Practical Number	CC Slot -1		

1. What is the output?

```c
//Sheikh Wasimuddin 23071044 CSEIOT_63
#include <stdio.h>
int main() {
 int x = 10;
 printf("%d %d %d", x++, ++x, x++);
}
```

CC_Slot1_iot63.c

```c
//Sheikh Wasimuddin 23071044 CSEIOT_63

#include <stdio.h>
int main() {
 int x = 10;
 printf("%d %d %d", x++, ++x, x++);
}
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\" && gcc CC_Slot1_iot63.c -o CC_Slot1_iot63 && "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1_iot63
c:/mingw/bin/../lib/gcc/mingw32/6.3.0/../../../libmingw32.a(main.o):(.text.startup+0xa0): undefined reference to `WinMain@16'
collect2.exe: error: ld returned 1 exit status

[Done] exited with code=1 in 3.068 seconds
```

2. What does this print?

```
int main() {
 int i = 5;
 printf("%d %d", i++, i++);
}
```



3. What is the output?

```
int main() {
 int a = 5;
 int b = a++ + ++a;
 printf("%d", b);
}
```



4. What is the output?

```
int main() {
 int x = 0;
 if (x = 1)
 printf("True");
 else
 printf("False");
}
```

```c
//Sheikh Wasimuddin 23071044_CSEIOT_63

#include <stdio.h>
int main() {
 int x = 0;
 if (x = 1)
 printf("True");
```

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\" && gcc CC_Slot1_iot63.c -o CC_Slot1_iot63 && "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1_iot63
True
[Done] exited with code=0 in 1.063 seconds
```

5. What does this print?

```c
int main() {
 int i;
 for(i = 0; i < 5; i++);
 printf("%d", i);
}
```

```c
//Sheikh Wasimuddin 23071044_CSEIOT_63

#include <stdio.h>
int main() {
 int i;
 for(i = 0; i < 5; i++);
 printf("%d", i);
```

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\" && gcc CC_Slot1_iot63.c -o CC_Slot1_iot63 && "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1_iot63
5
[Done] exited with code=0 in 0.942 seconds
```

6. Predict the output

```c
int main() {
 static int x;
 printf("%d", x);
}
```

```c
//Sheikh Wasimuddin 23071044_CSEIOT_63

#include <stdio.h>
int main() {
 static int x;
 printf("%d", x);
}
```

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\" && gcc CC_Slot1_iot63.c -o CC_Slot1_iot63 && "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1_iot63
0
[Done] exited with code=0 in 0.964 seconds
```

7. What is the output?

```
int main() {
 char *p = "Hello";
 p[0] = 'h';
 printf("%s", p);
}
```



8. What does this print?

```
int main() {
 int a = 10;
 int *p = &a;
 printf("%d", *p++);
}
```



9. What is the output?

```
int main() {
```

```
 printf("%d", sizeof('A'));
}
```



10. What does this print?

```
#define SQR(x) x*x
int main() {
 printf("%d", SQR(3+2));
}
```



11. Output?

```
int main() {
 int a = 5;
 printf("%d", a+++a);
}
```

CC_Slot1_iot63.c

```c
//Sheikh Wasimuddin 23071044 CSEIOT_63
#include <stdio.h>
int main() {
 int a = 5;
 printf("%d", a+++a);
}
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, !excludeT... Code

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\" && gcc CC_Slot1_iot63.c -o CC_Slot1_iot63 &&
"c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1_iot63
11
[Done] exited with code=0 in 0.939 seconds
```

12. What happens?

```c
int main() {
 int *p = NULL;
 printf("%d", *p);
}
```

CC_Slot1_iot63.c > main()

```c
//Sheikh Wasimuddin 23071044 CSEIOT_63
#include <stdio.h>
int main() {
 int *p = NULL;
 printf("%d", *p);
}
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, !excludeT... Code

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\" && gcc CC_Slot1_iot63.c -o CC_Slot1_iot63 &&
"c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1_iot63

[Done] exited with code=3221225477 in 1.111 seconds
```

13. What is printed?

```c
int main() {
 int arr[] = {10, 20, 30};
 printf("%d", *arr + 1);
}
```

Vision of the Department

To be a well-known centre for pursuing computer education through innovative pedagogy, value-based education and industry collaboration.

Mission of the Department

To establish learning ambience for ushering in computer engineering professionals in core and multidisciplinary area by developing Problem-solving skills through emerging technologies.

```c
//Sheikh Wasimuddin 23071044 CSEIOT_63
#include <stdio.h>
int main() {
 int arr[] = {10, 20, 30};
 printf("%d", *arr + 1);
}
```

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\" && gcc CC_Slot1_iot63.c -o CC_Slot1_iot63 &&
"c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1_iot63
11
[Done] exited with code=0 in 1.28 seconds
```

14. What does this print?

```c
int main() {
 printf("%d", printf("Hello"));
}
```

```c
//Sheikh Wasimuddin 23071044 CSEIOT_63
#include <stdio.h>
int main() {
 printf("%d", printf("Hello"));
}
```

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\" && gcc CC_Slot1_iot63.c -o CC_Slot1_iot63 &&
"c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1_iot63
Hello5
[Done] exited with code=0 in 0.879 seconds
```

15. What is the output?

```c
int main() {
 int i = 1;
 while(i++ <= 5);
 printf("%d", i);
}
```

Vision of the Department

To be a well-known centre for pursuing computer education through innovative pedagogy, value-based education and industry collaboration.

Mission of the Department

To establish learning ambience for ushering in computer engineering professionals in core and multidisciplinary area by developing Problem-solving skills through emerging technologies.

CC_Slot1_iot63.c

```c
//Sheikh Wasimuddin 23071044 CSEIOT_63
#include <stdio.h>
int main() {
 int i = 1;
 while(i++ <= 5);
 printf("%d", i);
}
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, !excludeT... Code

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\" && gcc CC_Slot1_iot63.c -o CC_Slot1_iot63 &&
"c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1_iot63
7
[Done] exited with code=0 in 0.966 seconds
```

16. What does this print?

```c
int main() {
 int x = 5;
 printf("%d", x<<1);
}
```

CC_Slot1_iot63.c

```c
//Sheikh Wasimuddin 23071044 CSEIOT_63
#include <stdio.h>
int main() {
 int x = 5;
 printf("%d", x<<1);
}
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, !excludeT... Code

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\" && gcc CC_Slot1_iot63.c -o CC_Slot1_iot63 &&
"c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1_iot63
10
[Done] exited with code=0 in 0.932 seconds
```

17. Output?

```c
int main() {
 int x = -1;
 printf("%u", x);
}
```

```c
//Sheikh Wasimuddin 23071044 CSEIOT_63
#include <stdio.h>
int main() {
 int x = -1;
 printf("%u", x);
}
```

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\" && gcc CC_Slot1_iot63.c -o CC_Slot1_iot63 &&
"c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1_iot63
4294967295
[Done] exited with code=0 in 1.074 seconds
```

18. What happens?

```c
int main() {
 char c = 255;
 printf("%d", c);
}
```

```c
//Sheikh Wasimuddin 23071044 CSEIOT_63
#include <stdio.h>
int main() {
 char c = 255;
 printf("%d", c);
}
```

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\" && gcc CC_Slot1_iot63.c -o CC_Slot1_iot63 &&
"c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1_iot63
-1
[Done] exited with code=0 in 1.054 seconds
```

19. Output?

```c
int main() {
 int a = 10;
 printf("%d %d", a, ++a);
}
```

Output is undefined / unpredictable

CC_Slot1_iot63.c

```c
//Sheikh Wasimuddin 23071044 CSEIOT_63
#include <stdio.h>
int main() {
 int a = 10;
 printf("%d %d", a, ++a);
}
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, !excludeT... Code

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\" && gcc CC_Slot1_iot63.c -o CC_Slot1_iot63 &&
"c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1_iot63
11 11
[Done] exited with code=0 in 0.931 seconds
```

20. What does this print?

```c
int main() {
 int x = 10;
 int *p = &x;
 printf("%d", *(&x));
}
```

CC_Slot1_iot63.c

```c
//Sheikh Wasimuddin 23071044 CSEIOT_63
#include <stdio.h>
int main() {
 int x = 10;
 int *p = &x;
 printf("%d", *(&x));
}
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, !excludeT... Code

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\" && gcc CC_Slot1_iot63.c -o CC_Slot1_iot63 &&
"c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1_iot63
10
[Done] exited with code=0 in 1.157 seconds
```

21. Output?

```c
int main() {
 int a[5] = {1,2,3,4,5};
 printf("%d", *(a+3));
}
```

```c
//Sheikh Wasimuddin 23071044 CSEIOT_63
#include <stdio.h>
int main() {
 int a[5] = {1,2,3,4,5};
 printf("%d", *(a+3));
}
```

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\" && gcc CC_Slot1_iot63.c -o CC_Slot1_iot63 &&
"c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1_iot63
4
[Done] exited with code=0 in 1.055 seconds
```

22. What is the result?

```c
int main() {
 int x = 3;
 printf("%d", x++ + ++x);
}
```

```c
//Sheikh Wasimuddin 23071044 CSEIOT_63
#include <stdio.h>
int main() {
 int x = 3;
 printf("%d", x++ + ++x);
}
```

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th
"c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1
8
[Done] exited with code=0 in 0.976 seconds
```

23. What does this print?

```c
int main() {
 int a = 0;
 if(a++)
 printf("True");
 else
 printf("False");
}
```

Vision of the Department

To be a well-known centre for pursuing computer education through innovative pedagogy, value-based education and industry collaboration.

Mission of the Department

To establish learning ambience for ushering in computer engineering professionals in core and multidisciplinary area by developing Problem-solving skills through emerging technologies.

```
CC_Slot1_iot63.c
//Sheikh Wasimuddin 23071044 CSEIOT_63
#include <stdio.h>
int main() {
 int a = 0;
 if(a++)
 printf("True");
 else
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, !excludeT... Code

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\" && gcc CC_Slot1_iot63.c -o CC_Slot1_iot63 &&
"c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1_iot63
False
[Done] exited with code=0 in 1.093 seconds
```

24. Output?

```
int main() {
 int x = 1;
 printf("%d", sizeof(x++));
}
```

```
CC_Slot1_iot63.c
//Sheikh Wasimuddin 23071044 CSEIOT_63
#include <stdio.h>
int main() {
 int x = 1;
 printf("%d", sizeof(x++));
}
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, !excludeT... Code

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\" && gcc CC_Slot1_iot63.c -o CC_Slot1_iot63 &&
"c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1_iot63
4
[Done] exited with code=0 in 1.092 seconds
```

25. What happens?

```
int main() {
 int x;
 printf("%d", x);
}
```

Garbage Value

CC_Slot1_iot63.c

```c
//Sheikh Wasimuddin 23071044 CSEIOT_63
#include <stdio.h>
int main() {
 int x;
 printf("%d", x);
}
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, !excludeT... Code

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\" && gcc CC_Slot1_iot63.c -o CC_Slot1_iot63 &&
"c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1_iot63
2408448
[Done] exited with code=0 in 1.06 seconds
```

26. Output?

```c
int main() {
 int a = 10;
 int b = a+++5;
 printf("%d", b);
}
```

CC_Slot1_iot63.c

```c
//Sheikh Wasimuddin 23071044 CSEIOT_63
#include <stdio.h>
int main() {
 int a = 10;
 int b = a+++5;
 printf("%d", b);
}
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, !excludeT... Code

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\" && gcc CC_Slot1_iot63.c -o CC_Slot1_iot63 &&
"c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1_iot63
15
[Done] exited with code=0 in 1.039 seconds
```

27. What does this print?

```c
int main() {
 printf("%d", 5/2);
}
```

CC_Slot1_iot63.c

```c
//Sheikh Wasimuddin 23071044 CSEIOT_63
#include <stdio.h>
int main() {
 printf("%d", 5/2);
}
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, !excludeT... Code

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\" && gcc CC_Slot1_iot63.c -o CC_Slot1_iot63 &&
"c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1_iot63
2
[Done] exited with code=0 in 1.066 seconds
```

28. Output?

```c
int main() {
 int i = 5;
 printf("%d", i-- - --i);
}
```

Output is undefined / unpredictable

CC_Slot1_iot63.c

```c
//Sheikh Wasimuddin 23071044 CSEIOT_63
#include <stdio.h>
int main() {
 int i = 5;
 printf("%d", i-- - --i);
}
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, !excludeT... Code

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\" && gcc CC_Slot1_iot63.c -o CC_Slot1_iot63 &&
"c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1_iot63
2
[Done] exited with code=0 in 1.14 seconds
```

29. What is printed?

```c
int main() {
 int x = 10;
 printf("%d", x & 1);
}
```

Vision of the Department

To be a well-known centre for pursuing computer education through innovative pedagogy, value-based education and industry collaboration.

Mission of the Department

To establish learning ambience for ushering in computer engineering professionals in core and multidisciplinary area by developing Problem-solving skills through emerging technologies.

CC_Slot1_iot63.c

```c
//Sheikh Wasimuddin 23071044 CSEIOT_63
#include <stdio.h>
int main() {
 int x = 10;
 printf("%d", x & 1);
}
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, !excludeT... Code

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\" && gcc CC_Slot1_iot63.c -o CC_Slot1_iot63 &&
"c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1_iot63
0
[Done] exited with code=0 in 1.25 seconds
```

30. What does this print?

int main() {
int x = 10;
printf("%d", !!x);
}

CC_Slot1_iot63.c

```c
//Sheikh Wasimuddin 23071044 CSEIOT_63
#include <stdio.h>
int main() {
 int x = 10;
 printf("%d", !!x);
}
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, !excludeT... Code

```
[Running] cd "c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\" && gcc CC_Slot1_iot63.c -o CC_Slot1_iot63 &&
"c:\Users\SHEIKH HISAMUDDIN\Desktop\6th sem\"CC_Slot1_iot63
1
[Done] exited with code=0 in 1.077 seconds
```