


```
...b})).body({function(a,b){"use strict";return b(
...p.push(c);c}function g(a,b){var c=a[0].s
...d})function l(a){return p.remove(a);remove
...th(h.height-1);l.remove(l);d)
...le(a)({l:1});l.remove(l);l.remove(l);l
...scrollbarborder="1px solid black;scrollbar
...th!h.remove(l);l);q=1e3,r=a.scrollbarWidth=
...stopScrolling():this.persistent=1e3,this),stop
...thisCScrolling=1e3,this),updateFill:function
...reenX,scrollTop:this.context.scrollTop,scroll
...tion(){return this.remove(),this},m:pro
...osition(),updateFill(),updateScrollPosition
...+a.screenY>this.dragStartPosition.top)/this
...000this.scale+"%");this.updateScrollPosition
...l.h=this.dragStartPosition.scrollTop+this.c
```

start [] = LEVEL 6.exe



Regression hard



You trained your first model successfully. Great!
Now improve your model the get an even better
predictor.



Task:

Train a model that can predict the OUTPUT values of
the test set.

In the test set all TEMP values are already given in
Celsius and there are no outliers or invalid values.



Regression hard



Your model needs to achieve
a root mean squared error of
1.5 or less on the test set.

Output:

a file that contains the
predictions for all rows of the
test set, with one prediction per
line.



Example:



1.35
-0.561
12.4
-2.45
...

