



Information Memorandum

June 2026

Disclaimer

This Confidential Investor Presentation (“CIP”) is being furnished through Emani Capital Advisory Private Limited (“Emani”) solely for use by potential investors (“Investors”) in connection with the consideration of a purchase of an equity ownership stake in a target company (the “Company”) from one or more shareholders of the Company (collectively, the “Sellers” and the aforesaid transaction to be referred to as the “Proposed Transaction”).

The information contained herein is confidential information and must be held in complete confidence. The CIP and its contents may not be reproduced, used or disclosed without the prior written consent of Emani, and each Investor must not, directly or indirectly, communicate, disclose or distribute or permit its affiliates or representatives to communicate, disclose or distribute any such information to any other person or reproduce the CIP, in whole or in part, without the prior written consent of the Sellers and Emani. If you are not the intended recipient of the CIP, please destroy all copies immediately.

The CIP is not intended to form the basis of any decision to enter into any transaction with the Company, and neither the CIP nor its delivery to any Investor will or is intended to constitute or form part of any offer to sell or solicitation of any offer to buy any securities or assets of the Company, nor shall it or any part of it form the basis of or be relied on in any connection with any contract. Emani is providing the CIP on behalf of the Sellers, and Emani is not responsible for providing advice in relation to the Proposed Transaction to any person. No person shall be treated as a client of Emani solely by virtue of having received the CIP or any other information relating to the Company or the Proposed Transaction. The CIP does not constitute any form of financial opinion or recommendation, or any regulatory, accounting, legal or tax advice.

By receiving the CIP, you acknowledge that (i) you are a sophisticated Investor who understands the risk associated with the Proposed Transaction; (ii) you are properly licensed and authorized to receive the information contained in the CIP and participate in the Proposed Transaction under all applicable laws and regulations; and (iii) you must seek your own financial and other professional advice and make your own independent assessment regarding the business, financial condition, prospects and credit worthiness the Company and its affiliates, the terms of the Proposed Transaction, and any other matters referred to in the CIP.

No liability, whether direct or indirect, in contract, tort or howsoever arising, is or will be accepted by the Company, the Sellers, Emani, any member of their respective groups, or their respective directors, officers, employees, agents or advisers for the fairness, accuracy or completeness of the information (including all estimates, valuations, forecasts, assumptions or statements of opinion or expectation) contained in the CIP or in any other information supplied or made available, in writing or orally, in connection with any negotiations for a proposed transaction with or involving the Company, or for the consequences of any reliance upon or other use of any such information. No representation or warranty, express or implied, is or will be made with respect to the fairness, accuracy or completeness of any of the information (including all estimates, valuations, forecasts, assumptions or statements of opinion or expectation) contained herein or any other such information. Only those particular representations and warranties which may be made to the investor in the definitive contractual documentation, if and when executed and subject to agreed limitations, shall have legal effect. Any potential Investor will be required to acknowledge in any definitive contractual documentation that it has not relied on or been induced to enter into such agreement by the CIP or by any other representation or statement, save as expressly set out in that agreement.

Emani may, now or in the future, have other investment and banking, trust and other relationships with the Company, the Sellers or their respective affiliates. As a result of those other relationships, Emani may get other information about the Company, the Sellers, their respective affiliates and/or the Proposed Transaction. Emani has no obligation to use such information in connection with the Proposed Transaction or to disclose the content or existence of any such information to any recipient of the CIP.

In furnishing you with this information, no obligation is undertaken to provide you with further information, to update this information or any other information, or to correct any information contained herein or any omission therefrom. The information in the CIP is subject to change, completion or amendment without notice. Emani and the Sellers reserve the right to amend the procedures relating to the Proposed Transaction or terminate any discussions or negotiations with you at any time. The furnishing of the CIP does not constitute any form of commitment on the part of the Sellers to proceed with any transaction. The Sellers and Emani do not undertake any obligation to accept (or make) offers or proposals. The Sellers and Emani reserve the right to conduct negotiations with multiple potential Investors simultaneously, and also to sign any agreement regarding the Company or the Proposed Transaction without prior notice to other potential Investors.

The CIP is not, and should not be construed as, investment research or a research recommendation under any applicable rules.

All communications, inquiries, and requests for information contained in this Summary should be directed to one of the Emani representatives listed on the Key Contacts page. None of the management, directors, nor any employees of the Sellers or the Company should be contacted directly.

India's First Full-Stack ADAS Company — Built on Its Own Transformer Silicon

Full Stack ADAS Kit · TSMC 28nm · ₹1Cr Defence Revenue

PRE-SERIES A · CAPITAL RAISE

Instrument:	Equity / Compulsorily Convertible
Raise Target:	USD \$4.0 – 5.0 Million

STRICTLY CONFIDENTIAL · FOR AUTHORISED RECIPIENTS ONLY

₹1,128 Cr

Revenue FY2032E

15

Provisional Patent Applications

6 Chiplets


One Tapeout · Six Markets

5M+ Trucks


MoRTH GSR 184(E) Mandate

An autonomous systems company that builds *its own silicon*

DeepGrid Semi sells complete, certified autonomy systems. We build the six-chiplet die underneath them because owning the chip is the only way to ship those systems at a price the market can pay — running AI good enough to be trusted with control of a vehicle.



One Chip, driving towards *Zero Accidents*



A single **\$3.17M tapeout** seeds an entire platform. The same **28nm chip** becomes bare silicon, then sensors and compute, which fuse into our **Systems** autonomy engine and are crowned by **Sentience** AI software — four business lines from one die. That cascade does two things at once: it drives India's **~1.77 lakh annual road deaths toward zero**, and it builds a **₹1,388 Cr business by FY32** that funds the mission. One chip, an ecosystem creator — compounding into both safer roads and a category-defining business.

Five Reasons This Wins

01

Why Now?

MoRTH GSR 184(E) enforcement is live — April 2026. Every N2/N3 truck sold after this date requires ADAS compliance. DGrid is shelf-ready with the only indigenous chipset validated to this specification. Regulatory floor, not a forecast.

02

Why This Product Wins?

We sell the full ADAS system — kit, AI models, and silicon. Owning the die is the moat: we tune the die to our heavy transformer and non-linear AI models, and ship the same capability at a fraction of import cost.

03

Why Customers Adopt?

Complete kit deployment — no separate sensor sourcing, 15–35 min installation. Upgrade ladder reuses Smart Mirror at every step. Fleet ROI < 2 years via insurance premium reductions alone. India-trained AI models understand cattle, autos, and unmarked lanes.

04




Why This Team?

Founder: 20 years, multiple exits (Evolgence IT, Datacentre). CTO: Standing architecture lead, 15 provisional patents filed Mar 2026, YOLOv11n measured at 40fps on FPGA. VLSI Top 8 Startups India.

05

Why Venture Scale?

One ~57mm² tapeout unlocks four independent business units. Silicon (₹75 Cr FY32), Sensors (₹34 Cr), Systems (₹1230 Cr), Sentience (₹50 Cr). Total group revenue: ₹1,388 Cr FY32. EBITDA margin reaches 37% at scale.



A Mandate-Driven Market with *No Indigenous Supply*

168,000

Annual road fatalities
in India

60%+ addressable by
ADAS intervention

< 5%

ADAS penetration
across 70M vehicles

Lowest penetration among
all major auto markets

5M+

N2/N3 trucks
under GSR 184(E)

Captive retrofit mandate
effective April 2026

₹61,000 Cr

India ADAS aftermarket
TAM by 2030

3M+ addressable fleet
vehicles

REGULATORY FRAMEWORK — LOCKED DEMAND

GSR 184(E) ★ KEY CATALYST

MoRTH mandate: ADAS (AIS-162/AIS-188) mandatory on all N2/N3 commercial trucks from April 2026. Deepgrid holds India's only indigenous chipset validated for this requirement. 5M+ truck captive retrofit and OEM market. This is a regulatory floor, not a forecast.

AIS-140

GPS + driver behaviour monitoring mandatory for commercial fleet. DGrid S100 chiplet provides the compliant AIS-140 telematics interface natively — built into every AD0–AD4 kit at no additional cost.


AIS-004

LDWS + FCWS + LKAS mandatory on all new M-category vehicles from 2025. Every new car sold in India must carry ADAS functions the DGrid AD0 kit covers at ₹50,000 — creating an aftermarket retrofit pull.

Supply Chain Shift

Post-2022 geopolitical fragility in semiconductor supply has made Indian OEMs actively seek domestic chip partners. There is no existing Indian alternative at this stage of development.

Full-Stack *ADAS Platform*



**One chip. One box. Full ADAS.
Transformers baked into silicon,
not glued on.**

DGrid Alpha Chipset

28nm TSMC · 39.3 TOPS INT8

3D tensor cube architecture

Integer-first · ASIL-D path

64 PCORES · 600 MHz ALU

<\$3 die · ~\$30 board BOM

D-Drive AI Model

E2E transformer VLA loop

No HD maps — Indian roads

Carla-validated · ONNX ready

AD1 – AD4 variants

Trained on India-specific data

Full System Kit

AIS-162/188 cert (NATRAX)

Drive-by-wire CAN actuator

M.2 plug-in form factor

₹2–2.5L mandate-ready kit

Ships Q3 2026 · Embedded IoT

6 Cameras. One Chip. 8.6ms of 33.3ms Budget.

$64 \times 512 \text{ MACs} \times 600\text{MHz} \times 2 \text{ ops} \div 10^{12} = 39.3 \text{ TOPS INT8} \cdot 74\% \text{ headroom} \cdot \text{PrimeSoC: FEASIBLE}$


Flat broadcast vs 8x8x8 cube cascade.

A flat 8x8 matrix unit (SoC1.2) needs 8 cycles to consume K. The 8x8x8 cube (SoC2) consumes K in one cycle by stacking 8 multiply layers — same answer, different geometry. Each PCORE feeds from a local register file (648 MAC inputs), so weights stay resident and the array never stalls waiting on memory.

K=1 → K=8 SEQUENCE:
K=2 → 9.8T · K=4 → 19.7T · K=6 → 29.5T · K=8 → 39.3T ✓


PARAMETER	VALUE
Process	TSMC 28nm HPC+
Architecture	Single die ~57.1 mm ²
Total MACs	32,768 (64 × 512)
Clock	600 MHz
Peak INT8	39.3 TOPS
LPDDR5 bandwidth	102.4 GB/s
AD2 frame budget	8.6ms / 33.3ms (74% free)
NRE	\$2.42M one-time
DERIVATION: $64 \times 512 \times 600\text{M} \times 2 \div 10^{12} = 39.3 \text{ TOPS INT8}$ · PrimeSoC March 2026: FEASIBLE ✓	

The compute box: *11 sensors in, AD2 out, 8.6 ms.*




Our own SoC fuses 7 RGB + 2 thermal + front/rear 4D radar in 8.6 ms of the 33.3 ms frame (74% headroom). We sell the compute — not assembled hardware.

3b. Smart Mirror Tower. *Zero blind spots.*



Two retrofit mirror towers + dual in-cab cams + front/rear 77 GHz radar — full surround coverage with animal and cyclist detection in adverse conditions.

3c. Flat $8 \times 8 \rightarrow 8 \times 8 \times 8$ cube. *K becomes hardware depth.*



$8 \times 8 \times 8$ systolic cube $\cdot 512$ MAC/cycle — one K-slice retires every cycle. $64 \text{ cubes} \times 512 = 32,768 \text{ MACs @ } 600 \text{ MHz} \rightarrow 39.3 \text{ TOPS}$.

ADAS Product Family · ₹50K to ₹4L · *One Common Platform*

AD0	AD1	AD2	AD3	AD4
Passive Alerts	Indoor L4 Autonomy	Full Road L2+	L3 Conditional Auto	L4 Full Autonomy
₹50,000	₹1,00,000	₹2,00,000	₹3,00,000	₹4,00,000
SAE Level: Passive	SAE Level: SAE L4	SAE Level: SAE L2+	SAE Level: SAE L3	SAE Level: SAE L4
Sensors: 1× Camera	Sensors: 1× Cam + LiDAR	Sensors: 6 Cam + 2 Radar + LiDAR + 4 US	Sensors: 4 Cam + 2 Radar + LiDAR + 4 US	Sensors: 8 Cam + 4 Radar + 2 LiDAR + 8 US
SaaS/yr: ₹5K/yr	SaaS/yr: ₹10K/yr	SaaS/yr: ₹10K/yr	SaaS/yr: ₹15K/yr	SaaS/yr: ₹25K/yr
Best For: 3W · School Bus · Shared Auto	Best For: Warehouse · Port AGV · Campus	Best For: Trucks · Cabs · Fleet	Best For: Premium Cars · Trucks · OEM	Best For: RoboTaxi · Autonomous Freight
FPGA GM: ~82%	FPGA GM: ~67%	FPGA GM: 46.7%	FPGA GM: ~55%	FPGA GM: ~50%
ASIC GM: ~84%	ASIC GM: ~80%	ASIC GM: 84.4%	ASIC GM: ~83%	ASIC GM: ~84%
AIS-004 LDWS+FCWS · <5W · 15 min install	Geofenced L4 · ≤25km/h · ±5cm obstacle stop	★ Primary Wedge 40fps YOLOv11n · 12-bit Radar	CAN FD vehicle commands · Highway autopilot	Driverless · Remote ops · Drive-by-wire

Upgrade Ladder

Mirror reused at every step. AD0→AD2 upgrade = ₹1.60L. AD2→AD3 = ₹1.20L. All variants share one fleet dashboard and OTA infrastructure. Customer retention: switching away means losing the dataset-trained AI.

YOLOv11n at 40fps — Measured, Not Simulated

Autonomous Truck DaaS ₹2.5L/truck/yr (93% GM SaaS subscription). Seaport AGV fleet ops ₹45.3L/AGV/yr (92% GM, electric, no fuel). Fleet health SaaS via H100 wearable — ₹8L/truck/yr. All 90%+ GM recurring.

Market & Pricing — 3 to 7× Cheaper Than Every Import

India-first pricing built for mass adoption — same AIS certification · *Built in India* · Ships Q3 2026

MARKET OPPORTUNITY

Global ADAS market by 2027	\$83.98B
India SAM (5M+ trucks mandated)	₹85,000 Cr
Retrofit market (9Cr vehicles)	₹4,50,000 Cr
DGrid addressable (mandate wave)	₹8,500 Cr

IMPORTED ALTERNATIVES

Mobileye EyeQ Camera-only · no radar fusion	₹5–8L
Continental ARS Radar stack only · no AI chipset	₹8–12L
Nvidia Orin GPU · not AIS certified in India	₹12–18L
Qualcomm SA8295 No indigenous supply or cert path	₹10–15L
DGrid Full Kit (AD2) AIS-188 · indigenous · mandate-ready	₹2–2.5L

~57.1mm² • TSMC 28nm HPC+ • *One Tapeout, Six Independent Revenues*

57.1mm² COMBO DIE Process TSMC 28nm HPC+ NRE \$2.42M MPW Shuttle ~\$630K (Muse/GSME) Yield 96.7% Patents 15 (Mar 2026) FAB Muse/GSME MPW	A100 ~7mm ²	AI / ADAS Processor BU3 — Mobility	64 PCORES x 512 MACs = 32,768 MACs · 39.3 TOPS INT8 · 40fps YOLOv11n (measured) · 6-camera MIPI CSI-2 · core compute for all AD0–AD4 kits
	R100 ~6mm ²	Radar DSP BU2 — Semi	12-bit native ADC · 77GHz FMCW + 4D Radar + 60GHz mmWave · FFT engine + CFAR detector · TI AWR2243 fully eliminated in RTL
	T100 ~7mm ²	Edge AI / Thermal / LiDAR BU1 — Systems	LiDAR point cloud DSP · Thermal camera ISP (LWIR MIPI) · ONNX runtime · Autonomous Truck edge inference (₹45L ASP) · T100 IP licensing SaaS (90% margin)
	D100 ~8mm ²	Defence Secure Compute BU4 — Robotics	AES-256 secure enclave · Lockstep RISC-V (ASIL-B) · ECC SRAM · Humanoid + UGV + Drone SoC · ₹1 Cr institutional defence revenue RECEIVED Q1 2026
	S100 ~7mm ²	SDV / Vehicle Gateway BU3 — Mobility	CAN FD x4 · Ethernet TSN (IEEE 802.1Qbv) · AUTOSAR Adaptive · OTA update engine · V2X (C-V2X/5G-NR) · AIS-140 telematics built in
	H100 ~7mm ²	Health AI Processor BU2 — Semi	24-bit bio-ADC · ECG/EEG/SpO2 inference · <1mW continuous · Driver fatigue + AEB integration (Patent 14) · Fleet health SaaS ₹8L/truck/yr

The DGrid Alpha Architecture: Why *200× Utilization Changes Everything*

200× Compute Utilisation — The Real TOPS Myth

Competing systems (Huawei MDC 810: 400+ TOPS) achieve 1–5% hardware utilisation on ADAS workloads due to architectural mismatch. DGrid's batch dispatch firmware (Patent 1) decouples inference execution from RISC-V host supervision — ALU is active 200× longer per cycle. Same real-world fps as a 200+ TOPS system, at 68.7 effective TOPS on a 42mm² die (TSMC 28nm, \$630K NRE) vs 7nm tapeout at \$15M+.

12-Bit Native Radar ADC — The Asymmetric Safety Advantage

Every competitor (TI AWR2944, NXP S32R) re-quantises radar ADC output to INT16, discarding 4 bits of dynamic range. R100's 12-bit native radar ADC delivers 4× better target detection sensitivity in low-SNR conditions (monsoon, fog) by preserving full dynamic range.

India-Trained AI Models — A Data Moat That Compounds

Global ADAS models trained on European/US data fail on Indian conditions: cattle, three-wheelers, unmarked lanes, oncoming traffic in fog. Model 0/1/2 trained on Indian datasets. Not replicable by importing a foreign chip — requires being in the Indian market first. Every km driven compounds the advantage.

WHAT CANNOT BE REPLICATED

Batch Dispatch Firmware (Patent 1)

RISC-V host decoupled from ALU. Co-designing the firmware and hardware architecture took 18 months of FPGA iteration — cannot be replicated from a spec sheet.

6-Chiplet Combo Die

64 PCOREs × 512 MACs = 32,768 MACs on ~57.1mm². Replicating this requires 6 separate tapeouts at ~\$15M+ total NRE — plus six qualification cycles.

12-Bit Native Radar

Patent 9 — full radar dynamic range preserved. Competitors cannot add this without redesigning their ADC-to-processor interface from scratch.

ONNX Runtime OTA

Open model runtime: customers push model updates without hardware changes. Creates switching cost and a data/network effect that grows with fleet size.

India Road Dataset

Trained on Indian driving data. Performance on cattle, fog, unmarked lanes is structurally superior. Not replicable by importing a foreign chip.

16.76 PFLOPS FP4 in a liquid-cooled box

DGrid MicroDC-A1 packages our SoC4-A datacenter AI chip with automotive-grade IP heritage into a 4U rack-mount module for edge datacenter deployment. One chassis · Four SoC4-A chips · 16.76 PFLOPS FP4 peak · ~12 PFLOPS sustained projected. Cold-plate liquid cooling at 1,120 W. Sovereign-IP silicon — designed in India for India and GCC sovereign-AI infrastructure.

COMPUTE (PEAK) 16.76 PFLOPS FP4 dense · 4 chips × 4.19 PF	COMPUTE (SUSTAINED) ~12 PFLOPS FP4 projected · pending SoftHier	POWER ENVELOPE 1,120 W 4 × 280 W cold-plate
MEMORY 256 GB LPDDR5X · 4 × 64 GB	FORM FACTOR 4U 19" rack-mount · ~600 mm	NETWORK 1 Tbps 2 × 400 GbE + 2 × 100 GbE

USE CASE 01

Sovereign-AI inference.

India and GCC governments, telecom, and BFSI customers need on-premise AI inference that doesn't leave the jurisdiction. One MicroDC-A1 runs ~12 PFLOPS sustained — enough for ~50 concurrent users on a 70B-parameter LLM, or ~200 users on a 13B model.

USE CASE 02

RoboTaxi Fleet Compute.

Robotaxi operators need centralized compute for fleet perception aggregation, route planning, and OTA model updates. Same SoC4-A silicon as deployed in-vehicle — unified software stack across edge and central.

USE CASE 03

Telecom Edge Inference.


5G/6G edge sites need sub-10ms inference for AR/VR and network optimization. MicroDC-A1's 4U footprint fits standard telecom edge cabinets; liquid cooling enables deployment without facility upgrades.



Compute — Per Chassis		System / Mechanical — Per Chassis	
Parameter	Specification	Parameter	Specification
SoC4-A chips	4	Form factor	4U rack-mount
Tiles total	4,096 (1024 × 4)	Dimensions (W×D×H)	~482 × 750 × 178 mm
FP16 dense peak	4.19 PFLOPS	Weight (filled)	~38 kg
FP8 dense peak	8.38 PFLOPS	Cooling	Cold-plate dielectric (3M Novec)
FP4 dense peak	16.76 PFLOPS	Coolant inlet	25°C nominal · 20–35°C range
FP4 sustained (proj.)	~12 PFLOPS	Power envelope	1,120 W (4 × 280 W chip)
L2 cache total	256 MB	PSU	1+1 redundant, 1,600 W each
DRAM total	256 GB LPDDR5X-9600	Network	2 × 400 GbE + 2 × 100 GbE
Memory bandwidth	~1.84 TB/s aggregate	Management	BMC + IPMI 2.0 + Redfish

DISCLAIMER: Conceptual product. SoC4-A silicon targets Q3 2029 tape-out; MicroDC-A1 chassis ships 2030+. All performance numbers are peak dense theoretical from architecture spec; sustained numbers are projected, pending SoftHier simulator validation. All numbers provisional pending first silicon.

De-Risking Already Achieved — *Concept Through Validated Silicon*



TECHNICAL VALIDATION — KEY PROOF POINTS

YOLOv11n at 40fps — Measured, Not Simulated Live on Artix-7 200T FPGA. 3.97M parameters, 263 layers, 80 classes, 24.8ms latency. Object detection at full L2+ ADAS spec. No simulation.	₹1Cr Defence Revenue Received Institutional defence revenue received on FPGA hardware Q1 2026. Commercial purchase intent confirmed before ASIC. MCEME ₹88L pipeline active.
TI AWR2243 Fully Eliminated R100 radar RTL (fmcw3-extended) replaces the TI AWR2243 DSP entirely. No third-party radar processor dependency in production silicon.	Manufacturing Partners Engaged EmbeddedIoT (Hyderabad): PCBA + QFN-128 packaging via MuseSemi. Sulakshna: 6-layer automotive PCBs. Supply chain defined and contracted.
PrimeSoC Feasibility Submitted DGrid-FS-001-2026 and DGrid-FS-002-2026 feasibility reports + physical design plan DGrid-PD-001-2026 (RTL→GDS flow) filed.	IBBI-Certified Valuation Refreshed IBBI valuation in progress with Nishant Loya (IBBI/RV/06/2021/14436). Valuation certificate expected prior to term-sheet signing.

Competitor Analysis — Where We Win and *Where We Don't Pretend To*

BU01 SYSTEMS

The aftermarket lane the global Tier-1s don't address

WIN MECHANISM: AIS-004 Retrofit Certification

	OEM-only channel. Aftermarket retrofit is structurally unaddressed. AD1 ₹1.2L vs SuperVision ~₹3.5L — different price band entirely.	HIGH
	Sells premium modules. Smart Mirror undercuts Bosch dashcam tier by ~60%. Indian Tier-2/3 OEM channel is open lane.	MED
	Sells the chip. We ship the integrated pod. They compete on silicon; we compete on system integration + platform.	MED
	AIS-188 audit framework restricts Chinese silicon in Indian defence-adjacent/government fleet segments.	LOW

INTENSITY: HIGH

CONTESTED

BU02 SEMI

The SoC roadmap nobody else in India is building end-to-end

WIN MECHANISM: IndiaAI Mission Indigenous Preference + India Price-Point

	Import-dependent. AIS-188 + IndiaAI Mission indigenous preference favours Indian alternatives for SoC4 sovereign AI buyers.	HIGH
	12–18 months ahead on silicon (12nm tapeout). IoT/CCTV-focused, not ADAS. Different application surface; gap in silicon maturity.	HIGH
	India price-point (\$50–250/chip SoC2.0) below their cost-recovery threshold. Per-OEM NRE 30–40% lower for India customisations.	MED
	MCU-first (RISC-V 700MHz). We are ADAS-first with SoC1→SoC4 generational roadmap. Different competitive surface.	LOW

INTENSITY: HIGH

BINARY

BU03 MOBILITY

The open Indian lane where Aurora can't operate

WIN MECHANISM: Genuine India White Space — No Local Competitor

	NA-only. Fort Worth↔El Paso routes. Zero Indian operations, zero Indian OEM partnership. Cannot bid iDEX ADIT1 4.0 PS8.	NIL
	NA + US DoD mandate. Structurally excluded from Indian defence procurement by indigenous preference rules.	NIL
	€500K+/unit European spec vs DGrid ₹50L. India-condition AGV + indigenous preference for Sagarmala defence-adjacent ports.	LOW
	Genuine open lane. This is the one unit where 'no Indian competitor' is unambiguously true. Risk is execution, not competition.	NIL

INTENSITY: LOW

OPEN LANE

BU04 ROBOTICS

The indigenous-procurement moat nobody else clears

WIN MECHANISM: Atmanirbhar Bharat Procurement Exclusion

	Import-dependent. Excluded by spec from new indigenous defence programmes. D-HUMR/D100 60–80% cheaper on India BoM.	LOW
	These are CUSTOMERS for D100, not competitors. They currently buy Ambarella/NVIDIA silicon. D100 design-in is the unlock.	NIL
	Different layer. Humanoid OEMs are customers, not rivals. D-HUMR provides compute underneath. Currently buy NVIDIA.	NIL
	Different layer. Humanoid OEMs are customers, not rivals. D-HUMR provides compute underneath. Currently buy NVIDIA.	NIL

INTENSITY: LOW–MED

DEFENSIBLE

The Only Vendor That Is India-Native, AIS-004 Compliant, *and Sub-₹4L*

HEAD-TO-HEAD COMPARISON

Vendor	Product	India-Trained AI	AIS-004 Native	Sub-₹4L Kit	Domestic IP	12-bit Radar	India Footprint
	A100	✓	✓	✓	✓	✓	✓
	MDC 610	✗	~	✗ (₹6–12L)	✗	✗	~
	EyeQ6	✗	~	✗	✗	✗	~
	Orin NX	✗	✗	✗	✗	✗	✗
	TDA4VM	✗	~	~	✗	✗	~

ADDRESSABLE SEGMENTS

Commercial Trucks GSR 184(E) · AD2/AD3
Cab & Ride-Hailing Insurance incentive · AD0/AD1
Warehouse/Port AGV Opex efficiency · AD1+T100
Autonomous Freight ₹650/tonne economics · AD4+T100 DaaS
Defence/Paramilitary DRDO/MCEME · D100/D-HUMR
OEM Chipset Licensing Tata/Mahindra/Maruti · A100/S100 IP
Fleet Health SaaS Driver fitness law · H100 Wearable
Seaport Logistics AGV fleet ops · ₹45.3L/yr/unit

The Substitution Barrier

Foreign ADAS chips were designed for European/US roads, lane markings, and traffic patterns. They cannot be software-patched to understand Indian driving conditions — that requires retraining the underlying AI models on Indian data, which requires collecting Indian data, which requires being in the Indian market first.

DGrid has a first-mover data advantage that compounds with every kilometre its systems drive. Every fleet deployment deepens the dataset moat. Every OTA model update widens the performance gap. This is not a temporary head-start — it is a structural first-mover advantage reinforced by the regulatory mandate that ensures Indian OEMs must use India-certified solutions.

EBITDA to ₹536 Crore by FY2032 • *FPGA-First → ASIC Scale*

CONSOLIDATED P&L SUMMARY and MARGIN ANALYSIS

Particulars (In Cr.)	FY2027	FY2028	FY2029	FY2030	FY2031	FY2032
Revenue	6.0	41.2	144.7	351.4	731.5	1388.0
COGS	2.8	10.8	30.1	62.0	106.9	161.5
Gross Profit	3.2	30.4	114.6	289.3	624.6	1226.5
Gross Margin (%)	53%	74%	79%	82%	85%	88%
Overheads						
Payroll	2.1	5.1	9.0	13.1	22.4	42.6
R&D Expenses	1.7	12.9	42.8	104.5	208.3	377.9
Sales & Marketing	0.6	5.9	20.1	47.1	94.4	172.2
G&A	0.6	3.9	13.0	28.1	58.5	97.2
Total Overheads	5.0	27.8	84.9	192.9	383.7	689.8
EBITDA	-1.8	2.6	29.7	96.5	240.9	536.6
EBITDA Margin (%)	-30%	6%	21%	27%	33%	39%

Overheads	FY2027	FY2028	FY2029	FY2030	FY2031	FY2032
R&D % of revenue (total)	29%	31%	30%	30%	28%	27%
of which: run-rate R&D %	22%	16%	16%	14%	12%	10%
Sales & Marketing % of revenue	9%	14%	14%	13%	13%	12%
G&A % of revenue	10%	10%	9%	8%	8%	7%
D&A % of revenue	2%	2%	2%	2%	2%	2%

MARGIN EXPANSION STORY

FPGA Phase (FY2027)

53.0% GM

FPGA module ₹65K = 61% of AD2 BOM. Validation phase — hardware-heavy economics.

ASIC Transition (FY2028)

74.0% GM

28nm ASIC die: ₹1,750 (~\$21) replaces ₹65K FPGA module. AD2 GM jumps 46.7% → 84.4%.

ASIC Scale (FY2030)

82.0% GM

Volume production + SaaS revenues kick in. T100 AI Licence (90% GM) becomes material contributor.

Full Scale (FY2032)


88.0% GM

Blended portfolio at scale. ₹1,338 Cr revenue. This is the semiconductor business model: one-time R&D, near-infinite margin scale.

Revenue to ₹1,128 Crore by FY2032 • *FPGA-First* → *ASIC Scale*

Revenue by Business Line: FY2027 - FY2032


Diversifying lines (silicon, sensors, SaaS) grow from near-zero to ~₹160 Cr combined.



Year	Silicon	Sensors	Systems	Sentience
FY2027	0.0	0.4	5.6	0.0
FY2028	0.4	1.5	39.4	0.0
FY2029	3.8	4.0	135.0	2.0
FY2030	12.0	9.0	324.4	6.0
FY2031	33.0	18.5	662.0	18.0
FY2032	75.0	33.5	1229.5	50.0

Revenue by Product Category: FY2027 - FY2032


Top 3 categories are ~88% of FY32 — concentration is real and worth owning.



Year	Chipsets	Sensors	Robotics	Mobility	Compute	Software
FY2027	0.0	0.4	2.1	3.5	0.0	0.0
FY2028	0.4	1.5	6.4	27.1	5.9	0.0
FY2029	3.8	4.0	20.1	101.1	13.8	2.0
FY2030	12.0	9.0	44.0	251.5	28.8	6.0
FY2031	33.0	18.5	89.6	516.0	56.4	18.0
FY2032	75.0	33.5	153.0	966.2	110.3	50.0

Overhead Margins: FY2027 - FY2032

Recurring revenue (TaaS + SaaS) reaches ₹116 Cr, ~8% and rising.



Year	OEM Supply	Product Sales	Rental / TaaS	SaaS
FY2027	0.0	6.0	0.0	0.0
FY2028	0.4	37.5	3.3	0.0
FY2029	3.8	132.4	6.6	2.0
FY2030	12.0	316.9	16.5	6.0
FY2031	33.0	647.5	33.0	18.0
FY2032	75.0	1197.0	66.0	50.0

Cost Clarity — Three Numbers *VCs Always Confuse*

NRE (one-time design cost) vs per-chip cost vs board BOM — these are three completely different numbers.

~\$3M

NRE Cost

(one-time, paid once)

28nm tape-out: Muse/GSMC MPW. Our total upfront design cost. Nvidia spends \$100M+ on NRE — we spend \$2M because our architecture is purpose-built, not general-purpose.



<\$4

Die Cost

(at 1M chips)

At mass production of 1 million chips, our die cost is <\$4. From Muse/GSMC quotation — verifiable. TSMC 28nm at 95% yield, mature node. Our fundamental cost advantage.



~\$30

Board BOM

(what we sell)

Die (\$3) + carrier board + connectors + packaging = ~\$30 full board BOM. At ₹2.5L ADAS kit price, gross margin reaches 84% at ASIC scale.

Pre Series A . \$5M Capital Allocation and *Value Creation Strategy*

USE OF PROCEEDS

~54%

ASIC Tapeout NRE (TSMC 28nm via Muse/GSME)

Six chiplets A100+R100+T100+D100+S100+H100. USD ~\$630K MPW Shuttle. 79-day fab cycle. 96.7% predicted yield. Production tapeout NRE budgeted in Series A

~16%

Engineering Team (10 FTEs × 18 months)

5 chip design + 3 firmware + 2 defence. India market rates ₹35K–₹45K/month. Complete RTL→GDS execution team.

~8%

AIS Certifications & Regulatory (ARAI/ICAT)

AIS-162/AIS-188 type approval — unlocks commercial N2/N3 truck sales under GSR 184(E) mandate.

~21%

Sales, BD & Working Capital

OEM evaluation samples, fleet partner development, component inventory for first commercial batch.



18-MONTH MILESTONES POST-RAISE

M1 – M3

MPW Submission & FPGA Pilot Launch

- ▶ GDS delivery to Muse/GSME — MPW Phase 1 submitted
- ▶ FPGA 100-unit pilot firmware complete
- ▶ AD2 Smart Truck fleet pilot launch

M3 – M6

First Commercial Revenue & Defence Delivery

- ▶ AD2 fleet pilots generating commercial revenue
- ▶ MCEME ₹88L defence order execution begins
- ▶ AIS-162/AIS-188 certification submission (ARAI/ICAT)

M6 – M12

ASIC Silicon Return & OEM Evaluation

- ▶ TSMC 28nm first silicon — functional bring-up begins
- ▶ OEM evaluation samples dispatched (Tata, Mahindra)
- ▶ iDEX/DRDO engagement for D100 defence programme

M12 – M18

Series A Readiness ASIC Commercial Revenue

- ▶ ASIC-based product commercial revenue begins
- ▶ T100 SaaS AI Licence — first paying customers
- ▶ Series A fundraise initiated (₹100 Cr+ revenue visibility)

20 Years of Execution Proof — *The Team That Wins This Market*

ARAVIND PRASAD G

FOUNDER & CEO

B.Tech ECE, Bangalore University · Research Associate, IISc Bangalore (Speech Signal Processing, MATLAB) · Stanford SDRM Certification 2007

- **2024–Now Deepgrid Semi Pvt Ltd**
CEO & Founder. MoRTH mandate positioning. Defence procurement (MCEME). Capital raise execution. IP commercialisation.
- **2018–2024 Deepgrid Datacentre Pvt Ltd**
AI cloud integration: Hyundai Glovis, Pike Electric, Odastra, Mapsol — multinational AI engagements using predictive analytics, NLP, multimodal LLMs.
- **2005–2017 Evolgence IT Solutions Pvt Ltd**
12 years: telecom, mobile apps, face recognition. Writink (30K freelance writers). 9Nodes (1M+ daily M2M msgs). 9 Connections (1M+ daily call volumes, merged into Evolgence Telecom).
- **2010–2016 Evolgence Energy Limited**
Solar energy R&D and photovoltaic power generation. Demonstrated multi-domain entrepreneurship across technology and energy.
- **2003–2005 Flud Media**
Developed AdWords bidding software — early algorithmic ad tech. Foundation for AI-driven business building.

AYAS KHAN

STANDING CTO · SEMICONDUCTOR ARCHITECTURE LEAD

M.Tech Physics, IIT Gandhinagar

- ▶ Architect: DGrid Alpha Matrix ALU → 3D Tensor Cube Roadmap
- ▶ FPGA validation complete: Artix-7 200T · YOLOv11n 40fps measured
- ▶ Fully eliminated TI AWR2243 — R100 RTL (fmcw3-extended) end-to-end
- ▶ PrimeSoC feasibility: DGrid-FS-001/002-2026 · Physical design: DGrid-PD-001-2026
- ▶ AI model architecture: Model 0 (AD0) · Model 1 (AD1 L4) · Model 2 (AD2–AD4 road)
- ▶ 15 provisional patent architecture (IN2026/DGR/001–015) — complete IP coverage
- ▶ EDA toolchain: Cadence Innovus · Synopsys DC/PrimeTime · Mentor Calibre

18-MONTH POST-RAISE TEAM · USD \$500K–\$600K

Chip / Silicon Design — 5 Engineers

RTL for all 6 chiplets · Physical design (PnR/STA/DRC) · MPW Phase 1 submission · GDS delivery to Muse/GSME · Silicon bring-up

Firmware / Embedded SW — 3 Engineers

FPGA 100-unit pilot firmware · ONNX runtime · T100 AI Licence SaaS · AUTOSAR Adaptive on S100 · OTA infrastructure

Defence Applications — 2 Engineers

D100 secure enclave · D-HUMR humanoid firmware · D100 Drone SoC · MCEME ₹88L pipeline delivery · iDEX/DRDO engagement

DEEPGRID SEMI

Towards Zero Accidents on Indian Roads

Pre-Series A · USD \$4.0–5.0M

WHY ACT NOW

Four Reasons to Move

MoRTH GSR 184(E) is live

Trucks must comply from April 2026. Revenue is locked by regulation — not dependent on market adoption.

₹1Cr defence revenue confirmed

Commercial purchase intent proven on FPGA hardware before ASIC availability. Non-speculative.

TSMC MPW window is finite

79-day fab cycle. The next MPW lot allocation closes when capacity fills. Timeline is real.

15 Provisional Patent Applications expire on March 2027

Provisional applications must be converted to complete specs within 12 months of priority date.

EXIT VECTORS

Strategic M&A

Tier 1 OEM / Semiconductor Major

Comps: Mobileye (NASDAQ, MBLY, 10B Market Cap, 3.3x EV/Rev) ·

6-chiplet combo die + validated India-market ADAS + defence IP = rare full-stack acquisition target. One deal eliminates 6 separate NRE cycles for the acquirer.

IPO / Series B

NSE Emerge → Main Board

Comps: India PLI Scheme: ₹76,000 Cr semiconductor incentive pool

India's first fabless semiconductor IPO story. Government-mandated revenue visibility. SEBI DRHP pathway opens post ₹100 Cr revenue (FY2029 target).

Defence Carve-Out

D100 + D-HUMR as standalone SPV

Comps: iDEX winners · DRDO · ANIC · NaBFID Defence

₹1 Cr defence revenue already received. ₹88L MCEME pipeline active. D100 can be ring-fenced for sovereign-aligned capital independent of ADAS timeline.

Contact Us

- All communications, inquiries, and requests for information contained in this document and relating to the process should be directed to one of the Emani representatives listed below
- Under no circumstances should the Company's management, shareholders, directors, officers, employees or affiliates be contacted directly

Haradatta Emani

Managing Director

E: haradatta@emanicapital.com

M: +91 98496 53907

Sai Emani

Chairman

E: sai@emanicapital.com

M: +91 93810 04009

Krishna Mohan Raviprolu

Head of Operations

E: kmr@emanicapital.com

M: +91 90006 22278