

Multiple Choice

1. **Answer:** B
Options: A) Message Confidentiality; B) Message Integrity; C) Message Splashing; D) Message Sending
Note: Correct option: B - Message Integrity
2. **Answer:** A
Options: A) Message Nonrepudiation; B) Message Integrity; C) Message Confidentiality; D) Message Sending
Note: Correct option: A - Message Nonrepudiation
3. **Answer:** D
Options: A) Secret question; B) Biometric; C) SMS code; D) All of the above
Note: Correct option: D - All of the above
4. **Answer:** C
Options: A) Speed; B) Space; C) Key exchange; D) Key length
Note: Correct option: C - Key exchange
5. **Answer:** A
Options: A) It generates each different input by modifying a prior input; B) It works by making small mutations to the target program to induce faults; C) Each input is mutation that follows a given grammar; D) It only makes sense for file-based fuzzing, not network-based fuzzing
Note: Correct option: A - It generates each different input by modifying a prior input

True / False

6. **Answer:** True
Options: A) True; B) False
Note: LLM-generated true statement based on MCQ.
7. **Answer:** True
Options: A) True; B) False
Note: LLM-generated true statement based on MCQ.
8. **Answer:** False
Options: A) True; B) False
Note: LLM-generated false statement. Correct answer: 'Public-key system'.
9. **Answer:** True
Options: A) True; B) False
Note: LLM-generated true statement based on MCQ.

10. **Answer:** True

Options: A) True; B) False

Note: LLM-generated true statement based on MCQ.

Long Form Response

11. **Answer:** `def check_greater(arr, number): | return ('Yes, the entered number is greater than those in the array') | return ('No, entered number is less than those in the array')`

Note: Students should provide a detailed explanation referencing algorithm steps.

12. **Answer:** `def check_subset_list(list 1, list 2): | return exist`

Note: Students should provide a detailed explanation referencing algorithm steps.

End of Answer Key