

Multiple Choice (10 marks)

1. The AH Protocol provides source authentication and data integrity, but not
 - (a) Integrity
 - (b) Privacy
 - (c) Nonrepudiation
 - (d) Both A & C
2. The Message confidentiality or privacy means that the sender and the receiver expect
 - (a) Integrity
 - (b) Confidentiality
 - (c) Authentication
 - (d) Nonrepudiation
3. When does a buffer overflow occur, generally speaking?
 - (a) when writing to a pointer that has been freed
 - (b) when copying a buffer from the stack to the heap
 - (c) when a pointer is used to access memory not allocated to it
 - (d) when the program notices a buffer has filled up, and so starts to reject requests
4. _____ began to show up few years back on wireless access points as a new way of adding or connecting new devices.
 - (a) WPA 2
 - (b) WPA
 - (c) WPS
 - (d) WEP
5. What are the types of scanning?
 - (a) Port, network, and services
 - (b) Network, vulnerability, and port
 - (c) Passive, active, and interactive
 - (d) Server, client, and network

True / False (10 marks)

Answer True or False

6. True or False: A Base Signal Station is the primary component used by mobile operators to offer signal coverage in wireless networks.
7. True or False: Troya is classified as a remote Trojan that can be used to gain unauthorized access to a victim's system.
8. True or False: The one-time pad key can be computed as $k = m \text{ xor } c$, where m is the original message and c is the ciphertext.
9. True or False: Encapsulating Security Payload (ESP) is primarily associated with the Secure Socket Layer Protocol, which secures web communications.
10. True or False: The Deep Web consists of online content that is not indexed by traditional search engines.

Long Form Response (20 marks)

Answer each question with a clear and complete explanation.

11. Write a function to get the sum of a non-negative integer.
12. Write a function to find the ascii value of a character.

End of Paper