

Multiple Choice

1. **Answer:** B

Options: A) Values of local variables; B) A heap area; C) The return address; D) Stack pointer for the calling activation record

Note: Correct option: B - A heap area

2. **Answer:** D

Options: A) Restrict what operations/data the user can access; B) Determine if the user is an attacker; C) Flag the user if he/she misbehaves; D) Determine who the user is

Note: Correct option: D - Determine who the user is

3. **Answer:** A

Options: A) Recursive procedures; B) Arbitrary goto's; C) Two-dimensional arrays; D) Integer-valued functions

Note: Correct option: A - Recursive procedures

4. **Answer:** A

Options: A) xyz; B) xy; C) xxzy; D) xxxxy

Note: Correct option: A - xyz

5. **Answer:** A

Options: A) By overwriting the return address to point to the location of that code; B) By writing directly to the instruction pointer register the address of the code; C) By writing directly to %eax the address of the code; D) By changing the name of the running executable, stored on the stack

Note: Correct option: A - By overwriting the return address to point to the location of that code

True / False

6. **Answer:** False

Options: A) True; B) False

Note: LLM-generated false statement. Correct answer: 'TKIP'.

7. **Answer:** True

Options: A) True; B) False

Note: LLM-generated true statement based on MCQ.

8. **Answer:** True

Options: A) True; B) False

Note: LLM-generated true statement based on MCQ.

9. **Answer:** True
Options: A) True; B) False
Note: LLM-generated true statement based on MCQ.
10. **Answer:** True
Options: A) True; B) False
Note: LLM-generated true statement based on MCQ.

Long Form Response

11. **Answer:** `def drop_empty(dict 1): | return dict 1`
Note: Students should provide a detailed explanation referencing algorithm steps.
12. **Answer:** `def split_upperstring(text): | return (re.findall('[A-Z][^A-Z]*',text))`
Note: Students should provide a detailed explanation referencing algorithm steps.

End of Answer Key