

Multiple Choice

1. **Answer:** D

Options: A) A function that averages numeric values in a column or row; B) A function that counts the values in a column or row; C) A function that rounds a numeric value; D) A function that sorts values in a column or row

Note: Correct option: D - A function that sorts values in a column or row

2. **Answer:** D

Options: A) 1; B) 2; C) 3; D) 4

Note: Correct option: D - 4

3. **Answer:** A

Options: A) 4; B) 1; C) 256; D) 16

Note: Correct option: A - 4

4. **Answer:** C

Options: A) ['abcd', 786 , 2.23, 'john', 70.2]; B) abcd; C) [786, 2.23]; D) None of the above.

Note: Correct option: C - [786, 2.23]

5. **Answer:** A

Options: A) `a[i] == max`; B) `a[i] != max`; C) `a[i] < max || a[i] > max`; D) FALSE

Note: Correct option: A - `a[i] == max`

True / False

6. **Answer:** True

Options: A) True; B) False

Note: LLM-generated true statement based on MCQ.

7. **Answer:** False

Options: A) True; B) False

Note: LLM-generated false statement. Correct answer: '6'.

8. **Answer:** True

Options: A) True; B) False

Note: LLM-generated true statement based on MCQ.

9. **Answer:** False

Options: A) True; B) False

Note: LLM-generated false statement. Correct answer: '{1,2,3,4}'.

10. **Answer:** False

Options: A) True; B) False

Note: LLM-generated false statement. Correct answer: 'a < c'.

Long Form Response

11. **Answer:** `def sqrt_root(num): | return sqrt_root`

Note: Students should provide a detailed explanation referencing algorithm steps.

12. **Answer:** `def get_median(arr 1, arr 2, n): | return (m 1 + m 2)/2`

Note: Students should provide a detailed explanation referencing algorithm steps.

End of Answer Key