

Multiple Choice

1. **Answer:** A

Options: A) `a[i] == max`; B) `a[i] != max`; C) `a[i] < max || a[i] > max`; D) `FALSE`

Note: Correct option: A - `a[i] == max`

2. **Answer:** B

Options: A) 2; B) 6; C) 3; D) 1

Note: Correct option: B - 6

3. **Answer:** B

Options: A) `/`; B) `//`; C) `%`; D) `|`

Note: Correct option: B - `//`

4. **Answer:** D

Options: A) The wait is expected to be short.; B) A busy-wait loop is easier to code than an interrupt handler.; C) There is no other work for the processor to do.; D) The program executes on a time-sharing system.

Note: Correct option: D - The program executes on a time-sharing system.

5. **Answer:** A

Options: A) `a < c`; B) `a < b`; C) `a > b`; D) `a == b`

Note: Correct option: A - `a < c`

True / False

6. **Answer:** False

Options: A) True; B) False

Note: LLM-generated false statement. Correct answer: 'Yes'.

7. **Answer:** False

Options: A) True; B) False

Note: LLM-generated false statement. Correct answer: 'A function that sorts values in a column or row'.

8. **Answer:** True

Options: A) True; B) False

Note: LLM-generated true statement based on MCQ.

9. **Answer:** False

Options: A) True; B) False

Note: LLM-generated false statement. Correct answer: 'c'.

10. **Answer:** True

Options: A) True; B) False

Note: LLM-generated true statement based on MCQ.

Long Form Response

11. **Answer:** `def remove_tuple(test_tup): | return (res)`

Note: Students should provide a detailed explanation referencing algorithm steps.

12. **Answer:** `def left_rotate(s,d): | return tmp`

Note: Students should provide a detailed explanation referencing algorithm steps.

End of Answer Key