

Multiple Choice (10 marks)

1. Which of the following is one of McAdams's levels of personality?
 - (a) Adaptation
 - (b) Control
 - (c) Growth
 - (d) Generativity
 - (e) Recognition
2. A problem for immune system theories of senescence is
 - (a) Determining what first causes the senescence in the immune system
 - (b) The immune system theories do not explain the role of lifestyle in senescence
 - (c) Immune system theories do not explain the role of genetic factors in senescence
 - (d) Immune system theories are too complex to test effectively
 - (e) The lack of information about senescence in general
3. Parasympathetic preganglionic axons leave the CNS with the
 - (a) cervical spinal nerves.
 - (b) optometric nerves.
 - (c) lumbar spinal nerves.
 - (d) hypoglossal nerves.
 - (e) olfactory nerves.
4. Lassa and Ebola are emergent viruses in W. Africa. What is their origin?
 - (a) Reptiles
 - (b) Birds
 - (c) Primates
 - (d) Humans
 - (e) Cattle
5. One of the most common reasons for stoma formation is:
 - (a) carcinoma.
 - (b) kidney stones.
 - (c) peptic ulcer.
 - (d) appendicitis.
 - (e) gastroenteritis.

True / False (10 marks)

Answer True or False

6. True or False: Assessing the accessory nerve function requires the patient to extend their neck against resistance.
7. True or False: Frequent use of antibiotics is associated with a reduction in the prevalence of allergic conditions.
8. True or False: Chorion villus sampling (CVS) is not a valuable diagnostic technique for identifying neural tube defects.
9. True or False: The normal respiratory rate for an adult male is typically 20-22 breaths per minute.
10. True or False: Noroviruses typically cause projectile vomiting and diarrhoea in infected individuals.

Long Form Response (20 marks)

Answer each question with a clear and complete explanation.

11. Discuss the various types of cells in the stomach lining, focusing on the role of parietal cells in the secretion of pepsinogen and its significance in digestive processes.
12. Discuss the clinical features that are indicative of mixed mitral valve disease with a predominance of mitral regurgitation, emphasizing their significance in diagnosis and patient evaluation.

End of Paper