

# CSE476\_Quiz1

## IGSHIELD Reconstructed

1. In the BIO tagging scheme for NER, what does the “I-” tag indicate?  
**A.** Beginning of an entity **B.** Inside an entity **C.** Outside any entity **D.** Between two tokens
2. Which statement best describes a model that ignores labels and uses only words?  
**A.** It uses only words (observations) and ignores labels **B.** It is identical to an HMM **C.** It models transitions between labels but does not consider the words **D.** It models emissions  $P(\text{word} \mid \text{label})$
3. In a Hidden Markov Model (HMM) for NER, a transition probability is:  
**A.**  $P(\text{label} \mid \text{previous label})$  **B.**  $P(\text{label} \mid \text{word})$  **C.**  $P(\text{word} \mid \text{previous word})$  **D.**  $P(\text{word} \mid \text{label})$
4. Which of the following best describes a syntactic parser assigning subject and object? **A.** A task that identifies predicates in a sentence and labels roles of elements such as agent, theme, or location **B.** A process that assigns grammatical roles like subject and object based on syntactic structure **C.** A method that classifies named entities and links them to a knowledge base **D.** A technique that labels words with their parts of speech and morphological features
5. Which of the following best describes run-length encoding for text? **A.** A technique that compresses text by replacing consecutive repeated characters with a count and a symbol **B.** A tokenization method that iteratively merges the most frequent pair of symbols in a corpus **C.** A tokenization method that splits text based on whitespace and punctuation **D.** A character-level encoding scheme that assigns fixed-length binary codes to characters
6. Which of the following best describes the main goal of part-of-speech tagging?  
**A.** To label each token with a grammatical category **B.** To convert text into a sequence of symbols suitable for modeling **C.** To reduce vocabulary size to zero **D.** To assign probabilities to sentences

7. Why might a tokenizer be considered problematic if it creates excessively many tokens?  
**A.** It produces too many tokens **B.** It does not work well for languages without explicit word boundaries **C.** It cannot tokenize English at all **D.** It ignores punctuation entirely
8. Which of the following is commonly introduced as a basic sequence tagging task?  
**A.** Part-of-speech tagging **B.** Named Entity Recognition **C.** Dependency parsing **D.** Sentiment analysis
9. What is a common drawback of a scheme that requires a very large number of labels?  
**A.** It cannot represent overlapping or nested entities **B.** It requires too many labels **C.** It does not support multiple entity types **D.** It ignores entity boundaries
10. When selecting an algorithm, which trade-off is often framed as speed v  
**A.** Speed vs accuracy **B.** Tokenized sequence length vs vocabulary size  
**C.** Precision vs recall **D.** Memory vs computation