



CSE-476: Introduction to Natural Language Processing

Quiz 1

1 Multiple Choice Questions (Single correct)

Instructions: Instructions: Select the correct option with a short explanation.

1. In BIO tagging for NER, which tag marks tokens inside but not starting an entity?
A. Beginning of an entity **B.** Inside an entity **C.** Outside any entity **D.** Between two tokens
2. Which option describes a model in tagging that relies only on words and ignores label transitions?
A. It uses only words (observations) and ignores labels **B.** It is identical to an HMM **C.** It models transitions between labels but does not consider the words **D.** It models emissions $P(\text{word} \mid \text{label})$
3. In an HMM for NER, which option gives the form of a transition probability between labels?
A. $P(\text{label} \mid \text{previous label})$ **B.** $P(\text{label} \mid \text{word})$ **C.** $P(\text{word} \mid \text{previous word})$ **D.** $P(\text{word} \mid \text{label})$
4. Which option best describes a process that assigns grammatical roles like subject and object? **A.** A task that identifies predicates in a sentence and labels roles of elements such as agent, theme, or location **B.** A process that assigns grammatical roles like subject and object based on syntactic structure **C.** A method that classifies named entities and links them to a knowledge base **D.** A technique that labels words with their parts of speech and morphological features
5. Which option describes a compression method that replaces repeated characters with a count and symbol? **A.** A technique that compresses text by replacing consecutive repeated characters with a count and a symbol **B.** A tokenization method that iteratively

merges the most frequent pair of symbols in a corpus **C.** A tokenization method that splits text based on whitespace and punctuation **D.** A character-level encoding scheme that assigns fixed-length binary codes to characters

6. Which option describes a task whose main goal is to label each token with a grammatical category?
A. To label each token with a grammatical category **B.** To convert text into a sequence of symbols suitable for modeling **C.** To reduce vocabulary size to zero **D.** To assign probabilities to sentences
7. Why might splitting text by spaces be criticized mainly for producing too many tokens in simple texts?
A. It produces too many tokens **B.** It does not work well for languages without explicit word boundaries **C.** It cannot tokenize English at all **D.** It ignores punctuation entirely
8. Which of the following is listed as a common task that assigns parts of speech to tokens?
A. Part-of-speech tagging **B.** Named Entity Recognition **C.** Dependency parsing **D.** Sentiment analysis
9. Which limitation claims that BIO tagging requires too many distinct labels for entities?
A. It cannot represent overlapping or nested entities **B.** It requires too many labels **C.** It does not support multiple entity types **D.** It ignores entity boundaries
10. When comparing different tokenization granularities, which trade-off involves speed vs accuracy?
A. Speed vs accuracy **B.** Tokenized sequence length vs vocabulary size **C.** Precision vs recall **D.** Memory vs computation