

```
shekj@LAPTOP-GNU95TN3 MINGW64 ~  
$ pwd  
/c/Users/shekj
```

```
shekj@LAPTOP-GNU95TN3 MINGW64 ~  
$ cd ..
```

```
shekj@LAPTOP-GNU95TN3 MINGW64 /c/Users  
$ cd ..
```

```
shekj@LAPTOP-GNU95TN3 MINGW64 /c  
$ pwd  
/c
```

```
shekj@LAPTOP-GNU95TN3 MINGW64 /c  
$ cd shekhar
```

```
shekj@LAPTOP-GNU95TN3 MINGW64 /c/shekhar (master)  
$ cd GIT5
```

```
shekj@LAPTOP-GNU95TN3 MINGW64 /c/shekhar/GIT5 (master)  
$ pwd  
/c/shekhar/GIT5
```

```
shekj@LAPTOP-GNU95TN3 MINGW64 /c/shekhar/GIT5 (master)  
$ git init  
Initialized empty Git repository in C:/Shekhar/GIt5/.git/
```

```
shekj@LAPTOP-GNU95TN3 MINGW64 /c/shekhar/GIT5 (master)  
$ git version  
git version 2.34.1.windows.1
```

```
shekj@LAPTOP-GNU95TN3 MINGW64 /c/shekhar/GIT5 (master)  
$ git config --global user.name "shekhar"
```

```
shekj@LAPTOP-GNU95TN3 MINGW64 /c/shekhar/GIT5 (master)
```

```
$ git config --global user.email "shekjava@gmail.com"
```

```
shekj@LAPTOP-GNU95TN3 MINGW64 /c/shekhar/GIT5 (master)
```

```
$ git config --global --list
```

```
user.name=shekhar
```

```
user.email=shekjava@gmail.com
```

```
credential.https://cognizant-git.tekstac.com.provider=generic
```

```
credential.https://gitlab-wipro.stackroute.in.provider=generic
```

```
shekj@LAPTOP-GNU95TN3 MINGW64 /c/shekhar/GIT5 (master)
```

```
$ echo "Welcome to the version control" > >welcome.txt
```

```
shekj@LAPTOP-GNU95TN3 MINGW64 /c/shekhar/GIT5 (master)
```

```
$ git status
```

```
On branch master
```

```
No commits yet
```

```
Untracked files:
```

```
(use "git add <file> ..." to include in what will be committed)
```

```
welcome.txt
```

```
nothing added to commit but untracked files present (use "git add" to track)
```

```
shekj@LAPTOP-GNU95TN3 MINGW64 /c/shekhar/GIT5 (master)
```

```
$ git add .
```

```
warning: LF will be replaced by CRLF in welcome.txt.
```

```
The file will have its original line endings in your working directory
```

```
shekj@LAPTOP-GNU95TN3 MINGW64 /c/shekhar/GIT5 (master)
```

```
$ git commit -m "27th april"
```

```
[master (root-commit) 2a35b94] 27th april
```

```
1 file changed, 1 insertion(+)
```

```
create mode 100644 welcome.txt
```

```
shekj@LAPTOP-GNU95TN3 MINGW64 /c/shekhar/GIT5 (master)
```

```
$ git remote add origin https://github.com/shekjasola/AWS.git
```

```
shekj@LAPTOP-GNU95TN3 MINGW64 /c/shekhar/GIT5 (master)
```

```
$ git push -u origin master
```

```
Enumerating objects: 3, done.
```

```
Counting objects: 100% (3/3), done.
```

```
Writing objects: 100% (3/3), 243 bytes | 243.00 KiB/s, done.
```

```
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
```

```
To https://github.com/shekjasola/AWS.git
```

```
* [new branch]    master -> master
```

```
Branch 'master' set up to track remote branch 'master' from 'origin'.
```