

Frontend HTML Web Pages

Project: T&C; Red Flag Scanner | Team: CorruptX

File: frontend/index.html

Size: 21301 bytes

```
1 | <!DOCTYPE html>;
2 | <html lang="en">;
3 | <head>;
4 |   <meta charset="UTF-8">;
5 |   <meta name="viewport" content="width=device-width, initial-scale=1.0">;
6 |   <title>CorruptX – T&C Red Flag Scanner | Cybersecurity Hackathon</title>;
7 |   <link rel="stylesheet" href="css/style.css">;
8 |   <link rel="stylesheet" href="css/responsive.css">;
9 |   <link rel="stylesheet" href="css/chatbot.css">;
10 | </head>;
11 |   /* Landing-specific styles */
12 |   .hero-section {
13 |     padding: 72px 0 64px;
14 |     position: relative;
15 |   }
16 |   .hero-grid {
17 |     display: grid;
18 |     grid-template-columns: 1.15fr 0.85fr;
19 |     gap: 48px;
20 |     align-items: center;
21 |   }
22 |   .hero-tagline {
23 |     font-size: 1.15rem;
24 |     font-weight: 700;
25 |     color: var(--accent-cyan);
26 |     font-family: var(--font-mono);
27 |     letter-spacing: 0.05em;
28 |     margin-bottom: 12px;
29 |     text-transform: uppercase;
30 |   }
31 |   .hero-title {
32 |     font-size: 3.4rem;
33 |     font-weight: 900;
34 |     line-height: 1.1;
35 |     margin-bottom: 20px;
36 |     background: linear-gradient(135deg, #ffffff 0%, #cbd5e1 50%, #38bdf8 100%);
37 |     -webkit-background-clip: text;
38 |     -webkit-text-fill-color: transparent;
39 |   }
40 |   .hero-subtitle {
41 |     font-size: 1.18rem;
42 |     line-height: 1.7;
43 |     color: #94a3b8;
44 |     margin-bottom: 32px;
45 |     max-width: 580px;
46 |   }
47 |   .hero-cta-group {
48 |     display: flex;
49 |     align-items: center;
50 |     gap: 16px;
51 |     flex-wrap: wrap;
52 |   }
53 |
54 |   /* Mockup Visual Card */
55 |   .mockup-card {
56 |     background: rgba(13, 19, 32, 0.85);
57 |     border: 1px solid var(--border-focus);
58 |     box-shadow: 0 0 40px rgba(0, 242, 255, 0.15), 0 20px 50px rgba(0,0,0,0.8);
59 |     border-radius: var(--radius-lg);
60 |     padding: 24px;
```

```
61 |     position: relative;
62 | }
63 | .mockup-header {
64 |     display: flex;
65 |     align-items: center;
66 |     justify-content: space-between;
67 |     margin-bottom: 20px;
68 |     padding-bottom: 12px;
69 |     border-bottom: 1px solid var(--border-card);
70 | }
71 | .mockup-title {
72 |     font-size: 0.82rem;
73 |     font-family: var(--font-mono);
74 |     color: var(--accent-cyan);
75 |     text-transform: uppercase;
76 |     letter-spacing: 0.08em;
77 | }
78 | .mockup-score-box {
79 |     display: flex;
80 |     align-items: center;
81 |     justify-content: space-between;
82 |     background: rgba(255, 51, 102, 0.08);
83 |     border: 1px solid rgba(255, 51, 102, 0.3);
84 |     border-radius: var(--radius-md);
85 |     padding: 16px 20px;
86 |     margin-bottom: 20px;
87 | }
88 | .mockup-score-num {
89 |     font-size: 2.8rem;
90 |     font-weight: 900;
91 |     color: var(--accent-crimson);
92 |     line-height: 1;
93 | }
94 | .mockup-tags-grid {
95 |     display: grid;
96 |     grid-template-columns: repeat(2, 1fr);
97 |     gap: 10px;
98 | }
99 | .mockup-tag {
100 |     background: rgba(15, 23, 42, 0.7);
101 |     border: 1px solid var(--border-card);
102 |     border-radius: var(--radius-sm);
103 |     padding: 8px 12px;
104 |     font-size: 0.76rem;
105 |     font-family: var(--font-mono);
106 |     color: #cbd5e1;
107 |     display: flex;
108 |     align-items: center;
109 |     justify-content: space-between;
110 | }
111 |
112 | /* Section Styles */
113 | .section-title-wrap {
114 |     text-align: center;
115 |     max-width: 720px;
116 |     margin: 0 auto 56px;
117 | }
118 | .section-title {
119 |     font-size: 2.2rem;
120 |     margin-bottom: 14px;
121 | }
122 | .features-grid {
123 |     display: grid;
124 |     grid-template-columns: repeat(3, 1fr);
125 |     gap: 28px;
126 |     margin-bottom: 80px;
127 | }
128 | .feature-card {
129 |     padding: 32px 28px;
```

```
130 |     }
131 |     .feature-icon-box {
132 |         width: 52px;
133 |         height: 52px;
134 |         border-radius: 12px;
135 |         background: rgba(0, 242, 255, 0.08);
136 |         border: 1px solid var(--border-focus);
137 |         display: flex;
138 |         align-items: center;
139 |         justify-content: center;
140 |         color: var(--accent-cyan);
141 |
142 |         margin-bottom: 20px;
143 |         box-shadow: 0 0 16px var(--accent-cyan-glow);
144 |     }
145 |     .feature-title {
146 |         font-size: 1.35rem;
147 |         margin-bottom: 12px;
148 |         color: #fff;
149 |     }
150 |     .feature-desc {
151 |         font-size: 0.94rem;
152 |         line-height: 1.65;
153 |     }
154 |     /* Workflow Steps */
155 |     .workflow-steps-wrap {
156 |         display: grid;
157 |         grid-template-columns: repeat(5, 1fr);
158 |         gap: 16px;
159 |         margin-bottom: 80px;
160 |     }
161 |     .workflow-step {
162 |         background: var(--bg-card);
163 |         border: 1px solid var(--border-card);
164 |         border-radius: var(--radius-md);
165 |         padding: 20px 16px;
166 |         text-align: center;
167 |         position: relative;
168 |     }
169 |     .workflow-num {
170 |         font-size: 1.4rem;
171 |         font-weight: 800;
172 |         color: var(--accent-cyan);
173 |         font-family: var(--font-mono);
174 |         margin-bottom: 8px;
175 |     }
176 |     .workflow-label {
177 |         font-size: 0.88rem;
178 |         font-weight: 600;
179 |         color: #fff;
180 |     }
181 |
182 |     /* Team Section */
183 |     .team-grid {
184 |         display: grid;
185 |         grid-template-columns: repeat(3, 1fr);
186 |         gap: 24px;
187 |         margin-bottom: 80px;
188 |     }
189 |     .team-member-card {
190 |         text-align: center;
191 |         padding: 28px 20px;
192 |     }
193 |     .team-avatar {
194 |         width: 72px;
195 |         height: 72px;
196 |         border-radius: 50%;
197 |         background: linear-gradient(135deg, #00d2df 0%, #ff3366 100%);
198 |         margin: 0 auto 16px;
```

```
199 |     display: flex;
200 |     align-items: center;
201 |     justify-content: center;
202 |     font-size: 1.4rem;
203 |     font-weight: 800;
204 |     color: #fff;
205 |     box-shadow: 0 0 20px var(--accent-cyan-glow);
206 | }
207 |
208 | @media (max-width: 900px) {
209 |     .hero-grid { grid-template-columns: 1fr; }
210 |     .features-grid { grid-template-columns: 1fr; }
211 |     .workflow-steps-wrap { grid-template-columns: 1fr 1fr; }
212 |     .team-grid { grid-template-columns: 1fr; }
213 |     .hero-title { font-size: 2.5rem; }
214 | }
215 | </style>
216 | </head>
217 | <body>
218 |
219 | <!-- Site Header -->
220 | <header class="site-header">
221 |     <div class="container header-inner">
222 |         <a href="index.html" class="brand-wrapper">
223 |             <div class="brand-shield-icon">
224 |                 <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round">
225 |                     </div>
226 |                 <div class="brand-meta">
227 |                     <span class="brand-team">Team CorruptX</span>
228 |                     <span class="brand-name">T&C RED FLAG SCANNER</span></div>
229 |                 </div>
230 |             </a>
231 |
232 |             <nav class="main-nav">
233 |                 <a href="index.html" class="nav-link">Home</a>
234 |                 <a href="scanner.html" class="nav-link">Scanner</a>
235 |                 <a href="results.html" class="nav-link">Results</a>
236 |                 <a href="history.html" class="nav-link">History</a>
237 |                 <a href="about.html" class="nav-link">About Team</a>
238 |             </nav>
239 |
240 |             <div class="header-actions">
241 |                 <div class="system-status" id="system-status-indicator">
242 |                     <span class="status-dot"></span>
243 |                     <span id="system-status-text">CYBER ENGINE READY</span>
244 |                 </div>
245 |                 <button class="mobile-menu-btn" aria-label="Toggle navigation">
246 |                     <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round">
247 |                     </svg>
248 |                 </button>
249 |             </div>
250 |         </div>
251 |     </header>
252 |
253 |     <!-- Main Content -->
254 |     <main>
255 |         <!-- Hero Section -->
256 |         <section class="hero-section">
257 |             <div class="container hero-grid">
258 |                 <div class="hero-text-block">
259 |                     <div class="hero-tagline">Before you click Agree, know what you're agreeing to.</div>
260 |                     <h1 class="hero-title">T&C RED FLAG SCANNER</h1>
261 |                     <p class="hero-subtitle">
262 |                         AI-powered analysis that finds risky clauses hidden inside Terms & Conditions, Privacy Policies, and EULAs
263 |                     </p>
264 |                     <div class="hero-cta-group">
265 |                         <a href="scanner.html" class="btn btn-primary btn-lg">Scan a Document</a>
266 |                         <a href="scanner.html?demo=high_risk_social" class="btn btn-secondary btn-lg">Try Demo Scan</a>
267 |                         <a href="#how-it-works" class="btn btn-outline">See How It Works</a>
268 |                     </div>
269 |                 </div>
270 |                 <div class="hero-image-block">
271 |                     <img alt="Hero image showing a document with a red flag icon." data-bbox="450 750 950 950"/>
272 |                 </div>
273 |             </div>
274 |         </section>
275 |     </main>
276 | </body>
277 | </html>
```

```

268 |         </div>
269 |
270 |         <!-- Visual Cybersecurity Dashboard Mockup -->
271 |         <div class="mockup-card">
272 |             <div class="mockup-header">
273 |                 <span class="mockup-title">DEMO SECURITY AUDIT MOCKUP</span>
274 |                 <span class="badge badge-high">LIVE ENGINE READY</span>
275 |             </div>
276 |
277 |             <div class="mockup-score-box">
278 |                 <div>
279 |                     <div style="font-size: 0.8rem; font-family: var(--font-mono); color: var(--text-dim); text-transform: uppercase;">
280 |                         <div style="font-size: 1.1rem; font-weight: 800; color: #fff; margin-top: 2px;">HIGH RISK DETECTED</div>
281 |                     </div>
282 |                     <div class="mockup-score-num">72</div><span style="font-size: 1.2rem; color: var(--text-dim);">/100</span>
283 |                 </div>
284 |
285 |                 <div style="font-size: 0.78rem; font-family: var(--font-mono); color: var(--accent-cyan); margin-bottom: 10px;">
286 |                     Detected Critical Categories:
287 |                 </div>
288 |
289 |                 <div class="mockup-tags-grid">
290 |                     <div class="mockup-tag">
291 |                         <span>DATA SHARING</span>
292 |                         <span class="badge badge-high" style="padding: 2px 6px; font-size: 0.68rem;">HIGH</span>
293 |                     </div>
294 |                     <div class="mockup-tag">
295 |                         <span>TRACKING</span>
296 |                         <span class="badge badge-high" style="padding: 2px 6px; font-size: 0.68rem;">HIGH</span>
297 |                     </div>
298 |                     <div class="mockup-tag">
299 |                         <span>AUTO-RENEWAL</span>
300 |                         <span class="badge badge-medium" style="padding: 2px 6px; font-size: 0.68rem;">MED</span>
301 |                     </div>
302 |                     <div class="mockup-tag">
303 |                         <span>ARBITRATION</span>
304 |                         <span class="badge badge-high" style="padding: 2px 6px; font-size: 0.68rem;">HIGH</span>
305 |                     </div>
306 |                     <div class="mockup-tag">
307 |                         <span>LIABILITY</span>
308 |                         <span class="badge badge-medium" style="padding: 2px 6px; font-size: 0.68rem;">MED</span>
309 |                     </div>
310 |                     <div class="mockup-tag">
311 |                         <span>UNILATERAL CHANGES</span>
312 |                         <span class="badge badge-high" style="padding: 2px 6px; font-size: 0.68rem;">HIGH</span>
313 |                     </div>
314 |                 </div>
315 |
316 |                 <div style="margin-top: 18px; text-align: center;">
317 |                     <a href="scanner.html?demo=high_risk_social" style="font-size: 0.85rem; font-family: var(--font-mono); font-weight: 700;">
318 |                         Execute Live Analysis on this Policy &#x2192;
319 |                     </a>
320 |                 </div>
321 |             </div>
322 |         </div>
323 |     </section>
324 |
325 |     <!-- The Problem Statement Section -->
326 |     <section style="padding: 60px 0; border-top: 1px solid var(--border-card); background: rgba(12, 16, 24, 0.4);">
327 |         <div class="container" style="text-align: center; max-width: 800px;">
328 |             <span class="badge badge-medium" style="margin-bottom: 16px;">THE INVISIBLE VULNERABILITY</span>
329 |             <h2 style="font-size: 2.2rem; margin-bottom: 18px; color: #fff;">
330 |                 "Nobody reads the fine print. That's exactly where the risk hides."
331 |             </h2>
332 |             <p style="font-size: 1.05rem; line-height: 1.7; color: #94a3b8;">
333 |                 The average Terms of Service agreement contains over 4,000 words—requiring roughly 30 minutes of legal deciphering.
334 |             </p>
335 |         </div>
336 |     </section>

```

```

337 |
338 | <!-- 3 Feature Cards: DETECT, SCORE, EXPLAIN -->
339 | <section class="container" style="padding: 60px 0;">
340 |   <div class="features-grid">
341 |     <div class="card card-cyber-accent feature-card">
342 |       <div class="feature-icon-box">
343 |         <svg viewBox="0 0 24 24" width="28" height="28" fill="none" stroke="currentColor" stroke-width="2">
344 |           </div>
345 |         <h3 class="feature-title">DETECT</h3>
346 |         <p class="feature-desc">
347 |           Automatically identify potentially risky clauses across 14 cybersecurity and privacy categories, including c
348 |         </p>
349 |       </div>
350 |
351 |     <div class="card card-cyber-accent feature-card">
352 |       <div class="feature-icon-box" style="color: var(--accent-green); border-color: rgba(0, 255, 136, 0.3);">
353 |         <svg viewBox="0 0 24 24" width="28" height="28" fill="none" stroke="currentColor" stroke-width="2">
354 |           </div>
355 |         <h3 class="feature-title">SCORE</h3>
356 |         <p class="feature-desc">
357 |           Generate a deterministic 0-100 risk score and tier classification (SAFE, CAUTION, HIGH RISK) based on clause
358 |         </p>
359 |       </div>
360 |
361 |     <div class="card card-cyber-accent feature-card">
362 |       <div class="feature-icon-box" style="color: var(--accent-amber); border-color: rgba(255, 183, 0, 0.3);">
363 |         <svg viewBox="0 0 24 24" width="28" height="28" fill="none" stroke="currentColor" stroke-width="2">
364 |           </div>
365 |         <h3 class="feature-title">EXPLAIN</h3>
366 |         <p class="feature-desc">
367 |           Translate confusing legalese into plain English. Understand exactly why a clause matters from an information
368 |         </p>
369 |       </div>
370 |     </div>
371 |   </section>
372 |
373 | <!-- How It Works Section -->
374 | <section id="how-it-works" class="container" style="padding: 40px 0 70px;">
375 |   <div class="section-title-wrap">
376 |     <span class="badge badge-safe" style="margin-bottom: 12px;">SYSTEM PIPELINE</span>
377 |     <h2 class="section-title">How It Works</h2>
378 |     <p>A fast, 5-stage automated cybersecurity inspection pipeline designed for 100% offline local privacy.</p>
379 |   </div>
380 |
381 |   <div class="workflow-steps-wrap">
382 |     <div class="workflow-step">
383 |       <div class="workflow-num">01</div>
384 |       <div class="workflow-label">Paste or Upload Policy</div>
385 |       <p style="font-size: 0.78rem; margin-top: 6px; color: var(--text-dim);">Accepts raw text, .txt, .md, or
386 |     </div>
387 |     <div class="workflow-step">
388 |       <div class="workflow-num">02</div>
389 |       <div class="workflow-label">Extract Clauses</div>
390 |       <p style="font-size: 0.78rem; margin-top: 6px; color: var(--text-dim);">Segments sentences while protect
391 |     </div>
392 |     <div class="workflow-step">
393 |       <div class="workflow-num">03</div>
394 |       <div class="workflow-label">Analyze Risks</div>
395 |       <p style="font-size: 0.78rem; margin-top: 6px; color: var(--text-dim);">Evaluates clauses against 14 sec
396 |     </div>
397 |     <div class="workflow-step">
398 |       <div class="workflow-num">04</div>
399 |       <div class="workflow-label">Generate Score</div>
400 |       <p style="font-size: 0.78rem; margin-top: 6px; color: var(--text-dim);">Calculates weighted 0-100 exposu
401 |     </div>
402 |     <div class="workflow-step">
403 |       <div class="workflow-num">05</div>
404 |       <div class="workflow-label">Explain Red Flags</div>
405 |       <p style="font-size: 0.78rem; margin-top: 6px; color: var(--text-dim);">Delivers plain English translati

```

```

406 |         </div>
407 |     </div>
408 | </section>
409 |
410 | <!-- Cybersecurity Relevance Banner -->
411 | <section style="background: rgba(15, 23, 42, 0.6); border-top: 1px solid var(--border-card); border-bottom: 1px solid var(--border-card); padding: 10px 0 0 0;">
412 |     <div class="container" style="display: flex; align-items: center; justify-content: space-between; flex-wrap: wrap;">
413 |         <div style="max-width: 650px;">
414 |             <span class="badge badge-high" style="margin-bottom: 12px;">CYBERSECURITY PERSPECTIVE</span>
415 |             <h3 style="font-size: 1.65rem; color: #fff; margin-bottom: 12px;">
416 |                 Consent can become a critical data-security blind spot.
417 |             </h3>
418 |             <p style="font-size: 0.95rem; line-height: 1.6; color: #94a3b8;">
419 |                 When users blindly click "I Agree", they grant legal permission for background tracking, credential sharing,
420 |             </p>
421 |         </div>
422 |         <div>
423 |             <a href="scanner.html" class="btn btn-primary btn-lg">Launch Scanner Now</a>
424 |         </div>
425 |     </div>
426 | </section>
427 |
428 | <!-- Team Section -->
429 | <section class="container" style="padding: 80px 0 40px 0;">
430 |     <div class="section-title-wrap">
431 |         <span class="badge badge-safe" style="margin-bottom: 12px;">HACKATHON TEAM</span>
432 |         <h2 class="section-title">Team CorruptX</h2>
433 |         <p>Built for the Cybersecurity Hackathon to protect user privacy rights in the digital age.</p>
434 |     </div>
435 |
436 |     <div class="team-grid">
437 |         <div class="card team-member-card">
438 |             <div class="team-avatar">VK</div>
439 |             <h3 style="font-size: 1.2rem; color: #fff; margin-bottom: 4px;">Vyom Khanna</h3>
440 |             <p style="font-size: 0.85rem; font-family: var(--font-mono); color: var(--accent-cyan); margin-bottom: 10px;">
441 |                 <p style="font-size: 0.88rem; color: var(--text-dim);">System Architecture & Full-Stack Security Eng
442 |             </div>
443 |
444 |         <div class="card team-member-card">
445 |             <div class="team-avatar" style="background: linear-gradient(135deg, #00f2ff 0%, #00ff88 100%);">NS</div>
446 |             <h3 style="font-size: 1.2rem; color: #fff; margin-bottom: 4px;">Nalin Shakher</h3>
447 |             <p style="font-size: 0.85rem; font-family: var(--font-mono); color: var(--accent-cyan); margin-bottom: 10px;">
448 |                 <p style="font-size: 0.88rem; color: var(--text-dim);">Rule Engine, NLP Taxonomy & Offline Pipeline&
449 |             </div>
450 |
451 |         <div class="card team-member-card">
452 |             <div class="team-avatar" style="background: linear-gradient(135deg, #ffb700 0%, #ff3366 100%);">AV</div>
453 |             <h3 style="font-size: 1.2rem; color: #fff; margin-bottom: 4px;">Aayush Verma</h3>
454 |             <p style="font-size: 0.85rem; font-family: var(--font-mono); color: var(--accent-cyan); margin-bottom: 10px;">
455 |                 <p style="font-size: 0.88rem; color: var(--text-dim);">Cybersecurity Interface & Interactive Clause
456 |             </div>
457 |         </div>
458 |     </section>
459 | </main>
460 |
461 | <!-- Site Footer -->
462 | <footer class="site-footer">
463 |     <div class="container">
464 |         <div class="footer-top">
465 |             <div class="footer-brand">
466 |                 <div class="brand-wrapper">
467 |                     <div class="brand-shield-icon">
468 |                         <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2"><path d="M12 22s8-4 8-8" /></svg>
469 |                     </div>
470 |                     <div class="brand-meta">
471 |                         <span class="brand-team">Team CorruptX</span>
472 |                         <span class="brand-name">T&C RED FLAG SCANNER</span>
473 |                     </div>
474 |                 </div>

```

```
475 |         <p class="footer-desc">
476 |             A cybersecurity hackathon project dedicated to de-obfuscating legal fine print and exposing privacy-invasive
477 |         </p>
478 |     </div>
479 |
480 |     <div class="footer-links">
481 |         <div>
482 |             <div class="footer-group-title">Navigation</div>
483 |             <ul class="footer-link-list">
484 |                 <li><a href="index.html">Home</a></li>
485 |                 <li><a href="scanner.html">Scanner</a></li>
486 |                 <li><a href="results.html">Results Dashboard</a></li>
487 |                 <li><a href="history.html">Scan History</a></li>
488 |                 <li><a href="about.html">About & Team</a></li>
489 |             </ul>
490 |         </div>
491 |
492 |         <div class="footer-group-title">Demo Policies</div>
493 |         <ul class="footer-link-list">
494 |             <li><a href="scanner.html?demo=high_risk_social">Social App (High Risk)</a></li>
495 |             <li><a href="scanner.html?demo=moderate_risk_saas">NovaDesk SaaS (Caution)</a></li>
496 |             <li><a href="scanner.html?demo=safe_open_source">AegisGuard (Safe)</a></li>
497 |         </ul>
498 |     </div>
499 | </div>
500 | </div>
501 |
502 |     <!-- Legal Disclaimer -->
503 |     <div class="footer-disclaimer">
504 |         <strong>Important Cybersecurity & Legal Disclaimer:</strong> This tool provides automated cybers
505 |     </div>
506 |
507 |     <div class="footer-bottom">
508 |         <span>&copy; 2026 Team CorruptX — Cybersecurity Hackathon Project</span>
509 |         <span>Offline-Ready Local Architecture</span>
510 |     </div>
511 | </div>
512 | </footer>
513 |
514 | <script src="js/rules_data.js"></script>
515 | <script src="js/sample_data.js"></script>
516 | <script src="js/client_analyzer.js"></script>
517 | <script src="js/app.js"></script>
518 | <script src="js/chatbot.js" defer></script>
519 | </body>
520 | </html>
```

File: frontend/scanner.html

Size: 8563 bytes

```

1 | <!DOCTYPE html>;
2 | <html lang="en">;
3 | <head>;
4 |   <meta charset="UTF-8">;
5 |   <meta name="viewport" content="width=device-width, initial-scale=1.0">;
6 |   <title>Scanner – CorruptX T&C Red Flag Scanner</title>;
7 |   <link rel="stylesheet" href="css/style.css">;
8 |   <link rel="stylesheet" href="css/scanner.css">;
9 |   <link rel="stylesheet" href="css/responsive.css">;
10 |  <link rel="stylesheet" href="css/chatbot.css">;
11 | </head>;
12 | <body>;
13 |
14 |   <!-- Site Header -->;
15 |   <header class="site-header">;
16 |     <div class="container header-inner">;
17 |       <a href="index.html" class="brand-wrapper">;
18 |         <div class="brand-shield-icon">;
19 |           <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round">;
20 |             <rect width="24" height="24" rx="12" stroke="none"/>;
21 |           </div>;
22 |           <div class="brand-meta">;
23 |             <span class="brand-team">Team CorruptX</span>;
24 |             <span class="brand-name">T&C RED FLAG </span><span>SCANNER</span></div>;
25 |           </div>;
26 |         </a>;
27 |
28 |       <nav class="main-nav">;
29 |         <a href="index.html" class="nav-link">Home</a>;
30 |         <a href="scanner.html" class="nav-link active">Scanner</a>;
31 |         <a href="results.html" class="nav-link">Results</a>;
32 |         <a href="history.html" class="nav-link">History</a>;
33 |         <a href="about.html" class="nav-link">About Team</a>;
34 |       </nav>;
35 |
36 |       <div class="header-actions">;
37 |         <div class="system-status" id="system-status-indicator">;
38 |           <span class="status-dot"></span>;
39 |           <span id="system-status-text">CYBER ENGINE READY</span>;
40 |         </div>;
41 |         <button class="mobile-menu-btn" aria-label="Toggle navigation">;
42 |           <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round">;
43 |             <rect width="24" height="24" rx="12" stroke="none"/>;
44 |           </div>;
45 |         </div>;
46 |       </div>;
47 |
48 |   <!-- Scanner Workspace -->;
49 |   <main class="container">;
50 |     <div class="scanner-hero">;
51 |       <div class="scanner-badge">CYBERSECURITY AUDIT CONSOLE</div>;
52 |       <h1 class="scanner-title">Scan Terms & Conditions</h1>;
53 |       <p class="scanner-subtitle">
54 |         Paste a policy below and let the scanner identify potential red flags, data sharing traps, and arbitration waivers.
55 |       </p>;
56 |     </div>;
57 |
58 |     <div class="scanner-workspace">;
59 |       <div class="scanner-card card-cyber-accent">;
60 |         <!-- Document Meta & Actions Bar -->;
61 |         <div class="doc-meta-bar">;
62 |           <div class="doc-name-input-group">;
63 |             <span class="doc-name-label">Document:</span>;
64 |             <input type="text" id="doc-name-input" class="doc-name-input" placeholder="e.g. HyperNet Social App Terms of Service" />;
65 |           </div>;
66 |
67 |           <div class="scanner-actions-bar">;
68 |             <button type="button" id="btn-load-demo" class="btn btn-secondary btn-sm" title="Load realistic sample policy" />;

```

```

68 |         <svg viewBox="0 0 24 24" width="16" height="16" fill="none" stroke="currentColor" stroke-width="2">&
69 |         Load Demo Policy
70 |     </button>;
71 |     <button type="button" id="btn-paste" class="btn btn-secondary btn-sm" title="Paste text from clipboard">
72 |         <svg viewBox="0 0 24 24" width="16" height="16" fill="none" stroke="currentColor" stroke-width="2">&
73 |         Paste
74 |     </button>;
75 |     <button type="button" id="btn-clear" class="btn btn-outline btn-sm" title="Clear workspace">
76 |         Clear
77 |     </button>;
78 | </div>;
79 | </div>;
80 |
81 | <!-- Hidden File Input & Dropzone -->;
82 | <input type="file" id="file-upload-input" accept=".txt,.md,.html,.htm" style="display: none;">;
83 | <div id="file-dropzone" class="file-dropzone">;
84 |     <div class="dropzone-inner">;
85 |         <div class="dropzone-icon">;
86 |             <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stro
87 |             </div>;
88 |             <div class="dropzone-text"><strong>Drag & Drop policy document here</strong>; or click
89 |             <div class="dropzone-subtext">Supports .TXT, .MD, and .HTML files &bull; Processed 100% locally on
90 |         </div>;
91 |     </div>;
92 |
93 | <!-- Textarea -->;
94 | <div class="textarea-wrapper">;
95 |     <textarea id="policy-text" class="policy-textarea" placeholder="Paste Terms & Conditions, Privacy Polic
96 | </div>;
97 |
98 | <!-- Stats Bar -->;
99 | <div class="textarea-stats-bar">;
100 |     <div class="stats-group">;
101 |         <div class="stat-item">&Characters: <span id="char-count">0</span></div>;
102 |         <div class="stat-item">&Words: <span id="word-count">0</span></div>;
103 |         <div class="stat-item">&Estimated Clauses: <span id="clause-estimate">0</span></div>;
104 |     </div>;
105 |     <div class="security-privacy-note">;
106 |         Zero Cloud Uploads &bull; Private & Secure
107 |     </div>;
108 | </div>;
109 |
110 | <!-- Launch Bar -->;
111 | <div class="scanner-launch-bar">;
112 |     <div class="launch-tips">;
113 |         <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2"><circle cx="12" cy="12"
114 |         <span>Tip: Click "Load Demo Policy" above for a preloaded high-risk test file.</span></div>;
115 |     </div>;
116 |
117 |     <button type="button" id="btn-start-scan" class="btn btn-primary btn-scan-main">
118 |         <svg viewBox="0 0 24 24" width="20" height="20" fill="none" stroke="currentColor" stroke-width="2"><
119 |         Start Security Scan
120 |     </button>;
121 | </div>;
122 | </div>;
123 | </div>;
124 | </main>;
125 |
126 | <!-- Scanning Modal Overlay -->;
127 | <div id="scanning-overlay" class="scanning-overlay">;
128 |     <div class="scanning-modal">;
129 |         <div class="radar-box">;
130 |             <div class="radar-ring ring-1"></div>;
131 |             <div class="radar-ring ring-2"></div>;
132 |             <div class="radar-ring ring-3"></div>;
133 |             <div class="radar-sweep"></div>;
134 |             <div class="radar-center-icon">;
135 |                 <svg viewBox="0 0 24 24" width="32" height="32" fill="none" stroke="currentColor" stroke-width="2"><p
136 |             </div>;

```

```
137 |         </div>;
138 |
139 |         <h3 class="scan-progress-title">Scanning Policy</h3>;
140 |         <p class="scan-progress-sub">De-obfuscating legal text and analyzing risk indicators...</p>;
141 |
142 |         <div class="scan-steps-list">;
143 |             <div class="scan-step-item" id="step-1">;
144 |                 <div class="step-icon-indicator">•</div>;
145 |                 <span>Extracting and segmenting clauses...</span>;
146 |             </div>;
147 |             <div class="scan-step-item" id="step-2">;
148 |                 <div class="step-icon-indicator">•</div>;
149 |                 <span>Classifying risks against security taxonomy...</span>;
150 |             </div>;
151 |             <div class="scan-step-item" id="step-3">;
152 |                 <div class="step-icon-indicator">•</div>;
153 |                 <span>Calculating weighted risk score (0-100)...</span>;
154 |             </div>;
155 |             <div class="scan-step-item" id="step-4">;
156 |                 <div class="step-icon-indicator">•</div>;
157 |                 <span>Generating plain-English explanations...</span>;
158 |             </div>;
159 |         </div>;
160 |
161 |         <div class="progress-bar-track">;
162 |             <div id="scan-progress-fill" class="progress-bar-fill"></div>;
163 |         </div>;
164 |     </div>;
165 | </div>;
166 |
167 | <!-- Site Footer -->;
168 | <footer class="site-footer">;
169 |     <div class="container">;
170 |         <div class="footer-disclaimer">;
171 |             <strong>Disclaimer:</strong> This tool provides automated risk analysis for informational purposes a
172 |         </div>;
173 |         <div class="footer-bottom">;
174 |             <span>&copy; 2026 Team CorruptX – T&C Red Flag Scanner</span>;
175 |             <span>Offline-Capable Architecture</span>;
176 |         </div>;
177 |     </div>;
178 | </footer>;
179 |
180 | <script src="js/rules_data.js"></script>;
181 | <script src="js/sample_data.js"></script>;
182 | <script src="js/client_analyzer.js"></script>;
183 | <script src="js/app.js"></script>;
184 | <script src="js/scanner.js"></script>;
185 | <script src="js/chatbot.js" defer></script>;
186 | </body>;
187 | </html>;
```

File: frontend/results.html

Size: 10394 bytes

```

1 | <!DOCTYPE html>;
2 | <html lang="en">;
3 | <head>;
4 |   <meta charset="UTF-8">;
5 |   <meta name="viewport" content="width=device-width, initial-scale=1.0">;
6 |   <title>Results Dashboard – CorruptX T&C Red Flag Scanner</title>;
7 |   <link rel="stylesheet" href="css/style.css">;
8 |   <link rel="stylesheet" href="css/results.css">;
9 |   <link rel="stylesheet" href="css/responsive.css">;
10 |  <link rel="stylesheet" href="css/chatbot.css">;
11 | </head>;
12 | <body>;
13 |
14 |   <!-- Site Header -->;
15 |   <header class="site-header">;
16 |     <div class="container header-inner">;
17 |       <a href="index.html" class="brand-wrapper">;
18 |         <div class="brand-shield-icon">;
19 |           <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round"></svg>;
20 |         </div>;
21 |         <div class="brand-meta">;
22 |           <span class="brand-team">Team CorruptX</span>;
23 |           <span class="brand-name">T&C RED FLAG </span><span>SCANNER</span></div>;
24 |         </div>;
25 |       </a>;
26 |
27 |       <nav class="main-nav">;
28 |         <a href="index.html" class="nav-link">Home</a>;
29 |         <a href="scanner.html" class="nav-link">Scanner</a>;
30 |         <a href="results.html" class="nav-link active">Results</a>;
31 |         <a href="history.html" class="nav-link">History</a>;
32 |         <a href="about.html" class="nav-link">About Team</a>;
33 |       </nav>;
34 |
35 |       <div class="header-actions">;
36 |         <div class="system-status" id="system-status-indicator">;
37 |           <span class="status-dot"></span>;
38 |           <span id="system-status-text">CYBER ENGINE READY</span>;
39 |         </div>;
40 |         <button class="mobile-menu-btn" aria-label="Toggle navigation">;
41 |           <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round"></svg>;
42 |         </button>;
43 |       </div>;
44 |     </div>;
45 |   </header>;
46 |
47 |   <!-- Results Dashboard -->;
48 |   <main class="container">;
49 |     <section class="results-header-section">;
50 |       <div class="results-doc-title-row">;
51 |         <div class="results-title-group">;
52 |           <h1>;
53 |             <span style="color: var(--accent-green); font-size: 1.4rem;">&#10003</span>;
54 |             <span id="res-doc-title">Scan Results</span>;
55 |           </h1>;
56 |           <div class="results-doc-subtitle" id="res-doc-date">Scanned: Just now</div>;
57 |         </div>;
58 |
59 |         <div class="results-actions-group">;
60 |           <button type="button" id="btn-copy-summary" class="btn btn-secondary btn-sm">;
61 |             <svg viewBox="0 0 24 24" width="16" height="16" fill="none" stroke="currentColor" stroke-width="2"></svg>;
62 |             Copy Summary
63 |           </button>;
64 |           <button type="button" id="btn-export-report" class="btn btn-secondary btn-sm">;
65 |             <svg viewBox="0 0 24 24" width="16" height="16" fill="none" stroke="currentColor" stroke-width="2"></svg>;
66 |             Export JSON
67 |           </button>;

```

```

68 |         <button type="button" id="btn-rescan-new" class="btn btn-primary btn-sm">
69 |             <svg viewBox="0 0 24 24" width="16" height="16" fill="none" stroke="currentColor" stroke-width="2"><
70 |                 Scan Another Policy
71 |             </button>
72 |         </div>
73 |     </div>
74 |
75 |     <!-- Top Score Overview Banner -->
76 |     <div class="overview-card">
77 |         <!-- Circular Risk Meter -->
78 |         <div class="meter-wrapper">
79 |             <div class="circular-gauge">
80 |                 <svg class="gauge-svg" viewBox="0 0 190 190">
81 |                     <circle class="gauge-track" cx="95" cy="95" r="80"></circle>
82 |                     <circle class="gauge-fill" id="gauge-fill-path" cx="95" cy="95" r="80"></circle>
83 |                 </svg>
84 |                 <div class="gauge-content">
85 |                     <div class="gauge-score" id="gauge-score-value">0</div>
86 |                     <div class="gauge-max">OUT OF 100</div>
87 |                 </div>
88 |             </div>
89 |             <div class="gauge-label">
90 |                 <span class="risk-level-badge badge" id="res-risk-badge">CALCULATING</span>
91 |             </div>
92 |         </div>
93 |
94 |         <!-- Overview Content & Metrics Grid -->
95 |         <div class="overview-info-panel">
96 |             <div class="overview-status-line">
97 |                 <span style="font-family: var(--font-mono); font-size: 0.8rem; color: var(--accent-cyan); text-transform:
98 |                     SCAN AUDIT COMPLETE
99 |                 </span>
100 |             </div>
101 |
102 |             <p class="overview-summary-text" id="res-summary-text">
103 |                 Executing risk classification against cybersecurity taxonomy...
104 |             </p>
105 |
106 |             <!-- 5 Stats Counters -->
107 |             <div class="metrics-grid">
108 |                 <div class="metric-box">
109 |                     <span class="metric-label">Clauses</span>
110 |                     <span class="metric-value" id="metric-clauses">0</span>
111 |                 </div>
112 |                 <div class="metric-box">
113 |                     <span class="metric-label">Red Flags</span>
114 |                     <span class="metric-value high-val" id="metric-redflags">0</span>
115 |                 </div>
116 |                 <div class="metric-box">
117 |                     <span class="metric-label">High Risk</span>
118 |                     <span class="metric-value high-val" id="metric-high">0</span>
119 |                 </div>
120 |                 <div class="metric-box">
121 |                     <span class="metric-label">Medium Risk</span>
122 |                     <span class="metric-value med-val" id="metric-med">0</span>
123 |                 </div>
124 |                 <div class="metric-box">
125 |                     <span class="metric-label">Low Risk</span>
126 |                     <span class="metric-value low-val" id="metric-low">0</span>
127 |                 </div>
128 |             </div>
129 |         </div>
130 |     </div>
131 |
132 |     <!-- Tab View Switcher & Filters -->
133 |     <div class="results-tabs-bar">
134 |         <div class="tab-nav">
135 |             <button type="button" class="tab-btn active" data-tab="cards">
136 |                 <span>Detected Red Flags</span>

```

```

137 |         <span class="tab-badge" id="tab-count-flags">0</span>
138 |     </button>
139 |     <button type="button" class="tab-btn" data-tab="highlighter">
140 |         <span>Interactive Policy Analysis</span>
141 |     </button>
142 |     <button type="button" class="tab-btn" data-tab="breakdown">
143 |         <span>Risk Breakdown</span>
144 |     </button>
145 | </div>
146 |
147 | <div class="filter-group">
148 |     <span style="font-size: 0.76rem; font-family: var(--font-mono); color: var(--text-dim); margin-right: 4px;">
149 |         <button type="button" class="filter-btn active" data-filter="all">All</button>
150 |         <button type="button" class="filter-btn" data-filter="HIGH">High Risk</button>
151 |         <button type="button" class="filter-btn" data-filter="MEDIUM">Medium Risk</button>
152 |         <button type="button" class="filter-btn" data-filter="LOW">Low Risk</button>
153 |     </div>
154 | </div>
155 | </section>
156 |
157 | <!-- VIEW 1: Red Flag Cards -->
158 | <section id="view-red-flags" class="red-flags-view">
159 |     <div id="red-flags-container">
160 |         <!-- Populated via results.js -->
161 |     </div>
162 | </section>
163 |
164 | <!-- VIEW 2: Interactive Policy Highlighter -->
165 | <section id="view-policy-analysis" class="policy-analysis-view" style="display: none;">
166 |     <div>
167 |         <div style="display: flex; align-items: center; justify-content: space-between; margin-bottom: 14px;">
168 |             <h3 style="font-size: 1.15rem; color: #fff;">Full Policy Document</h3>
169 |             <span style="font-size: 0.8rem; font-family: var(--font-mono); color: var(--text-dim);">
170 |                 Click any highlighted clause to inspect
171 |             </span>
172 |         </div>
173 |         <div id="policy-full-text-container" class="policy-doc-container">
174 |             <!-- Text with highlighted spans populated via results.js -->
175 |         </div>
176 |     </div>
177 |
178 |     <!-- Sticky Inspector Panel -->
179 |     <aside class="sticky-inspector-panel">
180 |         <div class="inspector-title">
181 |             <svg viewBox="0 0 24 24" width="18" height="18" fill="none" stroke="currentColor" stroke-width="2"></svg>
182 |             <span>Clause Inspector</span>
183 |         </div>
184 |
185 |         <div id="inspector-placeholder" class="inspector-placeholder">
186 |             <svg viewBox="0 0 24 24" width="36" height="36" fill="none" stroke="currentColor" stroke-width="1.5"></svg>
187 |             <p>Click on any clause in the policy view to inspect risk details, category weights, and security impact</p>
188 |         </div>
189 |
190 |         <div id="inspector-content-pane" class="inspector-content-pane" style="display: none;">
191 |             <!-- Active clause details inserted dynamically -->
192 |         </div>
193 |     </aside>
194 | </section>
195 |
196 | <!-- VIEW 3: Category Risk Breakdown -->
197 | <section id="view-category-breakdown" class="category-breakdown-view" style="display: none;">
198 |     <div class="breakdown-title-row">
199 |         <div>
200 |             <h3 style="font-size: 1.25rem; color: #fff; margin-bottom: 4px;">Top Risk Categories</h3>
201 |             <p style="font-size: 0.88rem; color: var(--text-muted);">
202 |                 Proportion and severity distribution of detected clauses across cybersecurity taxonomy.
203 |             </p>
204 |         </div>
205 |     </div>

```

```
206 |
207 |     <div id="category-breakdown-container">
208 |         <!-- Populated via results.js -->
209 |     </div>
210 | </section>
211 | </main>
212 |
213 | <!-- Site Footer -->
214 | <footer class="site-footer">
215 |     <div class="container">
216 |         <div class="footer-disclaimer">
217 |             <strong>Important Cybersecurity & Legal Disclaimer:</strong> This tool provides automated risk a
218 |         </div>
219 |         <div class="footer-bottom">
220 |             <span>&copy; 2026 Team CorruptX — T&C Red Flag Scanner</span>
221 |             <span>Offline-Capable Architecture</span>
222 |         </div>
223 |     </div>
224 | </footer>
225 |
226 | <script src="js/rules_data.js"></script>
227 | <script src="js/sample_data.js"></script>
228 | <script src="js/client_analyzer.js"></script>
229 | <script src="js/app.js"></script>
230 | <script src="js/results.js"></script>
231 | <script src="js/chatbot.js" defer></script>
232 | </body>
233 | </html>
```

File: frontend/history.html

Size: 6489 bytes

```

1 | <!DOCTYPE html>;
2 | <html lang="en">;
3 | <head>;
4 |   <meta charset="UTF-8">;
5 |   <meta name="viewport" content="width=device-width, initial-scale=1.0">;
6 |   <title>&Scan History – CorruptX T&C Red Flag Scanner</title>;
7 |   <link rel="stylesheet" href="css/style.css">;
8 |   <link rel="stylesheet" href="css/responsive.css">;
9 |   <link rel="stylesheet" href="css/chatbot.css">;
10 | </style>;
11 | .history-header {
12 |   padding: 48px 0 28px;
13 |   display: flex;
14 |   align-items: center;
15 |   justify-content: space-between;
16 |   flex-wrap: wrap;
17 |   gap: 20px;
18 | }
19 | .history-stats-bar {
20 |   display: grid;
21 |   grid-template-columns: repeat(3, 1fr);
22 |   gap: 20px;
23 |   margin-bottom: 32px;
24 | }
25 | .history-stat-card {
26 |   background: var(--bg-card);
27 |   border: 1px solid var(--border-card);
28 |   border-radius: var(--radius-md);
29 |   padding: 20px;
30 |   display: flex;
31 |   flex-direction: column;
32 | }
33 | .history-stat-label {
34 |   font-size: 0.78rem;
35 |   font-family: var(--font-mono);
36 |   color: var(--text-dim);
37 |   text-transform: uppercase;
38 |   letter-spacing: 0.05em;
39 |   margin-bottom: 6px;
40 | }
41 | .history-stat-num {
42 |   font-size: 2rem;
43 |   font-weight: 800;
44 |   color: #fff;
45 | }
46 | .empty-history-box {
47 |   text-align: center;
48 |   padding: 64px 20px;
49 |   background: var(--bg-card);
50 |   border: 1px dashed var(--border-subtle);
51 |   border-radius: var(--radius-lg);
52 | }
53 | @media (max-width: 640px) {
54 |   .history-stats-bar { grid-template-columns: 1fr; }
55 | }
56 | </style>;
57 | </head>;
58 | <body>;
59 |
60 | <!-- Site Header -->;
61 | <header class="site-header">;
62 |   <div class="container header-inner">;
63 |     <a href="index.html" class="brand-wrapper">;
64 |       <div class="brand-shield-icon">;
65 |         <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-l
66 |       </div>;
67 |     <div class="brand-meta">;

```

```

68 |         <span class="brand-team">Team CorruptX</span>;
69 |         <span class="brand-name">T&C RED FLAG <span>SCANNER</span></span>;
70 |     </div>;
71 | </a>;
72 |
73 |     <nav class="main-nav">
74 |         <a href="index.html" class="nav-link">Home</a>;
75 |         <a href="scanner.html" class="nav-link">Scanner</a>;
76 |         <a href="results.html" class="nav-link">Results</a>;
77 |         <a href="history.html" class="nav-link active">History</a>;
78 |         <a href="about.html" class="nav-link">About Team</a>;
79 |     </nav>;
80 |
81 |     <div class="header-actions">
82 |         <div class="system-status" id="system-status-indicator">
83 |             <span class="status-dot"></span>;
84 |             <span id="system-status-text">CYBER ENGINE READY</span>;
85 |         </div>;
86 |         <button class="mobile-menu-btn" aria-label="Toggle navigation">
87 |             <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round">
88 |             </button>;
89 |         </div>;
90 |     </div>;
91 | </header>;
92 |
93 | <!-- History Container -->
94 | <main class="container" style="margin-bottom: 60px;">
95 |     <div class="history-header">
96 |         <div>
97 |             <h1 style="font-size: 2rem; color: #fff; margin-bottom: 6px;">Scan History</h1>;
98 |             <p style="font-size: 0.92rem; color: var(--text-muted);">
99 |                 Audit logs and previous risk evaluations stored privately in local browser storage.
100 |             </p>;
101 |         </div>;
102 |
103 |         <div style="display: flex; gap: 10px; align-items: center; flex-wrap: wrap;">
104 |             <button type="button" id="btn-export-all-history" class="btn btn-secondary btn-sm">
105 |                 Export History (JSON)
106 |             </button>;
107 |             <button type="button" id="btn-clear-history" class="btn btn-danger btn-sm">
108 |                 Clear History
109 |             </button>;
110 |         </div>;
111 |     </div>;
112 |
113 | <!-- Summary Metrics -->
114 | <div class="history-stats-bar">
115 |     <div class="history-stat-card">
116 |         <span class="history-stat-label">Total Documents Audited</span>;
117 |         <span class="history-stat-num" id="stat-total-scans">0</span>;
118 |     </div>;
119 |     <div class="history-stat-card">
120 |         <span class="history-stat-label">Average Risk Exposure</span>;
121 |         <span class="history-stat-num" id="stat-avg-score">0/100</span>;
122 |     </div>;
123 |     <div class="history-stat-card">
124 |         <span class="history-stat-label">High Risk Policies</span>;
125 |         <span class="history-stat-num" id="stat-high-risk-scans" style="color: var(--accent-crimson);">0</span>;
126 |     </div>;
127 | </div>;
128 |
129 | <!-- Scans List -->
130 | <div id="history-list-container">
131 |     <!-- Populated via history.js -->
132 | </div>;
133 |
134 | <!-- Empty State -->
135 | <div id="history-empty-state" class="empty-history-box" style="display: none;">
136 |     <svg viewBox="0 0 24 24" width="48" height="48" fill="none" stroke="currentColor" stroke-width="1.5" style="color: var(--text-muted);"/>

```

```
137 |         <path d="M14 2H6a2 2 0 0 0-2 2v16a2 2 0 0 0 2 2h12a2 2 0 0 0 2-2V8z"/><polyline points="14 2 14 8 20 8" />
138 |     </svg>
139 |     <h3 style="font-size: 1.25rem; color: #fff; margin-bottom: 8px;">No Scan Records Yet</h3>
140 |     <p style="color: var(--text-muted); max-width: 440px; margin: 0 auto 20px; font-size: 0.9rem;">
141 |         You haven't scanned any policies on this browser yet. Run your first analysis or load realistic demo data.
142 |     </p>
143 |     <div style="display: flex; gap: 12px; justify-content: center; flex-wrap: wrap;">
144 |         <a href="scanner.html" class="btn btn-primary btn-sm">Scan a Document</a>
145 |         <button type="button" id="btn-load-sample-history" class="btn btn-outline btn-sm">Load Demo Records</button>
146 |     </div>
147 | </div>
148 | </main>
149 |
150 | <!-- Site Footer -->
151 | <footer class="site-footer">
152 |     <div class="container">
153 |         <div class="footer-disclaimer">
154 |             <strong>Important Disclaimer:</strong> All scan records are stored locally on your device in browser.
155 |         </div>
156 |         <div class="footer-bottom">
157 |             <span>&copy; 2026 Team CorruptX – T&C Red Flag Scanner</span>
158 |             <span>Offline-Capable Architecture</span>
159 |         </div>
160 |     </div>
161 | </footer>
162 |
163 | <script src="js/rules_data.js"></script>
164 | <script src="js/sample_data.js"></script>
165 | <script src="js/client_analyzer.js"></script>
166 | <script src="js/app.js"></script>
167 | <script src="js/history.js"></script>
168 | <script src="js/chatbot.js" defer></script>
169 | </body>
170 | </html>
```

File: frontend/about.html

Size: 14237 bytes

```

1 | <!DOCTYPE html>;
2 | <html lang="en">;
3 | <head>;
4 |   <meta charset="UTF-8">;
5 |   <meta name="viewport" content="width=device-width, initial-scale=1.0">;
6 |   <title>About — Team CorruptX | T&C Red Flag Scanner</title>;
7 |   <link rel="stylesheet" href="css/style.css">;
8 |   <link rel="stylesheet" href="css/responsive.css">;
9 |   <link rel="stylesheet" href="css/chatbot.css">;
10 | </style>;
11 | .about-hero {
12 |   padding: 60px 0 36px;
13 |   text-align: center;
14 |   max-width: 800px;
15 |   margin: 0 auto;
16 | }
17 | .about-hero-title {
18 |   font-size: 2.8rem;
19 |   font-weight: 800;
20 |   margin-bottom: 16px;
21 |   background: linear-gradient(135deg, #ffffff 0%, #cbd5e1 50%, #38bdf8 100%);
22 |   -webkit-background-clip: text;
23 |   -webkit-text-fill-color: transparent;
24 | }
25 | .about-card-section {
26 |   margin-bottom: 48px;
27 | }
28 | .roadmap-flowchart {
29 |   background: rgba(8, 12, 20, 0.8);
30 |   border: 1px solid var(--border-subtle);
31 |   border-radius: var(--radius-md);
32 |   padding: 24px;
33 |   margin-top: 20px;
34 |   display: flex;
35 |   flex-wrap: wrap;
36 |
37 |   align-items: center;
38 |   justify-content: center;
39 |   gap: 12px;
40 |   font-family: var(--font-mono);
41 |   font-size: 0.85rem;
42 | }
43 | .flow-node {
44 |   background: rgba(15, 23, 42, 0.9);
45 |   border: 1px solid var(--border-focus);
46 |   padding: 8px 14px;
47 |   border-radius: var(--radius-sm);
48 |   color: #fff;
49 | }
50 | .flow-arrow {
51 |   color: var(--accent-cyan);
52 |   font-weight: 800;
53 | }
54 | </style>;
55 | </head>;
56 | <body>;
57 |   <!-- Site Header -->;
58 |   <header class="site-header">;
59 |     <div class="container header-inner">;
60 |       <a href="index.html" class="brand-wrapper">;
61 |         <div class="brand-shield-icon">;
62 |           <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-l
63 |         </div>;
64 |         <div class="brand-meta">;
65 |           <span class="brand-team">Team CorruptX</span>;
66 |           <span class="brand-name">T&C RED FLAG <span>SCANNER</span></span></div>;
67 |

```

```

68 |         </a>;
69 |
70 |         <nav class="main-nav">
71 |             <a href="index.html" class="nav-link">Home</a>;
72 |             <a href="scanner.html" class="nav-link">Scanner</a>;
73 |             <a href="results.html" class="nav-link">Results</a>;
74 |             <a href="history.html" class="nav-link">History</a>;
75 |             <a href="about.html" class="nav-link active">About Team</a>;
76 |         </nav>;
77 |
78 |         <div class="header-actions">
79 |             <div class="system-status" id="system-status-indicator">
80 |                 <span class="status-dot"></span>;
81 |                 <span id="system-status-text">CYBER ENGINE READY</span>;
82 |             </div>;
83 |             <button class="mobile-menu-btn" aria-label="Toggle navigation">
84 |                 <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-l
85 |                 </button>;
86 |             </div>;
87 |         </div>;
88 |     </header>;
89 |
90 |     <!-- About Content -->;
91 |     <main class="container" style="margin-bottom: 80px;">
92 |         <div class="about-hero">
93 |             <span class="badge badge-safe" style="margin-bottom: 12px;">CYBERSECURITY HACKATHON INITIATIVE</span>;
94 |             <h1 class="about-hero-title">About T&C Red Flag Scanner</h1>;
95 |             <p style="font-size: 1.1rem; line-height: 1.7; color: #94a3b8;">
96 |                 Empowering users to decode legal obfuscation, identify privacy-invasive terms, and preserve their digital soverei
97 |             </p>;
98 |         </div>;
99 |
100 |     <!-- The Problem & Solution -->;
101 |     <div class="about-card-section card cyber-accent">
102 |         <div style="display: grid; grid-template-columns: 1fr 1fr; gap: 36px;">
103 |             <div>
104 |                 <span class="badge badge-high" style="margin-bottom: 12px;">THE PROBLEM</span>;
105 |                 <h2 style="font-size: 1.5rem; color: #fff; margin-bottom: 12px;">The Consent Fatigue Crisis</h2>;
106 |                 <p style="font-size: 0.94rem; line-height: 1.7; color: #cbd5e1; margin-bottom: 12px;">
107 |                     Over 95% of consumers accept legal terms and privacy policies without reading them. Companies intentionally
108 |                 </p>;
109 |                 <p style="font-size: 0.94rem; line-height: 1.7; color: #cbd5e1;">
110 |                     Buried inside these agreements are aggressive terms: mandatory binding arbitration that eliminates court acc
111 |                 </p>;
112 |             </div>;
113 |
114 |             <div>
115 |                 <span class="badge badge-safe" style="margin-bottom: 12px;">THE SOLUTION</span>;
116 |                 <h2 style="font-size: 1.5rem; color: #fff; margin-bottom: 12px;">Lightweight Automated De-Obfuscation</h2>;
117 |                 <p style="font-size: 0.94rem; line-height: 1.7; color: #cbd5e1; margin-bottom: 12px;">
118 |                     The <strong>T&C Red Flag Scanner</strong> is a specialized security utility designed to insp
119 |                 </p>;
120 |                 <p style="font-size: 0.94rem; line-height: 1.7; color: #cbd5e1;">
121 |                     Crucially, it is built with an <strong>offline-first local architecture</strong>, meaning your s
122 |                 </p>;
123 |             </div>;
124 |         </div>;
125 |     </div>;
126 |
127 |     <!-- Core Methodology: Detect, Score, Explain -->;
128 |     <div class="about-card-section card">
129 |         <h2 style="font-size: 1.6rem; color: #fff; margin-bottom: 24px; text-align: center;">Our Core Three-Pillar M
130 |         <div style="display: grid; grid-template-columns: repeat(3, 1fr); gap: 24px;">
131 |             <div style="background: rgba(15, 23, 42, 0.6); padding: 20px; border-radius: 10px; border: 1px solid var(--bc
132 |                 <div style="font-size: 1.15rem; font-weight: 700; color: var(--accent-cyan); margin-bottom: 8px;">1. DET
133 |                 <p style="font-size: 0.88rem; color: #cbd5e1; line-height: 1.6;">
134 |                     Rule-based and pattern-driven NLP segmentation scans text sentence-by-sentence against a taxonomy of 14 priv
135 |                 </p>;
136 |             </div>;

```

```

137 |         <div style="background: rgba(15, 23, 42, 0.6); padding: 20px; border-radius: 10px; border: 1px solid var(--bo
138 |         <div style="font-size: 1.15rem; font-weight: 700; color: var(--accent-green); margin-bottom: 8px;">2. SC
139 |         <p style="font-size: 0.88rem; color: #cbd5e1; line-height: 1.6;">
140 |             Computes a deterministic 0-100 score weighted by severity (High: 15-16 pts, Medium: 8-9 pts, Low: 4-5 pts) a
141 |         </p>
142 |     </div>
143 |     <div style="background: rgba(15, 23, 42, 0.6); padding: 20px; border-radius: 10px; border: 1px solid var(--bo
144 |     <div style="font-size: 1.15rem; font-weight: 700; color: var(--accent-amber); margin-bottom: 8px;">3. EX
145 |     <p style="font-size: 0.88rem; color: #cbd5e1; line-height: 1.6;">
146 |         Translates convoluted legal rhetoric into concise English explanations, details why the term matters from a
147 |     </p>
148 |     </div>
149 | </div>
150 | </div>
151 |
152 | <!-- Cybersecurity Relevance -->
153 | <div class="about-card-section card" style="border-left: 4px solid var(--accent-cyan);">
154 |     <h3 style="font-size: 1.35rem; color: #fff; margin-bottom: 12px;">Cybersecurity Relevance & Threat Model
155 |     <p style="font-size: 0.95rem; line-height: 1.7; color: #cbd5e1; margin-bottom: 12px;">
156 |         In cybersecurity, human users are often considered the weakest link. However, this weakness is exacerbated when
157 |     </p>
158 |     <blockquote style="padding: 16px 20px; background: rgba(0, 242, 255, 0.04); border-left: 3px solid var(--accent
159 |         "Consent can become a data-security blind spot when users unknowingly authorize collection, tracking or third-pa
160 |     </blockquote>
161 |     <p style="font-size: 0.95rem; line-height: 1.7; color: #cbd5e1;">
162 |         By scanning terms prior to consent, users can identify third-party sub-processor supply chain vulnerabilities, p
163 |     </p>
164 | </div>
165 |
166 | <!-- Future AI Architecture & Roadmap -->
167 | <div class="about-card-section card">
168 |     <h3 style="font-size: 1.35rem; color: #fff; margin-bottom: 8px;">Future AI Architecture & Roadmap</h3>
169 |     <p style="font-size: 0.9rem; color: var(--text-muted);">
170 |         The current version implements an efficient, zero-cost, local rule-based NLP pipeline. The architecture is engin
171 |     </p>
172 |
173 |     <div class="roadmap-flowchart">
174 |         <div class="flow-node">Website / Document</div>
175 |         <div class="flow-arrow">&rarr;</div>
176 |         <div class="flow-node">Text Extraction</div>
177 |         <div class="flow-arrow">&rarr;</div>
178 |         <div class="flow-node">Clause Segmentation</div>
179 |         <div class="flow-arrow">&rarr;</div>
180 |         <div class="flow-node" style="border-color: var(--accent-cyan); color: var(--accent-cyan);">AI/NLP Classif
181 |         <div class="flow-arrow">&rarr;</div>
182 |         <div class="flow-node">Risk Taxonomy</div>
183 |         <div class="flow-arrow">&rarr;</div>
184 |         <div class="flow-node">Weighted Risk Score</div>
185 |         <div class="flow-arrow">&rarr;</div>
186 |         <div class="flow-node">Plain-English Explanations</div>
187 |         <div class="flow-arrow">&rarr;</div>
188 |         <div class="flow-node" style="border-color: var(--accent-green); color: var(--accent-green);">User Dashboa
189 |     </div>
190 | </div>
191 |
192 | <!-- Hackathon Team Section -->
193 | <div class="about-card-section">
194 |     <div style="text-align: center; margin-bottom: 32px;">
195 |         <span class="badge badge-safe" style="margin-bottom: 10px;">CREDITS</span>
196 |         <h2 style="font-size: 2rem; color: #fff;">Team CorruptX</h2>
197 |     </div>
198 |
199 |     <div style="display: grid; grid-template-columns: repeat(3, 1fr); gap: 24px;">
200 |         <div class="card" style="text-align: center; padding: 32px 20px;">
201 |             <div style="width: 68px; height: 68px; border-radius: 50%; background: linear-gradient(135deg, #00d2df 0%,
202 |                 VK
203 |             </div>
204 |             <h3 style="font-size: 1.25rem; color: #fff; margin-bottom: 4px;">Vyom Khanna</h3>
205 |             <p style="font-size: 0.85rem; font-family: var(--font-mono); color: var(--accent-cyan); margin-bottom: 12px"

```

```
206 |         &lt;p style="font-size: 0.88rem; color: var(--text-dim); line-height: 1.5;"&gt;
207 |             Architectural leadership, core Flask service implementation, threat taxonomy coordination, and hackathon pre
208 |         &lt;/p&gt;
209 |     &lt;/div&gt;
210 |
211 |     &lt;div class="card" style="text-align: center; padding: 32px 20px;"&gt;
212 |         &lt;div style="width: 68px; height: 68px; border-radius: 50%; background: linear-gradient(135deg, #00f2ff 0%,
213 |             NS
214 |         &lt;/div&gt;
215 |         &lt;h3 style="font-size: 1.25rem; color: #fff; margin-bottom: 4px;"&gt;Nalin Shakher&lt;/h3&gt;
216 |         &lt;p style="font-size: 0.85rem; font-family: var(--font-mono); color: var(--accent-cyan); margin-bottom: 12px
217 |         &lt;p style="font-size: 0.88rem; color: var(--text-dim); line-height: 1.5;"&gt;
218 |             NLP rule-based parsing engine, regex optimization, negation handling for user protections, and offline runti
219 |         &lt;/p&gt;
220 |     &lt;/div&gt;
221 |
222 |     &lt;div class="card" style="text-align: center; padding: 32px 20px;"&gt;
223 |         &lt;div style="width: 68px; height: 68px; border-radius: 50%; background: linear-gradient(135deg, #ffb700 0%,
224 |             AV
225 |         &lt;/div&gt;
226 |         &lt;h3 style="font-size: 1.25rem; color: #fff; margin-bottom: 4px;"&gt;Aayush Verma&lt;/h3&gt;
227 |         &lt;p style="font-size: 0.85rem; font-family: var(--font-mono); color: var(--accent-cyan); margin-bottom: 12px
228 |         &lt;p style="font-size: 0.88rem; color: var(--text-dim); line-height: 1.5;"&gt;
229 |             Cybersecurity dashboard UI, interactive clause highlighting inspector, SVG circular gauge, and responsive fr
230 |         &lt;/p&gt;
231 |     &lt;/div&gt;
232 | &lt;/div&gt;
233 | &lt;/div&gt;
234 | &lt;/main&gt;
235 |
236 | &lt;!-- Site Footer --&gt;
237 | &lt;footer class="site-footer"&gt;
238 |     &lt;div class="container"&gt;
239 |         &lt;div class="footer-disclaimer"&gt;
240 |             &lt;strong&gt;Important Disclaimer:&lt;/strong&gt; This tool provides automated risk analysis for informational
241 |         &lt;/div&gt;
242 |         &lt;div class="footer-bottom"&gt;
243 |             &lt;span&gt;&amp;copy; 2026 Team CorruptX – T&amp;C Red Flag Scanner&lt;/span&gt;
244 |             &lt;span&gt;Offline-Capable Architecture&lt;/span&gt;
245 |         &lt;/div&gt;
246 |     &lt;/div&gt;
247 | &lt;/footer&gt;
248 |
249 |     &lt;script src="js/rules_data.js"&gt;&lt;/script&gt;
250 |     &lt;script src="js/sample_data.js"&gt;&lt;/script&gt;
251 |     &lt;script src="js/client_analyzer.js"&gt;&lt;/script&gt;
252 |     &lt;script src="js/app.js"&gt;&lt;/script&gt;
253 |     &lt;script src="js/chatbot.js" defer&gt;&lt;/script&gt;
254 | &lt;/body&gt;
255 | &lt;/html&gt;
```