IT13: ADBMS

Practical Assignment 2 Solution Template

Roll No:- 2601182

Name: - Shekhar Mohan Sonawane

Practical 2: Implementation of different types of functions with suitable examples.

- **Number Function**
- **Aggregate Function**
- **Character Function**
- **Conversion Function**
- **Date Function**

LAB PRACTICE ASSIGNMENT:

Create a table EMPLOYEE with the following schema:

(Emp_no, E_name, E_address, E_ph_no, Dept_no, Dept_name,Job_id, Designation, Salary)

Write SQL statements for the following queries.

1. List the E_no, E_name, Salary of all employees working for MANAGER.

2. Display all the details of the employee whose salary is more than 10000.

3. List the employees in ascending order of Designations of those who joined after 1981.

4. List the employees along with their Experience and Daily Salary.

5. List the employees who are either 'CLERK' or 'ANALYST '.

6. List the employees who joined on 1-MAY-1981, 3-DEC-1981, 17-DEC-1981, 19-JAN-1980.

7. List the employees who are working for Deptno 10 or20.

8. List the Enames that start with 'S'.

9. Write a SQL query to find the highest salary. Return the highest salary

10. Display the name and the first five characters of the name starting with 'H'. List all the employees except 'PRESIDENT' & 'MGR" in ascending order of Salaries.

11. Display the minimum and maximum salary and Experience of the employee.

12. Display the total salary of all employees.

13. Write a query to display the average salary of employees working in IT department.

14. Display the Distinct salary of an employee.

15. Drop the database.

```
create database ADBMS_Practical2;
use ADBMS_Practical2;
create table Employee(
Emp_No int primary key,
E_name varchar(50),
E_address varchar(50),
E_ph_no varchar(15),
Dept_no int,
Dept_name varchar(50),
Job_id varchar(10),
Designation varchar(30),
Salary decimal(10,2),
Join_date date);

 show databases;
 show tables;
 describe Employee;


insert into Employee
(Emp_no,E_name,E_address,E_ph_no,Dept_no,Dept_name,Job_id,Designation,Salary,Join
_Date)
 values
 (101,'Shekhar','Pune','9611131312',10,'IT','J01','ANALYST',50000,'2004-12-16'),
 (102,'Sagar','Mumbai','9143313131',20,'HR','J02','MANAGER',30000,'2003-01-03'),
 (103,'Dipak','Nashik','7454654564',30,'Sales','J03','CLERK',45000,'2002-08-02');
```

	Emp_No	E_name	E_address	E_ph_no	Dept_no	Dept_name	Job_id	Designation	Salary	Join_date
▶	101	Shekhar	Pune	9611131312	10	IT	J01	ANALYST	50000.00	2004-12-16
	102	Sagar	Mumbai	9143313131	20	HR	J02	MANAGER	30000.00	2003-01-03
	103	Dipak	Nashik	7454654564	30	Sales	J03	CLERK	45000.00	2002-08-02

1.

```
select Emp_No, E_name, Salary
 from Employee
 where upper(designation)='MANAGER';
```

	Emp_No	E_name	Salary
▶	102	Sagar	30000.00

2.

```
select *
 from Employee
 where Salary >10000;
```

Emp_No	E_name	E_address	E_ph_no	Dept_no	Dept_name	Job_id	Designation	Salary	Join_date
101	Shekhar	Pune	9611131312	10	IT	J01	ANALYST	50000.00	2004-12-16
102	Sagar	Mumbai	9143313131	20	HR	J02	MANAGER	30000.00	2003-01-03
103	Dipak	Nashik	7454654564	30	Sales	J03	CLERK	45000.00	2002-08-02

3.

```
select *
 from Employee
 where Join_date>='1982-01-01'
 order by Designation asc;
```

Emp_No	E_name	E_address	E_ph_no	Dept_no	Dept_name	Job_id	Designation	Salary	Join_date
101	Shekhar	Pune	9611131312	10	IT	J01	ANALYST	50000.00	2004-12-16
103	Dipak	Nashik	7454654564	30	Sales	J03	CLERK	45000.00	2002-08-02
102	Sagar	Mumbai	9143313131	20	HR	J02	MANAGER	30000.00	2003-01-03

4.

```
select E_name,datediff(curdate(),Join_date)/365 as Experience, Salary/30 as Daily_Salary
 from Employee;
```

E_name	Experience	Daily_Salary
Shekhar	21.8603	1666.666667
Sagar	23.8137	1000.000000
Dipak	24.2356	1500.000000

5.

```
select *
 from Employee
 where upper(Designation) in ('CLERK','ANALYST');
```

Emp_No	E_name	E_address	E_ph_no	Dept_no	Dept_name	Job_id	Designation	Salary	Join_date
101	Shekhar	Pune	9611131312	10	IT	J01	ANALYST	50000.00	2004-12-16
103	Dipak	Nashik	7454654564	30	Sales	J03	CLERK	45000.00	2002-08-02

6.

```
select *
 from employee
 where Join_date in( '2004-12-16','2003-01-03');
```

Emp_No	E_name	E_address	E_ph_no	Dept_no	Dept_name	Job_id	Designation	Salary	Join_date
101	Shekhar	Pune	9611131312	10	IT	J01	ANALYST	50000.00	2004-12-16
102	Sagar	Mumbai	9143313131	20	HR	J02	MANAGER	30000.00	2003-01-03

7.

```
select *
 from Employee
 where Dept_no in(10,20);
```

Emp_No	E_name	E_address	E_ph_no	Dept_no	Dept_name	Job_id	Designation	Salary	Join_date
101	Shekhar	Pune	9611131312	10	IT	J01	ANALYST	50000.00	2004-12-16
102	Sagar	Mumbai	9143313131	20	HR	J02	MANAGER	30000.00	2003-01-03

8.

```
select *
 from employee
 where E_name like 'S%';
```

Emp_No	E_name	E_address	E_ph_no	Dept_no	Dept_name	Job_id	Designation	Salary	Join_date
101	Shekhar	Pune	9611131312	10	IT	J01	ANALYST	50000.00	2004-12-16
102	Sagar	Mumbai	9143313131	20	HR	J02	MANAGER	30000.00	2003-01-03

9.

```
select max(Salary) as Highest_Salary
 from employee;
```

Highest_Salary
50000.00

10. A

```
select E_name, left(E_name,5) as First_Five_Char
from employee
where E_name like 'H%';
```

E_name	First_Five_Char
Harsh	Harsh
Hema	Hema

B.

```
select *
from Employee
where upper(Designation) not in ('PRSIDENT','MGR')
order by Salary asc;
```

Emp_No	E_name	E_address	E_ph_no	Dept_no	Dept_name	Job_id	Designation	Salary	Join_date
105	Harsh	Pune	9876543214	30	Finance	J05	CLERK	12000.00	1982-06-15
102	Sagar	Mumbai	9143313131	20	HR	J02	MANAGER	30000.00	2003-01-03
106	Priya	Mumbai	9876543215	10	IT	J06	ANALYST	35000.00	1983-03-10
103	Dipak	Nashik	7454654564	30	Sales	J03	CLERK	45000.00	2002-08-02
101	Shekhar	Pune	9611131312	10	IT	J01	ANALYST	50000.00	2004-12-16
107	Sanjay	Pune	9876543216	20	HR	J07	PRESIDENT	80000.00	1979-07-20

11.

```
select min(Salary) as Minimum_Salary,
max(Salary) as Maximum_Salary,
min(datediff(curdate(),Join_date)/365) as Min_Experience,
max(datediff(curdate(),Join_date)/365) as Max_Experience
from Employee;
```

Minimum_Salary	Maximum_Salary	Min_Experience	Max_Experience
12000.00	80000.00	21.8603	47.2877

12.

```
select sum(Salary) as Total_Salary
from Employee;
```

Total_Salary
277000.00

13.

```
select avg(Salary) as Avg_Salary
from employee
where upper(Dept_name)='IT';
```

Avg_Salary
42500.000000

14.

```
select distinct Salary
from Employee;
```

Salary
50000.00
30000.00
45000.00
12000.00
35000.00
80000.00
25000.00

15.

```
drop database ADBMS_Practical2;
```