

MCMC Effective Sample Size (ESS) Summary

ESS for temnospondyli_pyrate_1_G_BDS_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1115	755	1798	512

ESS for temnospondyli_pyrate_10_G_BDS_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1419	858	2283	552

ESS for temnospondyli_pyrate_2_G_BDS_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1089	1043	1746	562

ESS for temnospondyli_pyrate_3_G_BDS_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
804	1002	1307	392

ESS for temnospondyli_pyrate_4_G_BDS_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1107	658	2094	414

ESS for temnospondyli_pyrate_5_G_BDS_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1566	822	2732	594

ESS for temnospondyli_pyrate_6_G_BDS_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1066	1082	1905	416

ESS for temnospondyli_pyrate_7_G_BDS_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1353	932	2329	578

ESS for temnospondyli_pyrate_8_G_BDS_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1262	768	2035	464

ESS for temnospondyli_pyrate_9_G_BDS_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1224	985	1887	523