

MCMC Effective Sample Size (ESS) Summary

ESS for temnospondyli_pyrate_1_B_lats_only_G_BD1-1_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1209	485	2263	615

ESS for temnospondyli_pyrate_10_B_lats_only_G_BD1-1_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1648	534	2578	637

ESS for temnospondyli_pyrate_2_B_lats_only_G_BD1-1_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1375	418	2423	543

ESS for temnospondyli_pyrate_3_B_lats_only_G_BD1-1_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1581	377	2192	783

ESS for temnospondyli_pyrate_4_B_lats_only_G_BD1-1_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1776	113	2638	542

ESS for temnospondyli_pyrate_5_B_lats_only_G_BD1-1_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1629	276	2569	718

ESS for temnospondyli_pyrate_6_B_lats_only_G_BD1-1_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1803	462	2742	939

ESS for temnospondyli_pyrate_7_B_lats_only_G_BD1-1_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1471	176	2174	555

ESS for temnospondyli_pyrate_8_B_lats_only_G_BD1-1_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1593	485	2546	782

ESS for temnospondyli_pyrate_9_B_lats_only_G_BD1-1_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1044	69	2543	270