

MCMC Effective Sample Size (ESS) Summary

ESS for temnospondyli_pyrate_1_B_se_est_0_exp_1myr_temp_horseshoe_MBD.log

Iterations: 99990000 Sampling Rate: 10000

posterior	prior
10000	10000

ESS for temnospondyli_pyrate_10_B_se_est_0_exp_1myr_temp_horseshoe_MBD.log

Iterations: 99990000 Sampling Rate: 10000

posterior	prior
10000	10000

ESS for temnospondyli_pyrate_2_B_se_est_0_exp_1myr_temp_horseshoe_MBD.log

Iterations: 99990000 Sampling Rate: 10000

posterior	prior
10000	9706

ESS for temnospondyli_pyrate_3_B_se_est_0_exp_1myr_temp_horseshoe_MBD.log

Iterations: 99990000 Sampling Rate: 10000

posterior	prior
10000	9095

ESS for temnospondyli_pyrate_4_B_se_est_0_exp_1myr_temp_horseshoe_MBD.log

Iterations: 99990000 Sampling Rate: 10000

posterior	prior
10000	11532

ESS for temnospondyli_pyrate_5_B_se_est_0_exp_1myr_temp_horseshoe_MBD.log

Iterations: 99990000 Sampling Rate: 10000

posterior	prior
9595	7104

ESS for temnospondyli_pyrate_6_B_se_est_0_exp_1myr_temp_horseshoe_MBD.log

Iterations: 99990000 Sampling Rate: 10000

posterior	prior
10000	10000

ESS for temnospondyli_pyrate_7_B_se_est_0_exp_1myr_temp_horseshoe_MBD.log

Iterations: 99990000 Sampling Rate: 10000

posterior	prior
10000	10000

ESS for temnospondyli_pyrate_8_B_se_est_0_exp_1myr_temp_horseshoe_MBD.log

Iterations: 99990000 Sampling Rate: 10000

posterior	prior
10000	10000

ESS for temnospondyli_pyrate_9_B_se_est_0_exp_1myr_temp_horseshoe_MBD.log

Iterations: 99990000 Sampling Rate: 10000

posterior	prior
10000	10000