

MCMC Effective Sample Size (ESS) Summary

ESS for temnospondyli_pyrate_1_C_lats_only_G_BDS_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1248	1348	1844	660

ESS for temnospondyli_pyrate_10_C_lats_only_G_BDS_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1240	341	2412	555

ESS for temnospondyli_pyrate_2_C_lats_only_G_BDS_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
2041	450	2802	678

ESS for temnospondyli_pyrate_3_C_lats_only_G_BDS_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1495	733	2388	828

ESS for temnospondyli_pyrate_4_C_lats_only_G_BDS_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1544	92	2411	408

ESS for temnospondyli_pyrate_5_C_lats_only_G_BDS_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1544	291	2578	621

ESS for temnospondyli_pyrate_6_C_lats_only_G_BDS_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1987	975	3446	754

ESS for temnospondyli_pyrate_7_C_lats_only_G_BDS_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1216	163	2010	452

ESS for temnospondyli_pyrate_8_C_lats_only_G_BDS_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1535	121	2402	583

ESS for temnospondyli_pyrate_9_C_lats_only_G_BDS_BDNN_4_2Tc_mcmc.log
Iterations: 99990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1488	80	2563	381