

MCMC Effective Sample Size (ESS) Summary

ESS for pt_synapsida_pyrate_input_txt_1_model_8_G_BDS_BDNN_16_8Vc_mcmc.log

Iterations: 199999000 Sampling Rate: 1000

posterior	prior	PP_lik	BD_lik
912	386	782	712

ESS for pt_synapsida_pyrate_input_txt_10_model_8_G_BDS_BDNN_16_8Vc_mcmc.log

Iterations: 199999000 Sampling Rate: 1000

posterior	prior	PP_lik	BD_lik
1085	404	1862	602

ESS for pt_synapsida_pyrate_input_txt_2_model_8_G_BDS_BDNN_16_8Vc_mcmc.log

Iterations: 199999000 Sampling Rate: 1000

posterior	prior	PP_lik	BD_lik
1134	455	2131	626

ESS for pt_synapsida_pyrate_input_txt_3_model_8_G_BDS_BDNN_16_8Vc_mcmc.log

Iterations: 195766000 Sampling Rate: 1000

posterior	prior	PP_lik	BD_lik
1207	361	2057	687

ESS for pt_synapsida_pyrate_input_txt_4_model_8_G_BDS_BDNN_16_8Vc_mcmc.log

Iterations: 194909000 Sampling Rate: 1000

posterior	prior	PP_lik	BD_lik
984	345	1842	561

ESS for pt_synapsida_pyrate_input_txt_5_model_8_G_BDS_BDNN_16_8Vc_mcmc.log

Iterations: 199999000 Sampling Rate: 1000

posterior	prior	PP_lik	BD_lik
566	377	536	474

ESS for pt_synapsida_pyrate_input_txt_6_model_8_G_BDS_BDNN_16_8Vc_mcmc.log

Iterations: 199999000 Sampling Rate: 1000

posterior	prior	PP_lik	BD_lik
953	381	1276	487

ESS for pt_synapsida_pyrate_input_txt_7_model_8_G_BDS_BDNN_16_8Vc_mcmc.log

Iterations: 199999000 Sampling Rate: 1000

posterior	prior	PP_lik	BD_lik
1093	385	980	678

ESS for pt_synapsida_pyrate_input_txt_8_model_8_G_BDS_BDNN_16_8Vc_mcmc.log

Iterations: 199999000 Sampling Rate: 1000

posterior	prior	PP_lik	BD_lik
1025	415	760	585

ESS for pt_synapsida_pyrate_input_txt_9_model_8_G_BDS_BDNN_16_8Vc_mcmc.log

Iterations: 199999000 Sampling Rate: 1000

posterior	prior	PP_lik	BD_lik
1238	340	2183	734