

MCMC Effective Sample Size (ESS) Summary

ESS for pt_synapsida_pyrate_input_txt_1_model_3_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
729	225	561	574

ESS for pt_synapsida_pyrate_input_txt_10_model_3_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
398	151	1123	495

ESS for pt_synapsida_pyrate_input_txt_2_model_3_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
774	231	499	636

ESS for pt_synapsida_pyrate_input_txt_3_model_3_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1377	301	1326	566

ESS for pt_synapsida_pyrate_input_txt_4_model_3_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
298	190	107	413

ESS for pt_synapsida_pyrate_input_txt_5_model_3_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
324	249	139	568

ESS for pt_synapsida_pyrate_input_txt_6_model_3_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
946	238	666	527

ESS for pt_synapsida_pyrate_input_txt_7_model_3_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
815	271	403	632

ESS for pt_synapsida_pyrate_input_txt_8_model_3_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
379	301	206	800

ESS for pt_synapsida_pyrate_input_txt_9_model_3_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1209	225	2040	581