

MCMC Effective Sample Size (ESS) Summary

ESS for pt_synapsida_pyrate_input_txt_1_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
679	330	388	686

ESS for pt_synapsida_pyrate_input_txt_10_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1836	354	2454	695

ESS for pt_synapsida_pyrate_input_txt_2_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1067	373	1635	473

ESS for pt_synapsida_pyrate_input_txt_3_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1274	393	1553	678

ESS for pt_synapsida_pyrate_input_txt_4_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
303	328	133	374

ESS for pt_synapsida_pyrate_input_txt_5_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
213	443	112	536

ESS for pt_synapsida_pyrate_input_txt_6_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1318	420	820	786

ESS for pt_synapsida_pyrate_input_txt_7_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1006	403	1014	581

ESS for pt_synapsida_pyrate_input_txt_8_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
428	414	219	656

ESS for pt_synapsida_pyrate_input_txt_9_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1036	425	1330	536