

MCMC Effective Sample Size (ESS) Summary

ESS for pt_reptilia_terr_pyrate_input_txt_1_model_A_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
263	537	108	204

ESS for pt_reptilia_terr_pyrate_input_txt_10_model_A_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
144	540	44	94

ESS for pt_reptilia_terr_pyrate_input_txt_2_model_A_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
214	526	78	199

ESS for pt_reptilia_terr_pyrate_input_txt_3_model_A_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
160	498	62	157

ESS for pt_reptilia_terr_pyrate_input_txt_4_model_A_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
152	525	55	226

ESS for pt_reptilia_terr_pyrate_input_txt_5_model_A_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
287	496	105	289

ESS for pt_reptilia_terr_pyrate_input_txt_6_model_A_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
97	442	38	170

ESS for pt_reptilia_terr_pyrate_input_txt_7_model_A_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 198470000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
272	509	87	182

ESS for pt_reptilia_terr_pyrate_input_txt_8_model_A_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
130	496	52	194

ESS for pt_reptilia_terr_pyrate_input_txt_9_model_A_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
296	506	114	209