

MCMC Effective Sample Size (ESS) Summary

ESS for pt_reptilia_all_pyrate_input_txt_1_model_B_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
360	514	130	54

ESS for pt_reptilia_all_pyrate_input_txt_10_model_B_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
195	466	89	181

ESS for pt_reptilia_all_pyrate_input_txt_2_model_B_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
329	559	105	87

ESS for pt_reptilia_all_pyrate_input_txt_3_model_B_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
326	396	172	172

ESS for pt_reptilia_all_pyrate_input_txt_4_model_B_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
334	474	94	112

ESS for pt_reptilia_all_pyrate_input_txt_5_model_B_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
79	403	37	74

ESS for pt_reptilia_all_pyrate_input_txt_6_model_B_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
184	436	62	70

ESS for pt_reptilia_all_pyrate_input_txt_7_model_B_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
376	491	147	170

ESS for pt_reptilia_all_pyrate_input_txt_8_model_B_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
282	401	125	83

ESS for pt_reptilia_all_pyrate_input_txt_9_model_B_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
270	490	116	148