

MCMC Effective Sample Size (ESS) Summary

ESS for temnospondyli_pyrate_1_B_se_est_0_exp_env_vars_horseshoe_MBD.log

Iterations: 99990000 Sampling Rate: 10000

posterior	prior
10000	9171

ESS for temnospondyli_pyrate_10_B_se_est_0_exp_env_vars_horseshoe_MBD.log

Iterations: 99990000 Sampling Rate: 10000

posterior	prior
10000	8072

ESS for temnospondyli_pyrate_2_B_se_est_0_exp_env_vars_horseshoe_MBD.log

Iterations: 99990000 Sampling Rate: 10000

posterior	prior
10000	9645

ESS for temnospondyli_pyrate_3_B_se_est_0_exp_env_vars_horseshoe_MBD.log

Iterations: 99990000 Sampling Rate: 10000

posterior	prior
10000	9454

ESS for temnospondyli_pyrate_4_B_se_est_0_exp_env_vars_horseshoe_MBD.log

Iterations: 99990000 Sampling Rate: 10000

posterior	prior
10000	10480

ESS for temnospondyli_pyrate_5_B_se_est_0_exp_env_vars_horseshoe_MBD.log

Iterations: 99990000 Sampling Rate: 10000

posterior	prior
9673	9606

ESS for temnospondyli_pyrate_6_B_se_est_0_exp_env_vars_horseshoe_MBD.log

Iterations: 99990000 Sampling Rate: 10000

posterior	prior
10000	10000

ESS for temnospondyli_pyrate_7_B_se_est_0_exp_env_vars_horseshoe_MBD.log

Iterations: 99990000 Sampling Rate: 10000

posterior	prior
10000	9638

ESS for temnospondyli_pyrate_8_B_se_est_0_exp_env_vars_horseshoe_MBD.log

Iterations: 99990000 Sampling Rate: 10000

posterior	prior
10000	10000

ESS for temnospondyli_pyrate_9_B_se_est_0_exp_env_vars_horseshoe_MBD.log

Iterations: 99990000 Sampling Rate: 10000

posterior	prior
10182	10008