

MCMC Effective Sample Size (ESS) Summary

ESS for pt_synapsida_pyrate_input_txt_1_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
571	392	416	549

ESS for pt_synapsida_pyrate_input_txt_10_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1673	410	2008	667

ESS for pt_synapsida_pyrate_input_txt_2_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
2018	343	1658	564

ESS for pt_synapsida_pyrate_input_txt_3_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1236	396	1705	615

ESS for pt_synapsida_pyrate_input_txt_4_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
399	344	150	418

ESS for pt_synapsida_pyrate_input_txt_5_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
435	404	197	628

ESS for pt_synapsida_pyrate_input_txt_6_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1387	355	881	855

ESS for pt_synapsida_pyrate_input_txt_7_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1454	353	1007	660

ESS for pt_synapsida_pyrate_input_txt_8_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
342	456	173	804

ESS for pt_synapsida_pyrate_input_txt_9_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1368	388	2118	829