

MCMC Effective Sample Size (ESS) Summary

ESS for pt_reptilia_all_pyrate_input_txt_1_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 194880000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
821	284	1143	410

ESS for pt_reptilia_all_pyrate_input_txt_10_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 3360000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
123	7	62	56

ESS for pt_reptilia_all_pyrate_input_txt_2_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 194570000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1177	302	1423	672

ESS for pt_reptilia_all_pyrate_input_txt_3_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 193840000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
887	255	1200	438

ESS for pt_reptilia_all_pyrate_input_txt_4_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1238	320	1108	740

ESS for pt_reptilia_all_pyrate_input_txt_5_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
913	310	1185	537

ESS for pt_reptilia_all_pyrate_input_txt_6_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 95730000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
434	118	601	219

ESS for pt_reptilia_all_pyrate_input_txt_7_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 86910000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
1098	158	818	584

ESS for pt_reptilia_all_pyrate_input_txt_8_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 87470000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
526	116	606	246

ESS for pt_reptilia_all_pyrate_input_txt_9_model_7_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 3120000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
94	8	46	58