

MCMC Effective Sample Size (ESS) Summary

ESS for pt_synapsida_pyrate_input_txt_1_model_A_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
230	386	98	227

ESS for pt_synapsida_pyrate_input_txt_10_model_A_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
119	305	32	151

ESS for pt_synapsida_pyrate_input_txt_2_model_A_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
409	385	174	311

ESS for pt_synapsida_pyrate_input_txt_3_model_A_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
311	365	106	331

ESS for pt_synapsida_pyrate_input_txt_4_model_A_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
682	339	243	221

ESS for pt_synapsida_pyrate_input_txt_5_model_A_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
303	397	177	733

ESS for pt_synapsida_pyrate_input_txt_6_model_A_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
73	336	25	101

ESS for pt_synapsida_pyrate_input_txt_7_model_A_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
332	342	104	157

ESS for pt_synapsida_pyrate_input_txt_8_model_A_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
209	408	88	391

ESS for pt_synapsida_pyrate_input_txt_9_model_A_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
98	346	21	52