

MCMC Effective Sample Size (ESS) Summary

ESS for pt_synapsida_pyrate_input_txt_1_model_B_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
454	379	152	148

ESS for pt_synapsida_pyrate_input_txt_10_model_B_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
579	333	99	119

ESS for pt_synapsida_pyrate_input_txt_2_model_B_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
525	334	82	60

ESS for pt_synapsida_pyrate_input_txt_3_model_B_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
222	372	80	355

ESS for pt_synapsida_pyrate_input_txt_4_model_B_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
139	296	46	213

ESS for pt_synapsida_pyrate_input_txt_5_model_B_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
152	371	86	145

ESS for pt_synapsida_pyrate_input_txt_6_model_B_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
53	389	21	179

ESS for pt_synapsida_pyrate_input_txt_7_model_B_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
396	427	115	167

ESS for pt_synapsida_pyrate_input_txt_8_model_B_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
295	446	89	189

ESS for pt_synapsida_pyrate_input_txt_9_model_B_G_BDS_BDNN_16_8TVc_mcmc.log

Iterations: 199990000 Sampling Rate: 10000

posterior	prior	PP_lik	BD_lik
80	391	28	154