# Multilevel Modeling Day 2

Violet Brown


# Standard regression equation:


$$\hat{Y}_i = \hat{\beta}_0 + \hat{\beta}_1 X_i$$


- > grade.mod <- lm(grade ~ skipped\_class, data = grade\_data)</pre>
- > summary(grade.mod)

#### Coefficients:

$$grade_i = 0.861 - 0.314X_i$$









$$grade_{i,j} = (0.861 + u_{0j}) + (-0.314 + u_{1j})X_{ij} + \epsilon_{ij}$$
 Intercept

$$grade_{i,j} = \underbrace{(0.861 + u_{0j})}_{ ext{Intercept}} + \underbrace{(-0.314 + u_{1j})X_{ij}}_{ ext{Slope}} + \epsilon_{ij}$$



$$oldsymbol{\hat{eta}}_{0}$$
i



Class 1 
$$grade_{i,1} = 0.792 - 0.002X_i$$

Class 3 
$$\hat{grade}_{i,3} = 0.964 - 0.664 X_i$$

$$grade_i = 0.861 - 0.314X_i$$

Class 1 
$$gr\hat{a}de_{i,1} = 0.792 - 0.002X_i$$

Class 3 
$$gr\hat{a}de_{i,3} = 0.964 - 0.664X_i$$

	△ Intercept	∆ Slope
Class 1	-0.069	0.312
Class 3	0.103	-0.350

$$\hat{grade}_i = 0.861 - 0.314X_i$$

$$grade_{i,j} = (0.861 + u_{0j}) + (-0.314 + u_{1j})X_{ij} + \epsilon_{ij}$$
Intercept Slope  $\hat{eta}_{0j}$ 

$$grade_{i,j} = (0.861 + u_{0j}) + (-0.314 + u_{1j})X_{ij} + \epsilon_{ij}$$

$$grade_{i,1} = (0.861 + -0.069) + (-0.314 + 0.312)X_i + \epsilon_i$$

$$grade_{i,1} = (0.792) + (-0.002)X_i + \epsilon_i$$

	△ Intercept	<b>△</b> Slope
Class 1	-0.069	0.312
Class 3	0.103	-0.350


$$grade_{i,j} = (0.861 + u_{0j}) + (-0.314 + u_{1j})X_{ij} + \epsilon_{ij}$$


$$grade_{i,1} = (0.861 + -0.069) + (-0.314 + 0.312)X_i + \epsilon_i$$

$$grade_{i,1} = (0.792) + (-0.002)X_i + \epsilon_i$$

$$grade_{i,3} = (0.861 + 0.103) + (-0.314 + -0.350)X_i + \epsilon_i$$
  
 $grade_{i,3} = (0.964) + (-0.664)X_i + \epsilon_i$ 

		<b>△</b> Slope
Class 1	-0.069	0.312
Class 3	0.103	-0.350






$$Y_{ij} = (\gamma_{00} + u_{0j}) + (\gamma_{10} + u_{1j})X_{ij} + \epsilon_{ij}$$

$$Y_{ij}=eta_{0j}+eta_{1j}X_{ij}+\epsilon_{ij}$$
Level 2  $eta_{0j}=\gamma_{00}+u_{0j}$ 
 $eta_{1j}=\gamma_{10}+u_{1j}$ 

$$Y_{ij} = (\gamma_{00} + u_{0j}) + (\gamma_{10} + u_{1j})X_{ij} + \epsilon_{ij}$$

$$Y_{ij}=eta_{0j}+eta_{1j}X_{ij}+\epsilon_{ij}$$
Level 2  $eta_{0j}=\gamma_{00}+u_{0j}$ 
 $eta_{1j}=\gamma_{10}+u_{1j}$ 

$$Y_{ij} = (\gamma_{00} + u_{0j}) + (\gamma_{10} + u_{1j})X_{ij} + \epsilon_{ij}$$



$$Y_{ij} = (\gamma_{00} + u_{0j}) + (\gamma_{10} + u_{1j})X_{ij} + \epsilon_{ij}$$

#### Some notes

• Level 1 random effects (residuals),  $\epsilon_{ij}$ , vary within level 2 units

$$\epsilon_{ij} \sim N(0, \sigma^2)$$

- Constant across level 2 units
- Level 1 coefficients ( $\beta_{0j}$ ,  $\beta_{1j}$ ) are constant within level 2 units but vary across level 2 units


#### Some notes

 Level 2 random effects/residuals (u<sub>0j</sub>, u<sub>1j</sub>) vary across level 2 units

$$u_{0j} \sim N(0, \tau_{00})$$
  
 $u_{1j} \sim N(0, \tau_{11})$ 

- $\mathbf{u}_{0j}$ ,  $\mathbf{u}_{1j}$  can be correlated! But are uncorrelated with  $\epsilon_{ii}$ 
  - Tau matrix, T, contains variance and covariance for random effects

# Tau (T) matrix



## Some notes

- Level 2 coefficients ( $\gamma_{00}$ ,  $\gamma_{10}$ ) are constant across level 2 units
  - Fixed effects!

- > install.packages("lme4")
- > library(lme4)
- Fixed effect: proportion of classes skipped
- Random effects:
  - by-class random intercepts
  - by-class random slopes for proportion of classes skipped

skipped_class <sup>‡</sup>	grade 📤	Class ‡
0.645541354	0.4810248	Class 3
0.158089206	0.5184626	Class 2
0.558733023	0.5245797	Class 3
0.392118288	0.5292537	Class 2
0.544739291	0.5686268	Class 3
0.574664954	0.5766249	Class 3

#### Fixed effects:

#### Fixed effects:

```
Estimate Std. Error t value (Intercept) 0.84229 0.05101 16.512 skipped_class -0.25669 0.17380 -1.477
```

#### Random effects:


Groups	Name	Variance	Std.Dev.	Corr
Class	(Intercept)	0.007011	0.08373	
	skipped_class	0.086015	0.29328	-0.91
Residual		0.004751	0.06893	

#### Fixed effects:

```
Estimate Std. Error t value (Intercept) 0.84229 0.05101 16.512 skipped_class -0.25669 0.17380 -1.477
```

#### Random effects:

Groups	Name	Variance	Std.Dev.	Corr
Class	(Intercept)	0.007011	0.08373	
	skipped_class	0.086015	0.29328	-0.91
Residual		0.004751	0.06893	



#### Fixed effects:

```
Estimate Std. Error t value (Intercept) 0.84229 0.05101 16.512 skipped_class -0.25669 0.17380 -1.477
```

#### Random effects:

Groups	Name	Variance	Std.Dev.	Corr
Class	(Intercept)	0.007011	0.08373	
	skipped_class	0.086015	0.29328	-0.91
Residual		0.004751	0.06893	



# Whew!