




Instancias (1) Información
Última actualización
Hace less than a minute
Conectar
Estado de la instancia
Acciones
Lanzar instancias
Conjuntos de filtros guardados
Elegir conjunto de filt...
Filtrar Instancia por atributo o etiqueta (distingue mayúsculas y minúsculas)
Name
ID de la instancia
Estado de la i...
Tipo de inst...
Comprobación de
Zona de dispon...
DNS de IPv4 pública
Dirección IP...
IP elástica
Direcciones I.
mesatech-rab...
i-0ccff59b26fec9ca2
En ejecución
t2.micro
2/2 comprobacior
us-east-1a
ec2-54-235-63-189.co...
54.235.63.189


Instancias (1/1) Información
Última actualización
Hace 4 minutes
Conectar
Estado de la instancia
Acciones
Lanzar instancias
Conjuntos de filtros guardados
Elegir conjunto de filt...
Filtrar Instancia por atributo o etiqueta (distingue mayúsculas y minúsculas)
Name
ID de la instancia
Estado de la i...
Tipo de inst...
Comprobación de
Zona de dispon...
DNS de IPv4 pública
Dirección IP...
IP elástica
Direcciones I.
mesatech-rab...
i-0ccff59b26fec9ca2
En ejecución
t2.micro
2/2 comprobacior
us-east-1a
ec2-54-235-63-189.co...
54.235.63.189



i-0ccff59b26fec9ca2 (mesatech-rabbitmq)
Detalles
Estado y alarmas
Monitoreo
Seguridad
Redes
Almacenamiento
Etiquetas
Resumen de instancia Información
ID de la instancia
i-0ccff59b26fec9ca2
Dirección IPv6
–
Tipo de nombre de anfitrión
Nombre de IP: ip-172-31-23-97.ec2.internal
Tipo de instancia
t2.micro
ID de VPC
vpc-0e1ea5990bacb3514
Dirección IPv4 pública
54.235.63.189 | dirección abierta
Estado de la instancia
En ejecución
Nombre DNS de IP privada (solo IPv4)
ip-172-31-23-97.ec2.internal
Direcciones IP elásticas
–
Hallazgo de AWS Compute Optimizer
Suscribirse a AWS Compute Optimizer para recibir recomendaciones. |
Más información
Direcciones IPv4 privadas
172.31.23.97
DNS público
ec2-54-235-63-189.compute-1.amazonaws.com | dirección abierta
Responder al nombre DNS de recurso privado
IPv4 (A)
Dirección IP asignada automáticamente
54.235.63.189 [IP pública]
Rol de IAM
–



ubuntu@ip-172-31-23-97:~/mesatech-rabbitmq$ sudo docker compose config --quiet
ubuntu@ip-172-31-23-97:~/mesatech-rabbitmq$ sudo docker compose pull
[+] pull 14/14
✓ Image rabbitmq:4.2-management Pulled
ubuntu@ip-172-31-23-97:~/mesatech-rabbitmq$ sudo docker compose up -d
[+] up 3/3
✓ Network mesatech-rabbitmq_default Created
✓ Volume mesatech-rabbitmq_rabbitmq_data Created
✓ Container mesatech-rabbitmq Started
ubuntu@ip-172-31-23-97:~/mesatech-rabbitmq$ sudo docker compose ps
NAME IMAGE COMMAND SERVICE CREATED STATUS PORTS
mesatech-rabbitmq rabbitmq:4.2-management "docker-entrypoint.s…" rabbitmq 8 seconds ago Up 8 seconds 4369/tcp, 5671/tcp, 0.0.0.0:5672->5672/tcp, [::]:5672->5672/tcp, 15671/tcp, 15691-15692/tcp, 25672/tcp, 0.0.0.0:15672->15672/tcp, [::]:15672->15672/tcp
ubuntu@ip-172-31-23-97:~/mesatech-rabbitmq$
i-0ccff59b26fec9ca2 (mesatech-rabbitmq)
IP públicas: 54.235.63.189 IP privadas: 172.31.23.97



User sessions running outdated binaries:
ubuntu @ session #6: sshd[950]
ubuntu @ user manager service: systemd[1253]
ubuntu@ip-172-31-23-97:~$ docker --version
Docker version 29.9.2, build a82e528
ubuntu@ip-172-31-23-97:~$ docker compose version
Docker Compose version v5.6.1
ubuntu@ip-172-31-23-97:~$
i-0ccff59b26fec9ca2 (mesatech-rabbitmq)
IP públicas: 54.235.63.189 IP privadas: 172.31.23.97


ubuntu@ip-172-31-23-97:~/mesatech-rabbitmq$ sudo docker exec mesatech-rabbitmq rabbitmq-diagnostics -q ping
Ping succeeded
ubuntu@ip-172-31-23-97:~/mesatech-rabbitmq$
i-0ccff59b26fec9ca2 (mesatech-rabbitmq)
IP públicas: 54.235.63.189 IP privadas: 172.31.23.97

ubuntu@ip-172-31-23-97:~/mesatech-rabbitmq$ sudo docker exec mesatech-rabbitmq rabbitmqctl set_permissions -p mesatech solicitudes_app "^(catalogo\.exchange|solicitudes\.catalogo\.queue)$" "^solicitudes\.catalogo\.queue$" "^(catalogo\.exchange|solicitudes\.catalogo\.queue)$"
Setting permissions for user "solicitudes_app" in vhost "mesatech" ...
ubuntu@ip-172-31-23-97:~/mesatech-rabbitmq$ sudo docker exec mesatech-rabbitmq rabbitmqctl list_permissions -p mesatech
Listing permissions for vhost "mesatech" ...
user configure write read
admin_mesatech .* .* .*
catalogo_app ^catalogo\.exchange$ ^catalogo\.exchange$ ^$
solicitudes_app ^(catalogo\.exchange|solicitudes\.catalogo\.queue)$ ^solicitudes\.catalogo\.queue$ ^(catalogo\.exchange|solicitudes\.catalogo\.queue)$
ubuntu@ip-172-31-23-97:~/mesatech-rabbitmq$
i-0ccff59b26fec9ca2 (mesatech-rabbitmq)
IP públicas: 54.235.63.189 IP privadas: 172.31.23.97









i-0f85ef56a40bccf09 (mesatech-catalogo)


IP públicas: 3.90.62.106 IP privadas: 172.31.22.241






i-009d97aa8598c68bd (mesatech-solicitudes)

IP públicas: 3.89.113.206 IP privadas: 172.31.25.90






```
mesatech-rds-solicitudes.c96ae20uksv7.us-east-1.rds.amazonaws.com

Puerto:
3306
```

```
mesatech-rds-catalogo.c96ae20uksv7.us-east-1.rds.amazonaws.com

Puerto:
3306
```

```
mysql> GRANT ALL PRIVILEGES ON mesatech_catalogo.* TO 'catalogo_app'@'%';
Query OK, 0 rows affected (0.01 sec)

mysql> SHOW GRANTS FOR 'catalogo_app'@'%';
+-----------------------------------------------------------------------+
| Grants for catalogo_app@%                                             |
+-----------------------------------------------------------------------+
| GRANT USAGE ON *.* TO `catalogo_app`@`%`                              |
| GRANT ALL PRIVILEGES ON `mesatech_catalogo`.* TO `catalogo_app`@`%` |
+-----------------------------------------------------------------------+
2 rows in set (0.00 sec)

mysql>
```

```
mysql> GRANT ALL PRIVILEGES ON mesatech_solicitudes.* TO 'solicitudes_app'@'%';
Query OK, 0 rows affected (0.01 sec)

mysql> SHOW GRANTS FOR 'solicitudes_app'@'%';
+-------------------------------------------------------------------------------+
| Grants for solicitudes_app@%                                                  |
+-------------------------------------------------------------------------------+
| GRANT USAGE ON *.* TO `solicitudes_app`@`%`                                   |
| GRANT ALL PRIVILEGES ON `mesatech_solicitudes`.* TO `solicitudes_app`@`%` |
+-------------------------------------------------------------------------------+
2 rows in set (0.00 sec)

mysql>
```

```
ubuntu@ip-172-31-22-241:~$ grep -iE "Started|Tomcat started|RabbitMQ|ERROR" catalogo-error.log
026-11-03T14:46:22.362Z  INFO 9465 --- [mesatech-catalogo-service] [           main] c.d.m.c.CatalogoServiceApplication       : Starting CatalogoServiceApplication v0.0.1-SNAPSHOT using Java 21.0.12.1 with PID
465 (/home/ubuntu/catalogo-service-0.0.1-SNAPSHOT.jar started by ubuntu in /home/ubuntu)
026-11-03T14:46:32.896Z  INFO 9465 --- [mesatech-catalogo-service] [           main] o.s.boot.tomcat.TomcatWebServer          : Tomcat started on port 8082 (http) with context path '/'
026-11-03T14:46:32.947Z  INFO 9465 --- [mesatech-catalogo-service] [           main] c.d.m.c.CatalogoServiceApplication       : Started CatalogoServiceApplication in 11.709 seconds (process running for 13.045)
ubuntu@ip-172-31-22-241:~$
```

i-0f85ef56a40bccf09 (mesatech-catalogo)

```
ubuntu@ip-172-31-22-241:~$ nohup java -jar catalogo-service-0.0.1-SNAPSHOT.jar > catalogo.log 2>&1 &
[1] 9959
ubuntu@ip-172-31-22-241:~$ echo $! > catalogo.pid
ubuntu@ip-172-31-22-241:~$ sleep 5
ps -ef | grep catalogo-service | grep -v grep
ubuntu      9959    8949 65 15:03 pts/0    00:00:13 java -jar catalogo-service-0.0.1-SNAPSHOT.jar
ubuntu@ip-172-31-22-241:~$ curl -i http://localhost:8082/v1/catalogo
HTTP/1.1 200
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 03 Nov 2026 15:03:32 GMT

{"categorias":[],"prioridades":[]}ubuntu@ip-172-31-22-241:~$
```

i-0f85ef56a40bccf09 (mesatech-catalogo)

IP públicas: 54.242.26.87 IP privadas: 172.31.22.241

```
ubuntu@ip-172-31-25-90:~$ tail -n 25 solicitudes.log
2026-11-03T17:50:21.389Z  INFO 2155 --- [mesatech-solicitudes-service] [           main] org.hibernate.orm.core                   : HHH000001: Hibernate ORM core version 7.4.5.Final
2026-11-03T17:50:22.502Z  INFO 2155 --- [mesatech-solicitudes-service] [           main] o.s.o.j.p.SpringPersistenceUnitInfo      : No LoadTimeWeaver setup: ignoring JPA class transformer
2026-11-03T17:50:22.556Z  INFO 2155 --- [mesatech-solicitudes-service] [           main] com.zaxxer.hikari.HikariDataSource       : HikariPool-1 - Starting...
2026-11-03T17:50:22.947Z  INFO 2155 --- [mesatech-solicitudes-service] [           main] com.zaxxer.hikari.pool.HikariPool        : HikariPool-1 - Added connection com.mysql.cj.jdbc.ConnectionImpl@17189618
2026-11-03T17:50:22.951Z  INFO 2155 --- [mesatech-solicitudes-service] [           main] com.zaxxer.hikari.HikariDataSource       : HikariPool-1 - Start completed.
2026-11-03T17:50:23.144Z  INFO 2155 --- [mesatech-solicitudes-service] [           main] org.hibernate.orm.connections.pooling    : HHH10001005: Database info:
        Database JDBC URL [jdbc:mysql://mesatech-rds-solicitudes.c96ae20uksv7.us-east-1.rds.amazonaws.com:3306/mesatech_solicitudes?useSSL=false&allowPublicKeyRetrieval=true&serverTimezone=UTC]
        Database driver: MySQL Connector/J
        Database dialect: MySQLDialect
        Database version: 8.4.11
        Default catalog/schema: mesatech_solicitudes/undefined
        Autocommit mode: undefined/unknown
        Isolation level: REPEATABLE_READ [default REPEATABLE_READ]
        JDBC fetch size: none
        Pool: DataSourceConnectionProvider
        Minimum pool size: undefined/unknown
        Maximum pool size: undefined/unknown
2026-11-03T17:50:25.151Z  INFO 2155 --- [mesatech-solicitudes-service] [           main] org.hibernate.orm.core                   : HHH000489: No JTA platform available (set 'hibernate.transaction.jta.platform'
to enable JTA platform integration)
2026-11-03T17:50:25.302Z  INFO 2155 --- [mesatech-solicitudes-service] [           main] j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for persistence unit 'default'
2026-11-03T17:50:25.508Z  INFO 2155 --- [mesatech-solicitudes-service] [           main] o.s.d.j.r.query.QueryEnhancerFactories   : Hibernate is in classpath; If applicable, HQL parser will be used.
2026-11-03T17:50:26.213Z  WARN 2155 --- [mesatech-solicitudes-service] [           main] JpaBaseConfiguration$JpaWebConfiguration : spring.jpa.open-in-view is enabled by default. Therefore, database queries may
be performed during view rendering. Explicitly configure spring.jpa.open-in-view to disable this warning
2026-11-03T17:50:27.765Z  INFO 2155 --- [mesatech-solicitudes-service] [           main] o.s.boot.tomcat.TomcatWebServer          : Tomcat started on port 8081 (http) with context path '/'
2026-11-03T17:50:27.774Z  INFO 2155 --- [mesatech-solicitudes-service] [           main] o.s.a.r.c.CachingConnectionFactory       : Attempting to connect to: [172.31.23.97:5672]
2026-11-03T17:50:27.921Z  INFO 2155 --- [mesatech-solicitudes-service] [           main] o.s.a.r.c.CachingConnectionFactory       : Created new connection: rabbitConnectionFactory#4e24db00:0/SimpleConnection@5f6
e6902 [delegate=amqp://solicitudes_app@172.31.23.97:5672/mesatech, localPort=54318]
2026-11-03T17:50:28.079Z  INFO 2155 --- [mesatech-solicitudes-service] [           main] c.d.m.s.SolicitudesServiceApplication    : Started SolicitudesServiceApplication in 12.498 seconds (process running for 13
.864)
ubuntu@ip-172-31-25-90:~$
```

i-009d97aa8598c68bd (mesatech-solicitudes)

IP públicas: 98.81.142.184 IP privadas: 172.31.25.90

```
ubuntu@ip-172-31-22-241:~$ sudo systemctl status mesatech-catalogo --no-pager
● mesatech-catalogo.service - MesaTech Catalogo Service
     Loaded: loaded (/etc/systemd/system/mesatech-catalogo.service; enabled; preset: enabled)
     Active: active (running) since Tue 2026-11-03 17:58:15 UTC; 8s ago
   Main PID: 1539 (java)
      Tasks: 18 (limit: 657)
     Memory: 194.8M (peak: 194.8M)
        CPU: 7.614s
     CGroup: /system.slice/mesatech-catalogo.service
             └─1539 /usr/bin/java -jar /home/ubuntu/catalogo-service-0.0.1-SNAPSHOT.jar

Nov 03 17:58:18 ip-172-31-22-241 java[1539]: 2026-11-03T17:58:18.601Z  INFO 1539 --- [mesatech-catalogo-service] [           main] c.d.m.c.CatalogoServiceApplication       : Starting CatalogoServiceApplication …
Nov 03 17:58:18 ip-172-31-22-241 java[1539]: 2026-11-03T17:58:18.623Z  INFO 1539 --- [mesatech-catalogo-service] [           main] c.d.m.c.CatalogoServiceApplication       : No active profile se…ofile: "default"
Nov 03 17:58:20 ip-172-31-22-241 java[1539]: 2026-11-03T17:58:20.414Z  INFO 1539 --- [mesatech-catalogo-service] [           main] .s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping Spring…in DEFAULT mode.
Nov 03 17:58:20 ip-172-31-22-241 java[1539]: 2026-11-03T17:58:20.551Z  INFO 1539 --- [mesatech-catalogo-service] [           main] .s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data…tory interfaces.
Nov 03 17:58:22 ip-172-31-22-241 java[1539]: 2026-11-03T17:58:22.278Z  INFO 1539 --- [mesatech-catalogo-service] [           main] o.s.boot.tomcat.TomcatWebServer          : Tomcat initialized w…port 8082 (http)
Nov 03 17:58:22 ip-172-31-22-241 java[1539]: 2026-11-03T17:58:22.319Z  INFO 1539 --- [mesatech-catalogo-service] [           main] o.apache.catalina.core.StandardService   : Starting service [Tomcat]
Nov 03 17:58:22 ip-172-31-22-241 java[1539]: 2026-11-03T17:58:22.319Z  INFO 1539 --- [mesatech-catalogo-service] [           main] o.apache.catalina.core.StandardEngine    : Starting Servlet eng… Tomcat/11.0.24]
Nov 03 17:58:22 ip-172-31-22-241 java[1539]: 2026-11-03T17:58:22.502Z  INFO 1539 --- [mesatech-catalogo-service] [           main] b.w.c.s.WebApplicationContextInitializer : Root WebApplicationC…leted in 3728 ms
Nov 03 17:58:23 ip-172-31-22-241 java[1539]: 2026-11-03T17:58:23.456Z  INFO 1539 --- [mesatech-catalogo-service] [           main] org.hibernate.orm.jpa                    : HHH000540: Processin… [name: default]
Nov 03 17:58:23 ip-172-31-22-241 java[1539]: 2026-11-03T17:58:23.650Z  INFO 1539 --- [mesatech-catalogo-service] [           main] org.hibernate.orm.core                   : HHH000001: Hibernate…ion 7.4.5.Final
Hint: Some lines were ellipsized, use -l to show in full.
ubuntu@ip-172-31-22-241:~$
```

i-0f85ef56a40bccf09 (mesatech-catalogo)

IP públicas: 100.26.145.28 IP privadas: 172.31.22.241

CloudShell Kit de herramientas de agentes para AWS Comentarios © 2026, Amazon Web Services, Inc. o sus filiales. Privacidad Términos Preferencias de cookies

```
ubuntu@ip-172-31-22-241:~$ sudo systemctl start mesatech-catalogo
ubuntu@ip-172-31-22-241:~$ sleep 8
ubuntu@ip-172-31-22-241:~$ curl -i http://localhost:8082/v1/catalogo
HTTP/1.1 200
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 03 Nov 2026 18:13:28 GMT

{"prioridades":[],"categorias":[{"id":1,"nombre":"PRUEBA_RABBIT"},{"id":2,"nombre":"PRUEBA_RABBIT_2"}]}ubuntu@ip-172-31-22-241:~$
```

i-0f85ef56a40bccf09 (mesatech-catalogo)

IP públicas: 100.26.145.28 IP privadas: 172.31.22.241

```
{"prioridades":[],"categoriNOMBRE="RABBIT_OK_$(date +%H%M%S)"IT"},{"id":2,"nombre":"PRUEBA_RABBIT_2"}]}ubuntu@ip-172-31-22-241:~$ NOMBRE="RABBIT_OK_$(date +%H%M%S)"
curl -i -X POST http://localhost:8082/v1/catalogo/categorias \
-H "Content-Type: application/json" \
-d "{\"nombre\":\"$NOMBRE\"}"
HTTP/1.1 200
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 03 Nov 2026 18:14:31 GMT

{"id":3,"nombre":"RABBIT_OK_181430"}ubuntu@ip-172-31-22-241:~$
```

i-0f85ef56a40bccf09 (mesatech-catalogo)

IP públicas: 100.26.145.28 IP privadas: 172.31.22.241

```
2026-11-03T17:50:25.151Z  INFO 2155 --- [mesatech-solicitudes-service] [           main] org.hibernate.orm.core                   : HHH000489: No JTA platform available (set 'hibernate.transaction.jta.platform'
to enable JTA platform integration)
2026-11-03T17:50:25.302Z  INFO 2155 --- [mesatech-solicitudes-service] [           main] j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for persistence unit 'default'
2026-11-03T17:50:25.508Z  INFO 2155 --- [mesatech-solicitudes-service] [           main] o.s.d.j.r.query.QueryEnhancerFactories   : Hibernate is in classpath; If applicable, HQL parser will be used.
2026-11-03T17:50:26.213Z  WARN 2155 --- [mesatech-solicitudes-service] [           main] JpaBaseConfiguration$JpaWebConfiguration : spring.jpa.open-in-view is enabled by default. Therefore, database queries may
be performed during view rendering. Explicitly configure spring.jpa.open-in-view to disable this warning
2026-11-03T17:50:27.765Z  INFO 2155 --- [mesatech-solicitudes-service] [           main] o.s.boot.tomcat.TomcatWebServer          : Tomcat started on port 8081 (http) with context path '/'
2026-11-03T17:50:27.774Z  INFO 2155 --- [mesatech-solicitudes-service] [           main] o.s.a.r.c.CachingConnectionFactory       : Attempting to connect to: [172.31.23.97:5672]
2026-11-03T17:50:27.921Z  INFO 2155 --- [mesatech-solicitudes-service] [           main] o.s.a.r.c.CachingConnectionFactory       : Created new connection: rabbitConnectionFactory#4e24db00:0/SimpleConnection@5f6
e6902 [delegate=amqp://solicitudes_app@172.31.23.97:5672/mesatech, localPort=54318]
2026-11-03T17:50:28.079Z  INFO 2155 --- [mesatech-solicitudes-service] [           main] c.d.m.s.SolicitudesServiceApplication    : Started SolicitudesServiceApplication in 12.498 seconds (process running for 13
.864)
2026-11-03T17:52:37.607Z  INFO 2155 --- [mesatech-solicitudes-service] [nio-8081-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/]       : Initializing Spring DispatcherServlet 'dispatcherServlet'
2026-11-03T17:52:37.607Z  INFO 2155 --- [mesatech-solicitudes-service] [nio-8081-exec-1] o.s.web.servlet.DispatcherServlet        : Initializing Servlet 'dispatcherServlet'
2026-11-03T17:52:37.612Z  INFO 2155 --- [mesatech-solicitudes-service] [nio-8081-exec-1] o.s.web.servlet.DispatcherServlet        : Completed initialization in 5 ms
Hibernate:
    select
        cl1_0.id,
        cl1_0.categoria_id_origen,
        cl1_0.event_id,
        cl1_0.fecha_evento,
        cl1_0.nombre
    from
        categorias_locales cl1_0
Evento recibido. eventId=f9f88235-71ca-4d63-a58a-73044b93a2dd, categoriaId=3, nombre=RABBIT_OK_181430
Hibernate:
    select
        cl1_0.id
    from
        categorias_locales cl1_0
    where
        cl1_0.categoria_id_origen=?
    limit
        ?
Hibernate:
    insert
    into
        categorias_locales
        (categoria_id_origen, event_id, fecha_evento, nombre)
    values
        (?, ?, ?, ?)
Categoria persistida en RDS Solicitudes. idLocal=1, categoriaIdOrigen=3, eventId=f9f88235-71ca-4d63-a58a-73044b93a2dd
ubuntu@ip-172-31-25-90:~$
```

i-009d97aa8598c68bd (mesatech-solicitudes)

IP públicas: 98.81.142.184 IP privadas: 172.31.25.90

CloudShell Kit de herramientas de agentes para AWS Comentarios © 2026, Amazon Web Services, Inc. o sus filiales. Privacidad Términos Preferencias de cookies

```
Categoria persistida en RDS Solicitudes. idLocal=1, categoriaIdOrigen=3, eventId=f9f88235-71ca-4d63-a58a-73044b93a2dd
ubuntu@ip-172-31-25-90:~$ curl -i http://localhost:8081/v1/solicitudes/categorias-disponibles
HTTP/1.1 200
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 03 Nov 2026 18:18:31 GMT

[{"id":1,"categoriaIdOrigen":3,"nombre":"RABBIT_OK_181430","eventId":"f9f88235-71ca-4d63-a58a-73044b93a2dd","fechaEvento":"2026-11-03T18:14:30.9184535742"}]ubuntu@ip-172-31-25-90:~$
```

i-009d97aa8598c68bd (mesatech-solicitudes)

IP públicas: 98.81.142.184 IP privadas: 172.31.25.90

```
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 03 Nov 2026 18:18:31 GMT

[{"id":1,"categoriaIdOrigen":3,"nombre":"RABBIT_OK_181430","eventId":"f9f88235-71ca-4d63-a58a-73044b93a2dd","fechaEvento":"2026-11-03T18:14:30.9184535742"}]ubuntu@ip-172-31-25-90:~$ sudo nano /etc/mesatech-solic
itudes.env
                sudo nano /etc/mesatech-solicitudes.env
ubuntu@ip-172-31-25-90:~$ sudo nano /etc/systemd/system/mesatech-solicitudes.service
ubuntu@ip-172-31-25-90:~$ sudo chmod 600 /etc/mesatech-solicitudes.env
sudo systemctl daemon-reload
sudo systemctl enable mesatech-solicitudes
Created symlink /etc/systemd/system/multi-user.target.wants/mesatech-solicitudes.service → /etc/systemd/system/mesatech-solicitudes.service.
ubuntu@ip-172-31-25-90:~$ if [ -f solicitudes.pid ]; then kill $(cat solicitudes.pid) 2>/dev/null || true; fi
ubuntu@ip-172-31-25-90:~$ ss -ltnp | grep 8081
ubuntu@ip-172-31-25-90:~$ sudo systemctl start mesatech-solicitudes
ubuntu@ip-172-31-25-90:~$ sleep 8
ubuntu@ip-172-31-25-90:~$ sudo systemctl status mesatech-solicitudes --no-pager -l
● mesatech-solicitudes.service - MesaTech Solicitudes Service
     Loaded: loaded (/etc/systemd/system/mesatech-solicitudes.service; enabled; preset: enabled)
     Active: active (running) since Tue 2026-11-03 18:22:29 UTC; 7s ago
   Main PID: 2812 (java)
      Tasks: 18 (limit: 657)
     Memory: 119.5M (peak: 119.5M)
        CPU: 7.110s
     CGroup: /system.slice/mesatech-solicitudes.service
             └─2812 /usr/bin/java -jar /home/ubuntu/solicitudes-service-0.0.1-SNAPSHOT.jar

Nov 03 18:22:32 ip-172-31-25-90 java[2812]:  =========|_|==============|___/=/_/_/_/
Nov 03 18:22:32 ip-172-31-25-90 java[2812]:  :: Spring Boot ::                (v4.1.1)
Nov 03 18:22:32 ip-172-31-25-90 java[2812]: 2026-11-03T18:22:32.216Z  INFO 2812 --- [mesatech-solicitudes-service] [           main] c.d.m.s.SolicitudesServiceApplication    : Starting SolicitudesServiceApplicat
ion v0.0.1-SNAPSHOT using Java 21.0.12.1 with PID 2812 (/home/ubuntu/solicitudes-service-0.0.1-SNAPSHOT.jar started by ubuntu in /home/ubuntu)
Nov 03 18:22:32 ip-172-31-25-90 java[2812]: 2026-11-03T18:22:32.225Z  INFO 2812 --- [mesatech-solicitudes-service] [           main] c.d.m.s.SolicitudesServiceApplication    : No active profile set, falling back
 to 1 default profile: "default"
Nov 03 18:22:34 ip-172-31-25-90 java[2812]: 2026-11-03T18:22:34.088Z  INFO 2812 --- [mesatech-solicitudes-service] [           main] .s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping Spring Data JPA repos
itories in DEFAULT mode.
Nov 03 18:22:34 ip-172-31-25-90 java[2812]: 2026-11-03T18:22:34.210Z  INFO 2812 --- [mesatech-solicitudes-service] [           main] .s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data repository sca
nning in 100 ms. Found 2 JPA repository interfaces.
Nov 03 18:22:35 ip-172-31-25-90 java[2812]: 2026-11-03T18:22:35.797Z  INFO 2812 --- [mesatech-solicitudes-service] [           main] o.s.boot.tomcat.TomcatWebServer          : Tomcat initialized with port 8081 (
http)
Nov 03 18:22:35 ip-172-31-25-90 java[2812]: 2026-11-03T18:22:35.836Z  INFO 2812 --- [mesatech-solicitudes-service] [           main] o.apache.catalina.core.StandardService   : Starting service [Tomcat]
Nov 03 18:22:35 ip-172-31-25-90 java[2812]: 2026-11-03T18:22:35.838Z  INFO 2812 --- [mesatech-solicitudes-service] [           main] o.apache.catalina.core.StandardEngine    : Starting Servlet engine: [Apache To
mcat/11.0.24]
Nov 03 18:22:36 ip-172-31-25-90 java[2812]: 2026-11-03T18:22:36.009Z  INFO 2812 --- [mesatech-solicitudes-service] [           main] b.w.c.s.WebApplicationContextInitializer : Root WebApplicationContext: initial
ization completed in 3622 ms
ubuntu@ip-172-31-25-90:~$
```

i-009d97aa8598c68bd (mesatech-solicitudes)

```
MYSQL_PWD="$DBP" mysql \
-h mesatech-rds-solicitudes.c96ae20uksv7.us-east-1.rds.amazonaws.com \
-u solicitudes_app \
-e "SELECT 1;"
unset DBP
+---+
| 1 |
+---+
| 1 |
+---+
ubuntu@ip-172-31-25-90:~$ sudo systemctl start mesatech-solicitudes
ubuntu@ip-172-31-25-90:~$ sleep 8
ubuntu@ip-172-31-25-90:~$ curl -i http://localhost:8081/v1/solicitudes/categorias-disponibles
HTTP/1.1 200
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 03 Nov 2026 18:27:40 GMT

[{"id":1,"categoriaIdOrigen":3,"nombre":"RABBIT_OK_181430","eventId":"f9f88235-71ca-4d63-a58a-73044b93a2dd","fechaEvento":"2026-11-03T18:14:30.9184535742"}]ubuntu@ip-172-31-25-90:~$
```

i-009d97aa8598c68bd (mesatech-solicitudes)

IP públicas: 98.81.142.184 IP privadas: 172.31.25.90

```
[{"id":1,"categoriaIdOrigen":3,"nombre":"RABBIT_OK_181430","eventId":"f9f88235-71ca-4d63-a58a-73044b93a2dd","fechaEvento":"2026-11-03T18:14:30.9184535742"}]ubuntu@ip-172-31-25-90:~$ sudo systemctl status mesatech
-solicitudes --no-pager -l
sudo systemctl status mesatech-solicitudes --no-pager -l
● mesatech-solicitudes.service - MesaTech Solicitudes Service
     Loaded: loaded (/etc/systemd/system/mesatech-solicitudes.service; enabled; preset: enabled)
     Active: active (running) since Tue 2026-11-03 18:27:21 UTC; 1min 34s ago
   Main PID: 3100 (java)
      Tasks: 35 (limit: 657)
     Memory: 242.7M (peak: 242.9M)
        CPU: 15.205s
     CGroup: /system.slice/mesatech-solicitudes.service
             └─3100 /usr/bin/java -jar /home/ubuntu/solicitudes-service-0.0.1-SNAPSHOT.jar

Nov 03 18:27:39 ip-172-31-25-90 java[3100]: 2026-11-03T18:27:39.701Z  INFO 3100 --- [mesatech-solicitudes-service] [nio-8081-exec-1] o.s.web.servlet.DispatcherServlet        : Completed initialization in 5 ms
Nov 03 18:27:40 ip-172-31-25-90 java[3100]: Hibernate:
Nov 03 18:27:40 ip-172-31-25-90 java[3100]:     select
Nov 03 18:27:40 ip-172-31-25-90 java[3100]:         cl1_0.id,
Nov 03 18:27:40 ip-172-31-25-90 java[3100]:         cl1_0.categoria_id_origen,
Nov 03 18:27:40 ip-172-31-25-90 java[3100]:         cl1_0.event_id,
Nov 03 18:27:40 ip-172-31-25-90 java[3100]:         cl1_0.fecha_evento,
Nov 03 18:27:40 ip-172-31-25-90 java[3100]:         cl1_0.nombre
Nov 03 18:27:40 ip-172-31-25-90 java[3100]:     from
Nov 03 18:27:40 ip-172-31-25-90 java[3100]:         categorias_locales cl1_0
ubuntu@ip-172-31-25-90:~$
```

i-009d97aa8598c68bd (mesatech-solicitudes)

IP públicas: 98.81.142.184 IP privadas: 172.31.25.90

```
sudo systemctl start mesatech-bff
sleep 8
sudo systemctl status mesatech-bff --no-pager -l
Created symlink /etc/systemd/system/multi-user.target.wants/mesatech-bff.service → /etc/systemd/system/mesatech-bff.service.
● mesatech-bff.service - MesaTech BFF
     Loaded: loaded (/etc/systemd/system/mesatech-bff.service; enabled; preset: enabled)
     Active: active (running) since Tue 2026-11-03 18:40:56 UTC; 8s ago
   Main PID: 2945 (java)
      Tasks: 19 (limit: 657)
     Memory: 155.6M (peak: 159.8M)
        CPU: 7.587s
     CGroup: /system.slice/mesatech-bff.service
             └─2945 /usr/bin/java -jar /home/ubuntu/bff-0.0.1-SNAPSHOT.jar

Nov 03 18:40:58 ip-172-31-22-241 java[2945]:  \\/ ___)| |_)| | | | | || (_| |  ) ) ) )
Nov 03 18:40:58 ip-172-31-22-241 java[2945]:   ' |____| .__|_| |_|_| |_\__, | / / / /
Nov 03 18:40:58 ip-172-31-22-241 java[2945]:  =========|_|==============|___/=/_/_/_/
Nov 03 18:40:58 ip-172-31-22-241 java[2945]:  :: Spring Boot ::                (v4.1.1)
Nov 03 18:40:59 ip-172-31-22-241 java[2945]: 2026-11-03T18:40:59.139Z  INFO 2945 --- [mesatech-bff] [           main] cl.duoc.mesatech.bff.BffApplication      : Starting BffApplication v0.0.1-SNAPSHOT using Java
 21.0.12.1 with PID 2945 (/home/ubuntu/bff-0.0.1-SNAPSHOT.jar started by ubuntu in /home/ubuntu)
Nov 03 18:40:59 ip-172-31-22-241 java[2945]: 2026-11-03T18:40:59.147Z  INFO 2945 --- [mesatech-bff] [           main] cl.duoc.mesatech.bff.BffApplication      : No active profile set, falling back to 1 default p
rofile: "default"
Nov 03 18:41:02 ip-172-31-22-241 java[2945]: 2026-11-03T18:41:02.151Z  INFO 2945 --- [mesatech-bff] [           main] o.s.boot.tomcat.TomcatWebServer          : Tomcat initialized with port 8080 (http)
Nov 03 18:41:02 ip-172-31-22-241 java[2945]: 2026-11-03T18:41:02.195Z  INFO 2945 --- [mesatech-bff] [           main] o.apache.catalina.core.StandardService   : Starting service [Tomcat]
Nov 03 18:41:02 ip-172-31-22-241 java[2945]: 2026-11-03T18:41:02.197Z  INFO 2945 --- [mesatech-bff] [           main] o.apache.catalina.core.StandardEngine    : Starting Servlet engine: [Apache Tomcat/11.0.24]
Nov 03 18:41:02 ip-172-31-22-241 java[2945]: 2026-11-03T18:41:02.378Z  INFO 2945 --- [mesatech-bff] [           main] b.w.c.s.WebApplicationContextInitializer : Root WebApplicationContext: initialization complet
ed in 3098 ms
ubuntu@ip-172-31-22-241:~$
```

i-0f85ef56a40bccf09 (mesatech-catalogo)

IP públicas: 100.26.145.28 IP privadas: 172.31.22.241

```
ubuntu@ip-172-31-22-241:~$ curl -i http://localhost:8080/v1/catalogo
HTTP/1.1 401
Set-Cookie: JSESSIONID=16BDEFEE465FF4BA330177AB3DAD5661; Path=/; HttpOnly
WWW-Authenticate: Bearer resource_metadata="http://localhost:8080/.well-known/oauth-protected-resource"
X-Content-Type-Options: nosniff
X-XSS-Protection: 0
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
X-Frame-Options: DENY
Content-Length: 0
Date: Tue, 03 Nov 2026 18:42:51 GMT

ubuntu@ip-172-31-22-241:~$
```

i-0f85ef56a40bccf09 (mesatech-catalogo)


IP públicas: 100.26.145.28 IP privadas: 172.31.22.241


```
ubuntu@ip-172-31-22-241:~$ curl -i https://i4ni69dz15.execute-api.us-east-1.amazonaws.com/v1/catalogo
HTTP/2 401
date: Tue, 03 Nov 2026 18:49:26 GMT
content-length: 0
www-authenticate: Bearer resource_metadata="http://100.26.145.28:8080/.well-known/oauth-protected-resource"
x-content-type-options: nosniff
x-xss-protection: 0
cache-control: no-cache, no-store, max-age=0, must-revalidate
pragma: no-cache
expires: 0
x-frame-options: DENY
apigw-requestid: GRvspiurIAMEJ8g=
set-cookie: JSESSIONID=78D80CCF2CEC739EDD76A30AA0F6212E; Path=/; HttpOnly


ubuntu@ip-172-31-22-241:~$
```

i-0f85ef56a40bccf09 (mesatech-catalogo)

IP públicas: 100.26.145.28 IP privadas: 172.31.22.241




localhost:3000
Institución educativa
MesaTech Cloud
Gestión de solicitudes y soporte.
SHELSYE VALDES MUNOZ
sh.valdes@duocuc.cl
Cerrar sesión
Estado técnico
Validaciones de integración con la API protegida.
Probar API protegida


MesaTech Cloud
Gestión de solicitudes y soporte.
SHELSYE VALDES MUNOZ
sh.valdes@duocuc.cl
ADMINISTRADOR
Cerrar sesión
Gestión de solicitudes
Consulta todas las solicitudes y administra su estado.
Ver todas las solicitudes
ID solicitud
Ej: 2
Nuevo estado
ASIGNADA
Cambiar estado
Administración del catálogo
Gestiona categorías y prioridades disponibles para las solicitudes.
Nueva categoría
Nombre de categoría
Crear categoría
Nueva prioridad
Nombre de prioridad
Crear prioridad
Categorías
1 — PRUEBA_RABBIT
2 — PRUEBA_RABBIT_2
3 — RABBIT_OK_181430
Prioridades
Buscar
ESP
LAA
16:20
03-11-2026

Administración del catálogo

Gestiona categorías y prioridades disponibles para las solicitudes.

Nueva categoría

Nombre de categoría

Crear categoría

HTTP 200 OK — Categoría "DEMO_EP2_1620" creada.


Categorías

4 — DEMO_EP2_1620

1 — PRUEBA_RABBIT

2 — PRUEBA_RABBIT_2

3 — RABBIT_OK_181430



```
ubuntu@ip-172-31-22-241:~$ NOMBRE="P3_PENDIENTE_$(date +%H%M%S)"
curl -i -X POST http://localhost:8082/v1/catalogo/categorias \
-H "Content-Type: application/json" \
-d "{\"nombre\":\"$NOMBRE\"}"
HTTP/1.1 200
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 03 Nov 2026 19:25:36 GMT

{"id":5,"nombre":"P3_PENDIENTE_192536"}ubuntu@ip-172-31-22-241:~$
```

```
ubuntu@ip-172-31-23-97:~$ sudo docker exec mesatech-rabbitmq rabbitmqctl list_queues -p mesatech name messages_ready messages_unacknowledged
Timeout: 60.0 seconds ...
Listing queues for vhost mesatech ...
name    messages_ready  messages_unacknowledged
solicitudes.catalogo.queue      1       0
ubuntu@ip-172-31-23-97:~$
```

```
ubuntu@ip-172-31-25-90:~$ sleep 8
sudo journalctl -u mesatech-solicitudes --since "19:28:50" --no-pager | grep -E "P3_PENDIENTE|Evento recibido|Categoria persistida|Created new connection"
Nov 03 19:29:07 ip-172-31-25-90 java[4178]: 2026-11-03T19:29:07.8523  INFO 4178 --- [mesatech-solicitudes-service] [           main] o.s.a.r.c.CachingConnectionFactory       : Created new connection: rabbitConnectionFactory#4e24db00:0/SimpleConnection@5f6e6902 [delegate=amqp://solicitudes_app@172.31.23.97:5672/mesatech, localPort=55064]
Nov 03 19:29:08 ip-172-31-25-90 java[4178]: Evento recibido. eventId=b65cbb60-e50b-42e5-8f2b-0dee2d7a1c13, categoriaId=5, nombre=P3_PENDIENTE_192536
Nov 03 19:29:09 ip-172-31-25-90 java[4178]: Categoria persistida en RDS Solicitudes. idLocal=3, categoriaIdOrigen=5, eventId=b65cbb60-e50b-42e5-8f2b-0dee2d7a1c13
ubuntu@ip-172-31-25-90:~$
```

i-009d97aa8598c68bd (mesatech-solicitudes)

```
ubuntu@ip-172-31-22-241:~$ NOMBRE="P5_PERSISTE_$(date +%H%M%S)"
curl -i -X POST http://localhost:8082/v1/catalogo/categorias \
-H "Content-Type: application/json" \
-d "{\"nombre\":\"$NOMBRE\"}"
HTTP/1.1 200
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 03 Nov 2026 19:32:33 GMT

{"id":6,"nombre":"P5_PERSISTE_193233"}ubuntu@ip-172-31-22-241:~$
```

```
ubuntu@ip-172-31-23-97:~$ sudo docker exec mesatech-rabbitmq rabbitmqctl list_queues -p mesatech name messages_ready messages_unacknowledged
Timeout: 60.0 seconds ...
Listing queues for vhost mesatech ...
name    messages_ready  messages_unacknowledged
solicitudes.catalogo.queue      1       0
ubuntu@ip-172-31-23-97:~$
```

```
ubuntu@ip-172-31-23-97:~$ cd ~/mesatech-rabbitmq
sudo docker compose down
sudo docker compose up -d
[+] down 2/2
 ✓ Container mesatech-rabbitmq         Removed
 ✓ Network mesatech-rabbitmq_default   Removed
[+] up 2/2
 ✓ Network mesatech-rabbitmq_default   Created
 ✓ Container mesatech-rabbitmq         Started
ubuntu@ip-172-31-23-97:~/mesatech-rabbitmq$ sleep 8
sudo docker exec mesatech-rabbitmq rabbitmq-diagnostics -q ping
Ping succeeded
ubuntu@ip-172-31-23-97:~/mesatech-rabbitmq$
```

i-0ccff59b26fec9ca2 (mesatech-rabbitmq)

IP públicas: 3.89.141.15 IP privadas: 172.31.23.97

```
ubuntu@ip-172-31-23-97:~/mesatech-rabbitmq$ sudo docker exec mesatech-rabbitmq rabbitmqctl list_queues -p mesatech name messages_ready messages_unacknowledged
Timeout: 60.0 seconds ...
Listing queues for vhost mesatech ...
name    messages_ready  messages_unacknowledged
solicitudes.catalogo.queue      1       0
ubuntu@ip-172-31-23-97:~/mesatech-rabbitmq$
```

i-0ccff59b26fec9ca2 (mesatech-rabbitmq)

```
ubuntu@ip-172-31-25-90:~$ sudo systemctl is-active mesatech-solicitudes
curl -s http://localhost:8081/v1/solicitudes/categorias-disponibles | grep -o 'P5_PERSISTE_[0-9]*'
active
P5_PERSISTE_193233
ubuntu@ip-172-31-25-90:~$
```

```
ubuntu@ip-172-31-23-97:~$ sudo docker exec mesatech-rabbitmq rabbitmqctl list_queues -p mesatech name messages_ready messages_unacknowledged
Timeout: 60.0 seconds ...
Listing queues for vhost mesatech ...
name    messages_ready  messages_unacknowledged
solicitudes.catalogo.queue      0       0
ubuntu@ip-172-31-23-97:~$
```

i-0ccff59b26fec9ca2 (mesatech-rabbitmq)

IP públicas: 3.89.141.15 IP privadas: 172.31.23.97

```
ubuntu@ip-172-31-25-90:~$ sudo systemctl restart mesatech-solicitudes
ubuntu@ip-172-31-25-90:~$ sudo systemctl is-active mesatech-solicitudes
active
ubuntu@ip-172-31-25-90:~$ curl -s http://localhost:8081/v1/solicitudes/categorias-disponibles | grep -o 'P5_PERSISTE_[0-9]*'
P5_PERSISTE_193233
ubuntu@ip-172-31-25-90:~$
```

```
ubuntu@ip-172-31-22-241:~$ sudo systemctl restart mesatech-catalogo
ubuntu@ip-172-31-22-241:~$ sudo systemctl is-active mesatech-catalogo
active
ubuntu@ip-172-31-22-241:~$ curl -s http://localhost:8082/v1/catalogo/categorias
[{"id":4,"nombre":"DEMO_EP2_1620"},{"id":5,"nombre":"P3_PENDIENTE_192536"},{"id":6,"nombre":"P5_PERSISTE_193233"},{"id":1,"nombre":"PRUEBA_RABBIT"},{"id":2,"nombre":"PRUEBA_RABBIT_2"},{"id":3,"nombre":"RABBIT_OK
_181430"}]ubuntu@ip-172-31-22-241:~$
```

```
ubuntu@ip-172-31-25-90:~$ curl -s http://localhost:8081/v1/solicitudes/categorias-disponibles | grep -o 'P8_FINAL_OK'
P8_FINAL_OK
ubuntu@ip-172-31-25-90:~$
```

```
ubuntu@ip-172-31-23-97:~$ sudo docker stop mesatech-rabbitmq
mesatech-rabbitmq
ubuntu@ip-172-31-23-97:~$ sudo docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS     NAMES
ubuntu@ip-172-31-23-97:~$
```

```
ubuntu@ip-172-31-22-241:~$ curl -i -X POST http://localhost:8082/v1/catalogo/categorias \
-H "Content-Type: application/json" \
-d '{"nombre":"P7_FALLO_RABBIT"}'
HTTP/1.1 500
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 03 Nov 2026 19:58:20 GMT
Connection: close

{"timestamp":"2026-11-03T19:58:20.137Z","status":500,"error":"Internal Server Error","path":"/v1/catalogo/categorias"}ubuntu@ip-172-31-22-241:~$
```

```
{"timestamp":"2026-11-03T19:58:20.137Z","status":500,"error":"Internal Server Error","path":"/v1/catalogo/categorias"}ubuntu@ip-172-31-22-241:~$ curl -s http://localhost:8082/v1/catalogo/categorias | grep -o 'P
_FALLO_RABBIT'          curl -s http://localhost:8082/v1/catalogo/categorias | grep -o 'P7_FALLO_RABBIT'
P7_FALLO_RABBIT
ubuntu@ip-172-31-22-241:~$
```

```
ubuntu@ip-172-31-25-90:~$ curl -s http://localhost:8081/v1/solicitudes/categorias-disponibles | grep -o 'P7_FALLO_RABBIT'
ubuntu@ip-172-31-25-90:~$ curl -s http://localhost:8081/v1/solicitudes/categorias-disponibles | grep -o 'P7_FALLO_RABBIT'
ubuntu@ip-172-31-25-90:~$
```

```
HTTP/1.1 200
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 03 Nov 2026 20:04:02 GMT

{"prioridades":[],"categorias":[{"id":4,"nombre":"DEMO_EP2_1620"},{"id":5,"nombre":"P3_PENDIENTE_192536"},{"id":6,"nombre":"P5_PERSISTE_193233"},{"id":8,"nombre":"P7_FALLO_RABBIT"},{"id":7,"nombre":"P8_FINAL_OK"
},{"id":1,"nombre":"PRUEBA_curl -i http://localhost:8082/v2/catalogo2"},{"id":3,"nombre":"RABBIT_OK_181430"}]}ubuntu@ip-172-31-22-241:~$ curl -i http://localhost:8082/v2/catalogo
HTTP/1.1 404
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 03 Nov 2026 20:04:13 GMT

{"timestamp":"2026-11-03T20:04:13.490Z","status":404,"error":"Not Found","path":"/v2/catalogo"}ubuntu@ip-172-31-22-241:~$
```

```
},{"id":1,"nombre":"PRUEBA_curl -i http://localhost:8082/v2/catalogo2"},{"id":3,"nombre":"RABBIT_OK_181430"}]}ubuntu@ip-172-31-22-241:~$ curl -i http://localhost:8082/v2/catalogo
HTTP/1.1 404
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 03 Nov 2026 20:04:13 GMT

{"timestamp":"2026-11-03T20curl -i http://localhost:8082/v2/catalogo/categorias:"/v2/catalogo"}ubuntu@ip-172-31-22-241:~$ curl -i http://localhost:8082/v2/catalogo/categorias
HTTP/1.1 404
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 03 Nov 2026 20:04:58 GMT

{"timestamp":"2026-11-03T20curl -i http://localhost:8082/v2/catalogo/prioridades"/v2/catalogo/categorias"}ubuntu@ip-172-31-22-241:~$ curl -i http://localhost:8082/v2/catalogo/prioridades
HTTP/1.1 404
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 03 Nov 2026 20:05:08 GMT

{"timestamp":"2026-11-03T20:05:08.041Z","status":404,"error":"Not Found","path":"/v2/catalogo/prioridades"}ubuntu@ip-172-31-22-241:~$
```

```
drwxrwxr-x 3 ubuntu ubuntu 4.0K Nov  3 14:23 .aws
-rw------- 1 ubuntu ubuntu 7.7K Nov  3 19:51 .bash_history
-rw-r--r-- 1 ubuntu ubuntu  220 Mar 31  2024 .bash_logout
-rw-r--r-- 1 ubuntu ubuntu 3.7K Mar 31  2024 .bashrc
drwx------ 2 ubuntu ubuntu 4.0K Nov  2 14:31 .cache
-rw------- 1 ubuntu ubuntu   20 Nov  3 18:49 .lesshst
-rw------- 1 ubuntu ubuntu  271 Nov  3 14:42 .mysql_history
-rw-r--r-- 1 ubuntu ubuntu  807 Mar 31  2024 .profile
drwx------ 2 ubuntu ubuntu 4.0K Nov  2 14:25 .ssh
-rw-r--r-- 1 ubuntu ubuntu    0 Nov  2 14:32 .sudo_as_admin_successful
-rw-rw-r-- 1 ubuntu ubuntu  26M Nov  3 13:58 bff-0.0.1-SNAPSHOT.jar
-rw-rw-r-- 1 ubuntu ubuntu 5.6K Nov  3 14:46 catalogo-error.log
-rw-rw-r-- 1 ubuntu ubuntu  57M Nov  3 13:58 catalogo-service-0.0.1-SNAPSHOT.jar
-rw-rw-r-- 1 ubuntu ubuntu  14K Nov  3 15:26 catalogo.log
-rw-rw-r-- 1 ubuntu ubuntu    6 Nov  3 15:22 catalogo.pid
ubuntu@ip-172-31-22-241:~$ jar tf /home/ubuntu/catalogo-service-0.0.1-SNAPSHOT.jar | grep -i controller
BOOT-INF/classes/cl/duoc/mesatech/catalogo/controller/
BOOT-INF/classes/cl/duoc/mesatech/catalogo/controller/CatalogoController.class
ubuntu@ip-172-31-22-241:~$ jar tf /home/ubuntu/catalogo-service-0.0.1-SNAPSHOT.jar | grep -i catalog
BOOT-INF/classes/cl/duoc/mesatech/catalogo/
BOOT-INF/classes/cl/duoc/mesatech/catalogo/config/
BOOT-INF/classes/cl/duoc/mesatech/catalogo/controller/
BOOT-INF/classes/cl/duoc/mesatech/catalogo/entity/
BOOT-INF/classes/cl/duoc/mesatech/catalogo/event/
BOOT-INF/classes/cl/duoc/mesatech/catalogo/messaging/
BOOT-INF/classes/cl/duoc/mesatech/catalogo/repository/
BOOT-INF/classes/cl/duoc/mesatech/catalogo/service/
META-INF/maven/cl.duoc.mesatech/catalogo-service/
BOOT-INF/classes/cl/duoc/mesatech/catalogo/CatalogoServiceApplication.class
BOOT-INF/classes/cl/duoc/mesatech/catalogo/config/RabbitMQConfig.class
BOOT-INF/classes/cl/duoc/mesatech/catalogo/controller/CatalogoController.class
BOOT-INF/classes/cl/duoc/mesatech/catalogo/entity/Categoria$CategoriaBuilder.class
BOOT-INF/classes/cl/duoc/mesatech/catalogo/entity/Categoria.class
BOOT-INF/classes/cl/duoc/mesatech/catalogo/entity/Prioridad$PrioridadBuilder.class
BOOT-INF/classes/cl/duoc/mesatech/catalogo/entity/Prioridad.class
BOOT-INF/classes/cl/duoc/mesatech/catalogo/event/CategoriaCreadaEvent$CategoriaCreadaEventBuilder.class
BOOT-INF/classes/cl/duoc/mesatech/catalogo/event/CategoriaCreadaEvent.class
BOOT-INF/classes/cl/duoc/mesatech/catalogo/messaging/CategoriaEventPublisher.class
BOOT-INF/classes/cl/duoc/mesatech/catalogo/repository/CategoriaRepository.class
BOOT-INF/classes/cl/duoc/mesatech/catalogo/repository/PrioridadRepository.class
BOOT-INF/classes/cl/duoc/mesatech/catalogo/service/CatalogoService.class
META-INF/maven/cl.duoc.mesatech/catalogo-service/pom.xml
META-INF/maven/cl.duoc.mesatech/catalogo-service/pom.properties
ubuntu@ip-172-31-22-241:~$
```

i-0f85ef56a40bccf09 (mesatech-catalogo)

```
ubuntu@ip-172-31-25-90:/tmp/mesatech-solicitudes$ curl -i -X POST http://localhost:8081/v1/solicitudes \
-H "Content-Type: application/json" \
-d '{
  "titulo":"PRUEBA_P8",
  "descripcion":"Prueba regla de estados",
  "categoriaId":4,
  "prioridadId":1,
  "usuarioSolicitante":"shelsye"
}'
HTTP/1.1 200
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 03 Nov 2026 20:21:04 GMT

{"id":1,"titulo":"PRUEBA_P8","descripcion":"Prueba regla de estados","categoriaId":4,"prioridadId":1,"usuarioSolicitante":"shelsye","estado":"CREADA","fechaCreacion":"2026-11-03T20:21:04.596973958"}ubuntu@ip-172-31-25-90:/tmp/mesatech-solicitudes$
```

i-009d97aa8598c68bd (mesatech-solicitudes)

IP públicas: 98.81.142.184 IP privadas: 172.31.25.90

```
-31-25-90:/tmp/mesatech-solicitudes$ curl -i -X PAcurl -i -X PATCH "http://localhost:8081/v1/solicitudes/1/estado?estado=RESUELTA"
HTTP/1.1 400
Content-Type: application/json
Transfer-Encoding: chunked
Date: Tue, 03 Nov 2026 20:21:47 GMT
Connection: close

{"mensaje":"La solicitud debe estar EN_PROCESO antes de pasar a RESUELTA","error":"Bad Request","status":400}ubuntu@ip-172-31-25-90:/tmp/mesatech-solicitudes$
```