

USED Input (Scanner)

Def: scanner is a built-in java class that lets your program take input from the user through the keyboard while running.

How to use: we must import `java.util.Scanner`; at the top, then create a scanner object before reading input.

Ex: `import java.util.Scanner;`

```
public class Main {
```

```
    public static void main(String[] args) {
```

```
        Scanner sc = new Scanner(System.in);
```

```
        System.out.print("Enter any no.");
```

```
    }
```

```
}
```



ASHOKA

Date: / /

when to use : whenever the program needs real-time input from the user (name, no.s, choices) instead of hardcoded values.

where to use : Inside `main()` or any other methods to collect user input.

why we need it : makes programs interactive instead of static - reacts to whatever the user types, not fixed values.

Real-life ex : like a waiter taking your order - you (user) tell Scanner what you want, & the program responds based on input.

Common Scanner methods :

Method	Reads
<code>sc.nextInt()</code>	An integer
<code>sc.nextDouble()</code>	A decimal no.
<code>sc.next()</code>	A single word (no spaces)
<code>sc.nextLine()</code>	A full line (including spaces)
<code>sc.nextBoolean()</code>	true/false

Common trap : mixing `nextInt()` & `nextLine()` can cause issues - `nextLine()` may read an empty leftover string right after `nextInt()`.