

Homework 5:

Adding Spell Checking and AutoComplete to Your Search Engine

Objectives

- Experience using a third-party spell program
- Developing efficient methods for accomplishing autocomplete

In the previous document (AutocompleteInSolr.pdf) you saw how to enhance the Solr program with spelling correction and an autocomplete (suggest) function. **In this exercise you are asked to use an external spelling correction program in conjunction with Solr and to enhance the autocomplete functionality of Solr.** For spelling correction, you may use an existing third-party program adapted to your downloaded files. In the case of autocomplete you will need to enhance your client program that communicates with Solr to deliver autocomplete suggestions to the web interface you created in an earlier homework

Description of the Exercise

Spelling Correction: in the class lecture you saw a complete spelling correction program developed by Peter Norvig. The program was written in Python. For this exercise you are welcome to use whatever third-party spelling program you wish, or you may even write your own. Since most of you wrote your previous homework client using PHP, you may want to adopt a version of Norvig's spelling program written in PHP and run it on your server. You can download the PHP version of Norvig's spelling corrector from here:

<http://www.phpclasses.org/package/4859-PHP-Suggest-corrected-spelling-text-in-pure-PHP.html#download>

(you will have to register at the site before being able to download the software, registration is free)

If you prefer to use Norvig's program in a different language, a wide variety of implementations can be found at the bottom of this page, <http://norvig.com/spell-correct.html>

You should make sure to enhance your spelling correction program with a set of terms that are specific to the news website that you are responsible for. You should make sure that common terms such as *climate*, *election*, *etc.*, and the terms used in the queries of homework #4 are handled. Norvig's spell correction program uses a text file("big.txt") to get a set of words to calculate edit distance. For this you should create your own "big.txt" for your specified news website. You can use any parser (our suggestion - Apache Tika) and Instructions on using apache Tika for this purpose can be found [here, \(https://tika.apache.org/1.5/gettingstarted.html\)](https://tika.apache.org/1.5/gettingstarted.html).

Autocomplete: for the autocomplete portion of the exercise, you will have to modify your client program, so it accepts single character insertions to the text box and returns a list of completions/suggestions.

There are several ways to implement the autocomplete functionality while using Solr. One possible way is to use the FuzzyLookupFactory

(https://lucene.apache.org/solr/guide/6_6/suggester.html) feature of Solr/Lucene. The FuzzyLookupFactory creates suggestions for misspelled words in fields. It assumes that what you're sending as the suggest.query parameter is the beginning of the suggestion. It will match terms in your index starting with the provided characters. So, if the query is "ca" it will return all the words starting with "ca", e.g. "california" and "carolina" etc. **For the first character and second character that is entered, some autocomplete suggestions should appear.**

For this to work you need to enable the suggest component as described in the tutorial but add some options.

Note: with respect to specific issues about how spelling corrections are displayed or how autocomplete corrections are displayed **you should imitate the way Google handles both**. For example, while typing in the search box, the top suggestions should automatically appear and be updated as the user keeps typing. The spellcheck suggestion should appear at the top of the retrieved results. If the word typed is correct no suggestion should appear at the top.

Submission Instructions

You need to place the YouTube URL in your CSCI572/HW5 folder. Uploading a .txt file- with the link to the YouTube URL of your HW5 video- to your CSCI572/HW5 Google drive folder is acceptable. Please refer GuidelinesVideoRecordingHW5 for more information on how to create the Youtube video.

Appendix

Note 1:

Suggested config change for making 'AND' as default instead of 'OR' for multi-word queries in solr:

Solr default boolean model uses OR instead of AND. So, if your query is "Elon Musk", then the result will match all pages which either have "Elon " OR " Musk " present and not the entire query "Elon Musk". To solve this problem, please do as following to set up the standard Query Parser Parameters:

In **solrconfig.xml** add this line:

```
<str name="q.op">AND</str>
```

within this tag: `<requestHandler name="/select" class="solr.SearchHandler">`

and Inside `<lst>` default tag within requestHandler tag: `<lst name="defaults">`

Remember to reload after editing.

FAQs

Q1. Can we use default spell checker for HW5?

A. You are not supposed to use default spell-checker for Hw5.

Q2. How to handle multi word queries?

A. To handle queries with two words, please handle as follows.

Eg: You have to handle word as if you are typing the same for suggest on Solr UI.

For example:

If you type 'new', you may get 'news'.

If you type 'new ', you should not get 'news'

One of the ways you could replicate this behavior:

User types 'n' => query for 'n' and display suggestions

User types 'ne' => query for 'ne' and display suggestions

User types 'new' => query for 'new' and display suggestions

User types 'new ' => query for 'new ' and display suggestions (suggestions should be same as the ones from previous step)

User types 'new y' => query for 'y', append each suggestion to 'new', and display resulting suggestions

User types 'new yo' => query for 'yo', append each suggestion to 'new', and display resulting suggestions.

Another Explanation Way:

If you type "new ", you may get "**new**", "new book", "new york" or "new years".

If you type "new", you may get "news", "newspaper".

After you type the first word "**new**", you just keep this word as the first word in your list and you just find the query of second word and append the result after the **new**.

If you type "**new** new", you may get "**new** news", "**new** newspaper" (If you type "new", you get "news", "newspaper")

When the space after **new** is typed, the autocomplete behavior should take this under consideration as well. Hence you have to handle "**new** " and not just "**new**".

Q3. Can we use solr's inbuilt auto-complete features?

A. Yes.

Q4. How should the spell correction and auto complete working look like.

A. Imitate googles auto complete and spell correction, your result should look like that

Q5. when using the php corrector and when loading big.txt, error log says allowed memory size exhausted.

A. Add the following code, `<? php ini_set ('memory_limit', '1024M')?>` at the start of your php file. This should solve it. If it still doesn't, change the code to `<? php ini_set ('memory_limit', -1)?>`

Q6. Do we need to store user's history for suggestions?

A. No need to store any user history to get this functionality.

Q7. Do we need to extract the data from all the 17000+ files into big.txt and do we have to avoid duplicates?

A. Yes, you need to extract the content from all your files. Please Don't avoid duplicates, please read how Norvig's spell correction works, you will find why you need to have duplicates.

Q8. In hw4 it tells us to set the 'text' to have a type of "text general". However, in hw5 it says "text_en_splitting".

A. You can leave as it is. It works just fine.

Q9. Solr exception: Java.lang.String cannot be cast to Java.lang.String

A. please check whether you added suggest component as stated in document(at right place and with right tags).

Q10. How does big.txt look like?

A. You need to parse content of html files into big.txt. Please refer to <http://norvig.com/big.txt>.

Q11. Do we need to extract the data from all the 17000+ files into big.txt and do we have to avoid duplicates?

A. Yes, you need to extract the content from all your files. Please Don't avoid duplicates, please read how Norvig's spell correction works, If you de-duplicate, then you will defeat the purpose of using word frequency to estimate $P(c)$, where c is the corrected spelling.

Q12. The document "SpellcheckandAutocompletioninSolr.pdf" is only for reference? For both spellcheck and autocompletion we don't use the solr internal functions? We both use external ones?

A. #1 for spell check: You use external program

#2 for Auto completion: You use the one inbuilt in solr.

Q13. If we search "Donad Trup", when we put "Donad", the spell check should show "Donald", what if we put "Donad Trup", what spell check should show? Should we combine each spell check result, like "Donald Trump", or just show "Donad Trump", only correct the correct word?

A. Please check for each word separately when you have multiple words in a query. Our queries will only be one or two words at most. If the query is Donad Trup, then your result should be Donald Trump.

Q14. Can we use the big.txt provided on the Norvig's website and add query terms from hw4 into it, or do we have to generate ourselves with Tika?

A. Please generate it. It doesn't make sense to load all the words from "The adventures of sherlock Holmes" in to memory. You might not get correct results too.

Q15. Can we remove the radio button and functionality of page rank here for hw5?

A. No. You can leave it as it was for Hw4.

Q16. I did not do the pagination function on my page. Can we just do top ten results?

A. Pagination is NOT a requirement for this exercise. Top 10 should suffice.

Q17. How should the UI look for auto-suggest feature?

A. Try to imitate the way google works. There should be a dropdown of suggestions when a character is entered. Also, the suggestions should be clickable. Once a suggestion is clicked, it should replace the text in the text box.

Q18. Mimicking Google Spell Correction

A. Google handles spelling correction in 2 ways. You can follow **any one** from the below 2 approaches

1. Show result for misspelled word. Just below the text box, you can display the correct spelling which is clickable. Upon clicking the correct word, it should perform a search and display the new results.
2. Show results for the spell corrected term. Just below the text box, display the spell corrected term and the initial misspelled term. Make the misspelled term clickable. Upon clicking, it should perform a search and display the new results.

Q19. Duplicate suggestions for autocomplete

A. It is okay to get duplicates. You don't need to handle them. You should always show whatever solr is suggesting for that input character/word.

Q20. Not able to record with any of the suggested screen recording softwares.

A. You can use any other screen recording software which is not listed by us, as long as the recorded content is clear. If you are not able to, then use your phone, just make sure it is clear. If you are using MacOS, you can follow this link <https://support.apple.com/en-us/HT208721>

Q21. I am getting underscore or dot in autocomplete suggestion. Is that ok?

A. Yes, it is acceptable. You should always show whatever solr is suggesting for that input character/word.

Q22. Undefined index error while trying SpellCorrector.php.

A. Change file permissions:

```
sudo chmod 777 /var/www/html/big.txt
```

```
sudo chmod 777 /var/www/html/SpellCorrector.php
```

B. Try the function isset() to avoid this error

Q23. What fields should be shown in the search results? Are snippets to be included or not?

A. Snippets are not required for HW5.

Autocomplete and Spelling correction need to be implemented for HW5.

Q24. What should I do if I get 0 results?

A. If you get 0 results then there should be some indication on the screen. Eg. You can display the text "No results found" if you get 0 results.

Q25. When I try to type "disclaimer" one character at a time, my name comes up as one of the suggestions after I type in the first character (since it starts with a 'D'). Also, as I type in more characters, I get suggestions like dc:title and display:block. Is this okay or is there something wrong with my configuration?

A. It is acceptable

Q26. Permission is being denied while creating a file with option 'w', getting following warnings.

Warning: fopen(serialized_dictionary.txt): failed to open stream: Permission denied in /Library/WebServer/Documents/SpellCorrector.php on line 156

Warning: fwrite() expects parameter 1 to be resource, bool given in /Library/WebServer/Documents/SpellCorrector.php on line 157

Warning: fclose() expects parameter 1 to be resource, bool given in /Library/WebServer/Documents/SpellCorrector.php on line 158

Search: disclaimer ☒ Lucene ☐ PageRank

Results 1 - 10 of 19070:

- A. "sudo chmod 777 <path_to_your_web_folder>" could solve it.
<path_to_your_web_folder> should also be the folder that the php is trying to write to.

Or this issue may be solved by putting the file in the same folder as your php script.

Q27. How to create our own big.txt?

- A. What you are supposed to do initially is to parse all the HTML files that were provided to you in the last assignment, parse the contents of these HTML files and store all the words found in a file called big.txt. This file will be an input to your spell corrector program. As per the document, you can use Apache Tika for parsing purposes.

Q28. Solr will automatically concat the multi-words in the result, like "newyork","newyorktimes". Is that acceptable?

- A. No, in the video you give us, the result words should be seperated.

Q29. Unable to call suggest query with solr php client, I'm having trouble calling suggest instead of the default "select." The Solr call I try to make the default "select" call instead of "suggest."

- A. Try following this website -> <https://skipperkongen.dk/2011/01/11/solr-with-jsonp-with-jquery/>

Q30. Error 404 while searching

- A. FundA 404 response from your server, most likely you need to adjust the path to match your solr installation. Try to check your path.F

Q31. Request was blocked due to MIME type ("text/plain") mismatch (X-Content-Type-Options: nosniff).

- A. Try changing `text/plain` to `application/javascript` as it's the correct response type for jsonp. -> <https://stackoverflow.com/a/39228881>