

Ausplots Forest Monitoring Network

Plot Establishment Report

Version 1.0.

Sam Wood, Helen Stephens, David Bowman.





Ausplots Forests

School of Biological Sciences

University of Tasmania

Private Bag 55

Hobart, Tasmania, 7001

www.tern.org.au/AusPlots

Terrestrial Ecosystem Research Network

University of Adelaide

Level 12 Schulz Building

North Terrace Campus

Adelaide, South Australia 5005

www.tern.org.au

Publication details

This edition of the TERN AusPlots Forests Site Establishment Report was produced and published by the University of Tasmania. It is provided as an online resource. Please do not republish material from this document or its attachments without written consent.

Table of Contents

Section	Page
Title Pages	1-3
Introduction	4
Acknowledgements	5
Overview Map	6
Western Australia (WAF)	7
Map	8
Plot Descriptions (n=9)	9-26
Victoria (VCF)	27
Map	28
Plot Descriptions (n=8)	29-44
Southern NSW (NSF)	45
Map	46
Plot Descriptions (n=5)	47-56
Northern NSW (NNC)	57
Map	58
Plot Descriptions (n=8)	59-74
Far North Queensland (QDF)	75
Map	76
Plot Descriptions (n=4)	77-84
Tasmania (TCF)	85
Map	86
Plot Descriptions (n=14)	87-114

Introduction

As of March 2015, the Ausplots Forest Monitoring Network has established 48 permanent plots in tall eucalypt forests across the continent of Australia. This document (a) compiles information on the location and configuration of each plot and (b) presents basic stand structural information. The intention of the document is to compile all the information required as background for data analysis, to facilitate the re-measurement of plots and encourage ecological studies using the plot network.

Complementary information on the rationale, experimental design, baseline data, methodology and protocols for the Ausplots Forest Monitoring project can be found in the following:

- Wood, S.W., Stephens, H., Foulkes, J. and Bowman, D.M.J.S.B. (2014) *AusPlots Forests Survey Protocols Manual, Version 1.5*. available at www.tern.org.au/ausplots
- Wood, S.W., Stephens, H., Prior, L., Bowman, D.M.J.S.B. (in prep) *Macroecology of Australian tall eucalypt forests: baseline data from a continental scale permanent plot network*. *Forest Ecology and Management*.

Notes:

- Tree Ferns (e.g. *Dicksonia* spp. and *Cyathea* spp.) were not measured consistently across sites and were removed from the dataset before analysis.
- Basal Area, and histograms and stem maps were calculated from diameter measurements at 1.3m, with the exception of (a) trees measured above a buttress or (b) deformed trees at 1.3m.
- Only live trees were included.
- No. stems includes all individual stems from multi-stemmed trees and may overestimate individual tree numbers.
- Unidentified species in the field are noted with the prefix UNN. Unidentified species from Northern New South Wales are currently being identified by local herbaria using voucher specimens.
- In this document “Eucalypt” includes all species from the genus *Eucalyptus* and closely related genus *Corymbia*, *Syncarpia* and *Lophostemon*.
- MAT = Mean Annual Temperature; MAP = Mean Annual Precipitation

The establishment and measurement of the Ausplots Forest Monitoring Network would not have been possible without the hard work of the field crew:

Sam Wood (Leader)

Helen Stephens (Leader)

Dom Neyland (Leader)

Tom Baker

Matt Bradford

Jenny Calder

James da Costa

Grant Daniels

Elinor Ebsworth

Sarah Fayed

Nick Fountain-Jones

Clare Hadrill

Rowena Hamer

Kaely Kreger

Matt Larcombe

Michael Lee

Harry McDermott

Scott Nichols

Chris Obst

Jeremy O'Wheel

Euan Rose


Jen Sanger

David Tng

Carly Ward

Ausplots Forest Monitoring Network

Overview Map



Ausplots Forest Monitoring Network

Summary Table

AusPlotID	Bioregion	Plot Name	Tenure	Long/Lat	Census Date	Plot size	Dominant Species
WAFWAR0001	Warren	Carey	Beedelup NP	115.8457 -34.3866	Sep 2012	1.0	<i>E. diversicolor</i>
WAFWAR0002	Warren	Dombakup	Forest Reserve	115.9829 -34.5764	Sep 2012	1.0	<i>E. diversicolor</i>
WAFWAR0003	Warren	Warren	Warren NP	115.9522 -34.5459	Sep 2012	1.0	<i>E. diversicolor</i>
WAFWAR0004	Warren	Dawson	Forest Reserve	116.6872 -34.8497	Sep 2012	1.0	<i>E. diversicolor</i>
WAFWAR0005	Warren	Giants	Walpole NP	116.8793 -34.9805	Oct 2012	1.0	<i>E. jacksonii</i>
WAFWAR0006	Warren	Sutton	National Park	116.2498 -34.4488	Nov 2012	1.0	<i>E. diversicolor</i>
WAFWAR0007	Warren	Mt Frankland	Mt Frankland NP	116.8734 -34.8247	Nov 2012	1.0	<i>E. diversicolor</i>
WAFWAR0008	Warren	Mt Clare	Walpole NP	116.6504 -34.9954	Nov 2012	1.0	<i>E. jacksonii</i>
WAFWAR0009	Warren	Collins	Forest Reserve	116.1242 -34.5078	Nov 2012	1.0	<i>E. diversicolor</i>
VCFSEH0001	SE Highlands	Toolangi	ANU Reserve	145.5167 -37.5308	Feb 2014	1.0	<i>E. regnans</i>
VCFSEH0002	SE Highlands	Ada	ANU Reserve	145.8672 -37.8049	Feb 2014	1.0	<i>E. regnans</i>
VCFSEH0003	SE Highlands	Weeaproinah	Otways NP	143.4749 -38.6437	Mar 2014	1.0	<i>E. regnans</i>
VCFSEH0004	SE Highlands	Turtons Rd	Otways NP	143.7014 -38.6390	Mar 2014	1.0	<i>E. regnans</i>
VCFSEH0005	SE Highlands	Lardners Rd	Otways NP	143.6290 -38.6238	Mar 2014	1.0	<i>E. regnans</i>
VCFSEH0006	SE Highlands	Black Spur	Maroondah NP	145.6263 -37.5936	Apr 2014	1.0	<i>E. regnans</i>
VCFSEH0007	SE Highlands	Monda Rd	Maroondah NP	145.6396 -37.5893	Apr 2014	1.0	<i>E. regnans</i>
VCFSEH0008	SE Highlands	HardyCreek	Forest Reserve	145.5465 -37.5693	Apr 2014	1.0	<i>E. regnans</i>
NSFSEC0001	SE Corner	Newline	SE Forests NP	149.4351 -36.7591	May 2014	1.0	<i>E. fastigata</i>
NSFSEC0002	SE Corner	Waratah Mix	SE Forests NP	149.3821 -36.9969	May 2014	1.0	<i>E. fastigata</i>
NSFSEC0003	SE Corner	Wog Way	SE Forests NP	149.3808 -37.0140	May 2014	1.0	<i>E. fastigata</i>
NSFSEC0004	SE Corner	Goodenia	SE Forests NP	149.7176 -36.9035	May 2014	1.0	<i>E. fastigata</i>
NSFSEC0005	SE Corner	Candelo	SE Forests NP	149.5949 -36.8631	May 2014	1.0	<i>E. fastigata</i>
NSFNNC0001	NSW Nth Coast	Mines Rd	Mines Rd FR	152.5368 -31.2803	Sep 2013	1.0	<i>E. pilularis</i>
NSFNNC0002	NSW Nth Coast	A-Tree	Willi Willi NP	152.4609 -31.2421	Sep 2013	1.0	<i>E. pilularis</i>
NSFNNC0003	NSW Nth Coast	Tinebank	Willi Willi NP	152.5267 -31.2086	Oct 2013	1.0	<i>E. pilularis</i>
NSFNNC0004	NSW Nth Coast	Lorne	Bago Bluff NP	152.6164 -31.5828	Oct 2013	1.0	<i>E. pilularis</i>
NSFNNC0005	NSW Nth Coast	Bird Tree	Middle Brother NP	152.6825 -31.6858	Nov 2013	1.0	<i>E. pilularis</i>
NSFNNC0006	NSW Nth Coast	Black Bull	Nymboi-Bderay NP	152.7270 -30.1578	Nov 2013	1.0	<i>E. pilularis</i>
NSFNNC0007	NSW Nth Coast	Bruxner	Bruxner FR	153.0918 -30.2401	Nov 2013	1.0	<i>E. grandis</i>
NSFNNC0008	NSW Nth Coast	OSullivans	Myall Lakes NP	152.2605 -32.3455	Nov 2013	1.0	<i>E. grandis</i>
QDWET0001	Wet Tropics	Mt Baldy	Baldy Mtn FR	145.4187 -17.2698	Aug 2014	1.0	<i>E. grandis</i>
QDWET0002	Wet Tropics	Longlands	Herberton R. NP	145.5609 -17.1107	Aug 2014	1.0	<i>E. grandis</i>
QDWET0003	Wet Tropics	Lamb Range	Danbulla NP	145.4644 -17.4158	Aug 2014	1.0	<i>E. grandis</i>
QDWET0004	Wet Tropics	Koombaloomba	Koombaloomba NP	145.5843 -17.8416	Aug 2014	1.0	<i>E. grandis</i>
TCFTNS001	Tas. Nth Slopes	Flowerdale	Flowerdale FR	145.5661 -41.0449	Mar 2012	1.0	<i>E. obliqua</i>
TCFTNS002	Tas. Nth Slopes	Dip River	Dip River FR	145.4055 -41.0345	Apr 2012	1.0	<i>E. obliqua</i>
TCFTNS003	Tas. Nth Slopes	McKenzie	TFA Future Reserve	146.2593 -41.6303	Jan 2015	1.0	<i>E. delegatensis</i>
TCFTNS004	Tas. Nth Slopes	Caveside	TFA Future Reserve	146.5007 -41.6697	Feb 2015	1.0	<i>E. delegatensis</i>
TCFTSR001	Tas. Sth Ranges	Bird Track	Warra FR	146.6435 -43.0891	Jan 2012	1.0	<i>E. obliqua</i>
TCFTSR002	Tas. Sth Ranges	Supersite	Warra FR	146.6534 -43.0959	Apr 2012	1.6	<i>E. obliqua</i>
TCFTSR003	Tas. Sth Ranges	Nth Styx	North Styx FR	146.6083 -42.8118	Apr 2013	1.0	<i>E. regnans</i>
TCFTSR004	Tas. Sth Ranges	Weld R.	Weld FR	146.7435 -43.0411	Apr 2013	1.0	<i>E. regnans</i>
TCFTSR005	Tas. Sth Ranges	Arve V.	Arve FR	146.7472 -43.1028	May 2013	1.0	<i>E. obliqua</i>
TCFTSR006	Tas. Sth Ranges	Mt Field	Mt Field NP	146.6492 -42.6829	Dec 2014	1.0	<i>E. delegatensis</i>
TCFKIN001	King	Black River	TFA Future Reserve	154.2852 -40.9525	Nov 2014	1.0	<i>E. obliqua</i>
TCFKIN002	King	Bond Tier	Regional Reserve	144.8420 -40.9526	Nov 2014	1.0	<i>E. obliqua</i>
TCFBEL001	Ben Lomond	Mt Maurice	TFA Future Reserve	147.5383 -41.3113	Dec 2014	1.0	<i>E. delegatensis</i>
TCFBEL002	Ben Lomond	Ben Ridge	TFA Future Reserve	147.6025 -41.3673	Jan 2015	1.0	<i>E. delegatensis</i>

Western Australia (WAF)



Eucalyptus diversicolor at WAFWAR009 (Collins)



Eucalyptus diversicolor at WAFWAR006 (Sutton)






Eucalyptus diversicolor at WAFWAR002 (Dombakup)






Eucalyptus jacksonii at WAFWAR005 (Giants)

Western Australia (WAF)




WAFWAR001: Carey

AusPlot ID	WAFWAR001	Elevation	164m
AusPlot Name	Carey	Aspect	187°
State	Western Australia	Slope	8°; Gently Inclined
Bioregion	Warren	Landform Element	Midslope
Location (UTM)	50 H 393886 6194367	MAT, MAP	15.3 °C, 1098 mm
Location (Lat/Long)	-34.3866 115.8457	Existing Plot Custodian	WA Department of Parks and Wildlife
Tenure	Beedelup National Park	Existing Plot ID	Permanent Inventory Plot 899
Plot Est. Date	12 September 2012	Existing Plot Area	0.64ha (80mx80m)
Plot Size	1.0ha (100mx100m)	Existing Plot Census	1982,1987,1992,2000




WAFWAR001: Carey

Target Eucalypt Species: *Eucalyptus diversicolor* **High severity fire?** Yes, 1852 (PIP899 Ring Counts)
Maximum Tree Height (m) 76m **Low severity fire?** Yes, frequency unknown (Fire Scars)
Target Species Growth Stage: Mature, 1852 regrowth **Cut stumps?** No
Understorey: Wet Sclerophyll **Other Disturbance?** Clearing some understorey for PIP899






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus diversicolor</i>	58	49.9
<i>Corymbia calophylla</i>	16	2.1
<i>Trymalium odoratissimum</i>	45	1.7




WAFWAR002: Dombakup

AusPlot ID	WAFWAR002	Elevation	93m
AusPlot Name	Dombakup	Aspect	180°
State	Western Australia	Slope	10°; Moderate
Bioregion	Warren	Landform Element	Midslope
Location (UTM)	50 H 406758 6173380	MAT, MAP	15.2 °C, 1163 mm
Location (Lat/Long)	-34.5764 115.9829	Existing Plot Custodian	WA Department of Parks and Wildlife
Tenure	Forest Reserve	Existing Plot ID	Permanent Inventory Plot 882
Plot Est. Date	18 September 2012	Existing Plot Area	0.49ha (70mx70m)
Plot Size	1.0ha (100mx100m)	Existing Plot Census	1981,1986,1991,1999




WAFWAR002: Dombakup

Target Eucalypt Species:	<i>Eucalyptus diversicolor</i>	High severity fire?	Yes, 1857 (PIP882 Ring Counts)
Maximum Tree Height (m)	68m	Low severity fire?	Yes, frequency unknown (Fire Scars)
Target Species Growth Stage:	Mature, 1857 regrowth	Cut stumps?	No
Understorey:	Wet Sclerophyll	Other Disturbance?	Clearing some understorey for PIP882






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus diversicolor</i>	82	51.1
<i>Allocasuarina decussata</i>	131	10.4
<i>Trymalium odoratissimum</i>	86	1.4
<i>Agonis flexuosa</i>	1	0.1
<i>Corymbia calophylla</i>	2	0.1




WAFWAR003: Warren

AusPlot ID	WAFWAR003	Elevation	134m
AusPlot Name	Warren	Aspect	314°
State	Western Australia	Slope	14°; Moderate
Bioregion	Warren	Landform Element	Midslope
Location (UTM)	50 H 403860 6176806	MAT, MAP	14.8 °C, 1175 mm
Location (Lat/Long)	-34.5459 115.9522	Existing Plot Custodian	WA Department of Parks and Wildlife
Tenure	Proposed National Park	Existing Plot ID	Permanent Inventory Plot 873
Plot Est. Date	23 September 2012	Existing Plot Area	0.49ha (70mx70m)
Plot Size	1.0ha (100mx100m)	Existing Plot Census	1981,1986,1991,1999,2007




WAFWAR003: Warren

Target Eucalypt Species:	<i>Eucalyptus diversicolor</i>	High severity fire?	Yes, 1854 (PIP893 Ring Counts)
Maximum Tree Height (m)	65m	Low severity fire?	Yes, frequency unknown (Fire Scars)
Target Species Growth Stage:	Mature, 1857 regrowth	Cut stumps?	No
Understorey:	Wet Sclerophyll	Other Disturbance?	Clearing some understorey for PIP893 Track through southern half of plot.






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus diversicolor</i>	106	61.3
<i>Trymalium odoratissimum</i>	42	0.5
<i>Agonis flexuosa</i>	1	<0.1



WAFWAR004: Dawson

AusPlot ID	WAFWAR004	Elevation	148m
AusPlot Name	Dawson	Aspect	67°
State	Western Australia	Slope	Gently Inclined
Bioregion	Warren	Landform Element	Upper Slope
Location (UTM)	50 H 471405 6143570	MAT, MAP	15.2 °C, 1105 mm
Location (Lat/Long)	-34.8497 116.6872	Existing Plot Custodian	WA Department of Parks and Wildlife
Tenure	Forest Reserve	Existing Plot ID	Permanent Inventory Plot 893
Plot Est. Date	27 September 2012	Existing Plot Area	0.16ha (40mx40m)
Plot Size	1.0ha (100mx100m)	Existing Plot Census	1982,1987,1995,2005



WAFWAR004: Dawson

Target Eucalypt Species: *Eucalyptus diversicolor*

High severity fire? Yes, 1937 (Known Fire Event)

Maximum Tree Height (m) 55m

Low severity fire? Yes, frequency unknown (Fire Scars)


Last fire approx. 2011-12

Target Species Growth Stage: Mature, 1937 regrowth


Cut stumps? No

Understorey: Wet Sclerophyll

Other Disturbance? Clearing some understorey for PIP873






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus diversicolor</i>	83	28.8
<i>Allocasuarina decussata</i>	84	5.5
<i>Corymbia calophylla</i>	2	0.1
<i>Trymalium odoratissimum</i>	3	<0.1




WAFWAR005: Giants

AusPlot ID	WAFWAR005	Elevation	158m
AusPlot Name	Giants	Aspect	180°
State	Western Australia	Slope	8°; Gently Inclined
Bioregion	Warren	Landform Element	Mid Slope
Location (UTM)	50 H 488986 6129108	MAT, MAP	15.1 °C, 1132 mm
Location (Lat/Long)	-34.9805 116.8793	Existing Plot Custodian	WA Department of Parks and Wildlife
Tenure	Walpole National Park	Existing Plot ID	Permanent Inventory Plot 639
Plot Est. Date	01 October 2012	Existing Plot Area	0.2ha (20mx100m)
Plot Size	1.0ha (100mx100m)	Existing Plot Census	1964,1972,1981,1986,1991,1999




WAFWAR005: Giants

Target Eucalypt Species:	<i>Eucalyptus jacksonii</i>	High severity fire?	Yes, 1937 (Known Fire Event) in plots 1-5
Maximum Tree Height (m)	52m	Low severity fire?	Yes, frequency unknown (Fire Scars)
Target Species Growth Stage:	Old-Growth (Plots 6-25) + 1937 regrowth (Plots 1-5)	Cut stumps?	No
Understorey:	Wet Sclerophyll	Other Disturbance?	No






Note: Old Growth Eucalyptus jacksonii trees at this site form pronounced buttresses and are likely to introduce considerable uncertainty into stand structural calculations based on diameter measurements.

Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus jacksonii</i>	151	68.4*
<i>Eucalyptus diversicolor</i>	8	10.1
<i>Allocasuarina decussata</i>	101	7.6
<i>Corymbia calophylla</i>	10	2.4
<i>Acacia pentadenia</i>	1	<0.1



WAFWAR006: Sutton

AusPlot ID	WAFWAR006	Elevation	142m
AusPlot Name	Sutton	Aspect	90°
State	Western Australia	Slope	8°; Gently Inclined
Bioregion	Warren	Landform Element	Lower Slope
Location (UTM)	50 H 431090 6187818	MAT, MAP	15.0 °C, 1006 mm
Location (Lat/Long)	-34.4488 116.2498	Existing Plot Custodian	WA Department of Parks and Wildlife
Tenure	Forest Reserve	Existing Plot ID	Permanent Inventory Plot 887
Plot Est. Date	13 November 2012	Existing Plot Area	0.25ha (50mx50m)
Plot Size	1.0ha (100mx100m)	Existing Plot Census	1981,1986,1991,1999



WAFWAR006: Sutton

Target Eucalypt Species: *Eucalyptus diversicolor*

High severity fire? Yes, 1917 (Known Fire Event)

Maximum Tree Height (m) 56m


Low severity fire? Yes, frequency unknown (Fire Scars)

Target Species Growth Stage: Mature 1917 regrowth


Cut stumps? No

Understorey: Wet Sclerophyll

Other Disturbance? No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus diversicolor</i>	150	39.3
<i>Corymbia calophylla</i>	76	2.4
<i>Acacia melanoxylon</i>	21	0.3
<i>Trymalium odoratissimum</i>	6	0.1



WAFWAR007: Frankland

AusPlot ID	WAFWAR007	Elevation	239m
AusPlot Name	Frankland	Aspect	280°
State	Western Australia	Slope	18°; Steep
Bioregion	Warren	Landform Element	Upper Slope
Location (UTM)	50 H 480432 6146385	MAT, MAP	14.8 °C, 1026 mm
Location (Lat/Long)	-34.8247 116.8734	Existing Plot Custodian	NA
Tenure	Frankland National Park	Existing Plot ID	NA
Plot Est. Date	18 November 2012	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	NA




WAFWAR007: Frankland

Target Eucalypt Species: *Eucalyptus diversicolor* High severity fire? Unknown


Maximum Tree Height (m) 65m Low severity fire? No

Target Species Growth Stage: Mature Cut stumps? No

Understorey: Wet Sclerophyll Other Disturbance? No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus diversicolor</i>	61	35.6
<i>Eucalyptus guilfoylei</i>	108	10.8
<i>Allocasuarina decussata</i>	23	1.7
<i>Trymalium odoratissimum</i>	3	<0.1



WAFWAR008: Clare

AusPlot ID	WAFWAR008	Elevation	165m
AusPlot Name	Clare	Aspect	335°
State	Western Australia	Slope	8°; Gently Inclined
Bioregion	Warren	Landform Element	Upper Slope
Location (UTM)	50 H 0468098 6127410	MAT, MAP	15.0 °C, 1204 mm
Location (Lat/Long)	-34.8247 116.6504	Existing Plot Custodian	NA
Tenure	Walpole National Park	Existing Plot ID	NA
Plot Est. Date	22 November 2012	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	NA



WAFWAR008: Clare

Target Eucalypt Species: *Eucalyptus jacksonii*

High severity fire? Unknown

Maximum Tree Height (m) 62m

Low severity fire? Yes, frequency unknown (Fire Scars)


Target Species Growth Stage: Old Growth

Cut stumps? No


Understorey: Wet Sclerophyll

Other Disturbance? No

Note: Old Growth Eucalyptus jacksonii trees at this site form pronounced buttresses and are likely to introduce considerable uncertainty into stand structural calculations based on diameter measurements.






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus jacksonii</i>	27	66.8*
<i>Allocasuarina decussata</i>	64	14.3
<i>Eucalyptus diversicolor</i>	8	12.1
<i>Eucalyptus guilfoylei</i>	12	5.6




WAFWAR009: Collins

AusPlot ID	WAFWAR009	Elevation	136m
AusPlot Name	Collins	Aspect	185°
State	Western Australia	Slope	16°; Moderate to Steep
Bioregion	Warren	Landform Element	Lower Slope
Location (UTM)	50 H 419607 6181189	MAT, MAP	14.9 °C, 1120 mm
Location (Lat/Long)	−34.5078 116.1242	Existing Plot Custodian	WA Department of Parks and Wildlife
Tenure	Forest Reserve	Existing Plot ID	Permanent Inventory Plot 605
Plot Est. Date	26 November 2012	Existing Plot Area	0.8ha (400x20)
Plot Size	1.0ha (100mx100m)	Existing Plot Census	1964, 1971,1982,




WAFWAR009: Collins

Target Eucalypt Species:	<i>Eucalyptus diversicolor</i>	High severity fire?	Unknown
Maximum Tree Height (m)	76m	Low severity fire?	Yes,
Target Species Growth Stage:	Mature	Cut stumps?	Yes, four stumps, "cutover in 1958"
Understorey:	Wet Sclerophyll	Other Disturbance?	No




Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus diversicolor</i>	87	38.6
<i>Allocasuarina decussata</i>	20	1.1
<i>Trymalium odoratissimum</i>	10	0.1



Victoria (VCF)




1939 *Eucalyptus regnans* at VCFSEH006 (Healesville)



1939 *Eucalyptus regnans* at VCFSEH007 (Healesville)






Eucalyptus regnans at VCFSEH005 (Otways)






1939 *Eucalyptus regnans* at VCFSEH001 (Toolangi)

Victoria (VCF)




VCFSEH001: ANU101

AusPlot ID	VCFSEH001	Elevation	337m
AusPlot Name	ANU101	Aspect	290°
State	Victoria	Slope	Not recorded; Moderate
Bioregion	South East Highlands	Landform Element	Midslope
Location (UTM)	55 H 368942 5845203	MAT, MAP	11.2 °C, 1502 mm
Location (Lat/Long)	-37.5308 145.5167	Existing Plot Custodian	Australian National University (Lindenmayer)
Tenure	ANU Research Reserve	Existing Plot ID	Ecological Research Plot 101
Plot Est. Date	01 February 2014	Existing Plot Area	2.0 ha
Plot Size	1.0ha (100mx100m)	Existing Plot Census	Early 1980's, ongoing.




VCFSEH001: ANU101

Target Eucalypt Species:	<i>Eucalyptus regnans</i>	High severity fire?	Yes, 1939 (known fire event, ANU)
Maximum Tree Height (m)	72m	Low severity fire?	No
Target Species Growth Stage:	Mature, 1939 regrowth	Cut stumps?	One stump, axe marks.
Understorey:	Wet Sclerophyll	Other Disturbance?	No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus regnans</i>	122	59.5
<i>Pomaderris aspera</i>	103	1.1
<i>Acacia dealbata</i>	8	0.6
<i>Acacia melanoxylon</i>	5	0.2
<i>Hedycarya angustifolia</i>	12	0.2
<i>Zieria arborescens</i>	3	<0.1
<i>UVCFUS2</i>	1	<0.1



VCFSEH002: ADA TREE/ANU708

AusPlot ID	VCFSEH002	Elevation	784m
AusPlot Name	Ada Tree/ANU708	Aspect	225°
State	Victoria	Slope	Not recorded; Gently Inclined
Bioregion	South East Highlands	Landform Element	Midslope
Location (UTM)	55 H 400285 5815219	MAT, MAP	10.3 °C, 1714 mm
Location (Lat/Long)	-37.8049 145.8672	Existing Plot Custodian	Australian National University (Lindenmayer)
Tenure	ANU Research Reserve	Existing Plot ID	Ecological Research Plot 708
Plot Est. Date	5 February 2014	Existing Plot Area	2.0 ha
Plot Size	1.0ha (100mx100m)	Existing Plot Census	Early 1980's, ongoing.




VCFSEH002: ADA TREE/ANU708

Target Eucalypt Species: *Eucalyptus regnans* High severity fire? Yes, 1939 (known fire event, ANU)


Maximum Tree Height (m) 82m Low severity fire? No

Target Species Growth Stage: Mature, 1939 regrowth Cut stumps? One cut stump, last 5-10 years

Understorey: Wet Sclerophyll Other Disturbance? No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus regnans</i>	177	49.1
<i>Acacia melanoxylon</i>	226	7.1
<i>Pomaderris aspera</i>	7	0.1
<i>Persoonia arborea</i>	4	0.1
<i>Acacia dealbata</i>	2	0.1
<i>UVCFUS3</i>	3	0.1
<i>Olearia argophylla</i>	3	<0.1
<i>Leptospermum scoparium</i>	3	<0.1
<i>Hedycarya angustifolia</i>	1	<0.1
<i>Tasmannia lanceolata</i>	1	<0.1




VCFSEH003: Weeaproinah

AusPlot ID	VCFSEH003	Elevation	471m
AusPlot Name	Weeaproinah	Aspect	290°
State	Victoria	Slope	4°; Gently Inclined
Bioregion	South East Highlands	Landform Element	Midslope
Location (UTM)	54 H 715400 5719853	MAT, MAP	11.2 °C, 1869 mm
Location (Lat/Long)	-38.6437 143.4749	Existing Plot Custodian	NA
Tenure	Otway National Park	Existing Plot ID	NA
Plot Est. Date	18 February 2014	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	NA




VCFSEH003: Weeaproinah

Target Eucalypt Species:	<i>Eucalyptus regnans</i>	High severity fire?	Yes, 1939 (known fire event)
Maximum Tree Height (m)	77m	Low severity fire?	No
Target Species Growth Stage:	Mature, 1939 regrowth	Cut stumps?	No
Understorey:	Wet sclerophyll	Other Disturbance?	No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus regnans</i>	243	55.8
<i>Acacia melanoxylon</i>	180	11.1
<i>Nematolepis squamea</i>	372	8.9
<i>Eucalyptus obliqua</i>	3	0.3
<i>Olearia argophylla</i>	15	0.2
<i>Hedycarya angustifolia</i>	3	<0.1
<i>Pomaderris aspera</i>	1	<0.1
<i>Tasmannia lanceolata</i>	1	<0.1
<i>UVCFUS1</i>	1	<0.1




VCFSEH004: Turtons

AusPlot ID	VCFSEH004	Elevation	480m
AusPlot Name	Turtons	Aspect	245°
State	Victoria	Slope	Not recorded; Gently Inclined,Moderate
Bioregion	South East Highlands	Landform Element	Ridge,Midslope
Location (UTM)	54 H 735203 5719727	MAT, MAP	11.1 °C, 1654 mm
Location (Lat/Long)	-38.6390 143.7014	Existing Plot Custodian	NA
Tenure	Otway National Park	Existing Plot ID	NA
Plot Est. Date	20 February 2014	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	NA




VCFSEH004: Turtons

Target Eucalypt Species:	<i>Eucalyptus regnans</i>	High severity fire?	Yes, 1898 (known fire event, ANU)
Maximum Tree Height (m)	88m	Low severity fire?	No
Target Species Growth Stage:	Mature, 1898 regrowth	Cut stumps?	No
Understorey:	Wet Sclerophyll	Other Disturbance?	No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus regnans</i>	80	56.7
<i>Acacia melanoxylon</i>	84	12.5
<i>Nematolepis squamea</i>	109	5.0
<i>Olearia argophylla</i>	95	2.5
<i>Hedycarya angustifolia</i>	127	2.2
<i>Pittosporum bicolor</i>	3	0.1
<i>Lomatia fraseri</i>	3	<0.1
<i>Coprosma quadrifida</i>	3	<0.1
<i>Prostanthera lasianthos</i>	2	<0.1
<i>Bedfordia arborescens</i>	1	<0.1




VCFSEH005: Lardner

AusPlot ID	VCFSEH005	Elevation	531m
AusPlot Name	Lardner	Aspect	75°
State	Victoria	Slope	Not recorded; Gently Inclined
Bioregion	South East Highlands	Landform Element	Upper Slope
Location (UTM)	54 H 728572 5721093	MAT, MAP	11.3 °C, 1701 mm
Location (Lat/Long)	-38.6238 143.6290	Existing Plot Custodian	NA
Tenure	Otway National Park	Existing Plot ID	NA
Plot Est. Date	20 February 2014	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	NA




VCFSEH005: Lardner

Target Eucalypt Species:	<i>Eucalyptus regnans</i>	High severity fire?	Yes, 1939 (known fire event, ANU)
Maximum Tree Height (m)	82m	Low severity fire?	No
Target Species Growth Stage:	Mature, 1939 regrowth	Cut stumps?	No
Understorey:	Wet Sclerophyll	Other Disturbance?	No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus regnans</i>	142	66.1
<i>Acacia melanoxylon</i>	77	7.7
<i>Olearia argophylla</i>	220	4.5
<i>Nematolepis squamea</i>	66	2.4
<i>Hedycarya angustifolia</i>	67	0.8
<i>Pittosporum bicolor</i>	14	0.3
<i>Pomaderris aspera</i>	8	0.1
<i>Coprosma quadrifida</i>	5	0.1



VCFSEH006: Black Spur/ANU363

AusPlot ID	VCFSEH006	Elevation	580m
AusPlot Name	Black Spur/ANU363	Aspect	80°
State	Victoria	Slope	Not recorded; Moderate
Bioregion	South East Highlands	Landform Element	Midslope
Location (UTM)	55 H 378765 5838478	MAT, MAP	11.7 °C, 1445 mm
Location (Lat/Long)	-37.5936 145.6263	Existing Plot Custodian	Australian National University (Lindenmayer)
Tenure	Yarra Ranges Nat. Park	Existing Plot ID	Ecological Research Plot 363
Plot Est. Date	05 April 2014	Existing Plot Area	2.0 ha
Plot Size	1.0ha (100mx100m)	Existing Plot Census	Early 1980's, ongoing.



VCFSEH006: Black Spur/ANU363

Target Eucalypt Species: *Eucalyptus regnans*

High severity fire? Yes, 1939 (known fire event, ANU)

Maximum Tree Height (m) 78m


Low severity fire? Yes, 2009 low-medium severity wildfire

Target Species Growth Stage: Mature, 1939 regrowth


Cut stumps? No

Understorey: Wet Sclerophyll

Other Disturbance? No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus regnans</i>	117	49.9
<i>Acacia dealbata</i>	5	0.1
<i>Persoonia arborea</i>	1	<0.1




VCFSEH007: Monda/ANU589

AusPlot ID	VCFSEH007	Elevation	579m
AusPlot Name	Monda/ANU589	Aspect	190°
State	Victoria	Slope	Not recorded; Gently Inclined
Bioregion	South East Highlands	Landform Element	Ridge
Location (UTM)	55 H 379931 5838904	MAT, MAP	11.6 °C, 1468 mm
Location (Lat/Long)	-37.5893 145.6396	Existing Plot Custodian	Australian National University (Lindenmayer)
Tenure	Yarra Ranges Nat. Park	Existing Plot ID	Ecological Research Plot 589
Plot Est. Date	13 April 2014	Existing Plot Area	2.0 ha
Plot Size	1.0ha (100mx100m)	Existing Plot Census	Early 1980's, ongoing.




VCFSEH007: Monda/ANU589

Target Eucalypt Species:	<i>Eucalyptus regnans</i>	High severity fire?	Yes, 1939 (known fire event, ANU)
Maximum Tree Height (m)	83m	Low severity fire?	No
Target Species Growth Stage:	Mature, 1939 regrowth	Cut stumps?	No
Understorey:	Wet Sclerophyll	Other Disturbance?	No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus regnans</i>	150	58.1
<i>Pomaderris aspera</i>	113	2.3
<i>Olearia argophylla</i>	48	0.9
<i>Acacia melanoxylon</i>	12	0.5
<i>Lomatia fraseri</i>	26	0.3
<i>Bedfordia arborescens</i>	11	0.3
<i>Tasmannia lanceolata</i>	2	<0.1




VCFSEH008: HardyCreek

AusPlot ID	VCFSEH008	Elevation	830m
AusPlot Name	Toolangi	Aspect	25°
State	Victoria	Slope	12°; Gently Inclined
Bioregion	South East Highlands	Landform Element	Ridge
Location (UTM)	55 H 371638 5840980	MAT, MAP	10.5 °C, 1641 mm
Location (Lat/Long)	-37.5693 145.5465	Existing Plot Custodian	VicForests
Tenure	Multiple-Use Forest	Existing Plot ID	Permanent Inventory Plot V44 (V44/1)
Plot Est. Date	28 April 2014	Existing Plot Area	2.0 ha
Plot Size	1.0ha (100mx100m)	Existing Plot Census	1970,71,74,76,77,80,81,83,86,90,91,94,97,98,00,06




VCFSEH008: HardyCreek

Target Eucalypt Species:	<i>Eucalyptus regnans</i>	High severity fire?	Yes, 1939 (known fire event, ANU)
Maximum Tree Height (m)	89m	Low severity fire?	No
Target Species Growth Stage:	Mature, 1939 regrowth	Cut stumps?	No
Understorey:	Wet Sclerophyll	Other Disturbance?	No



Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus regnans</i>	145	53.1
<i>Acacia melanoxylon</i>	62	2.7
<i>Eucalyptus nitens</i>	2	1.2
<i>Correa lawrenceana</i>	2	<0.1
<i>Pittosporum bicolor</i>	2	<0.1
<i>Persoonia arborea</i>	1	<0.1
<i>Lomatia fraseri</i>	1	<0.1
<i>Tasmannia lanceolata</i>	1	<0.1



Southern New South Wales (NSF)



Eucalyptus fastigata at NSFSEC001 (Bombala)



Mixed *Eucalypt* forest at NSFSEC002 (Bombala)






Eucalyptus fastigata at NSFSEC004 (Bombala)






Eucalyptus viminalis at NSFSEC003 (Bombala)

Southern New South Wales (NSF)



NSFSEC001: Newline

AusPlot ID	NSFSEC001	Elevation	955m
AusPlot Name	Newline	Aspect	260°
State	New South Wales	Slope	4°; Gently Inclined
Bioregion	South East Corner	Landform Element	Ridge
Location (UTM)	55 H 717368 5929078	MAT, MAP	10.0 °C, 853 mm
Location (Lat/Long)	-36.7591 149.4351	Existing Plot Custodian	NA
Tenure	South East Forests NP	Existing Plot ID	NA
Plot Est. Date	10 May 2014	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	NA



NSFSEC001: Newline

Target Eucalypt Species: *Eucalyptus fastigata*

High severity fire? Unknown

Maximum Tree Height (m) 49m


Low severity fire? Yes, frequency unknown (Fire Scars)

Target Species Growth Stage: Mature


Cut stumps? Yes, 12 chainsawed stumps

Understorey: Wet Sclerophyll

Other Disturbance? No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus fastigata</i>	144	35.5
<i>Eucalyptus cypellocarpa</i>	91	20.4
<i>Eucalyptus obliqua</i>	64	7.7
<i>Eucalyptus radiata</i>	19	0.6
<i>Persoonia silvatica</i>	1	<0.1
<i>Acacia dealbata</i>	1	<0.1



NSFSEC002: Waratah Mix

AusPlot ID	NSFSEC002	Elevation	828m
AusPlot Name	Waratah Mix	Aspect	345°
State	New South Wales	Slope	3°; Gently Inclined
Bioregion	South East Corner	Landform Element	Flat Ridge
Location (UTM)	55 H 711875 5901031	MAT, MAP	10.4 °C, 917 mm
Location (Lat/Long)	-36.9969 149.3821	Existing Plot Custodian	Rod Kavanagh (ForestsNSW)
Tenure	South East Forests NP	Existing Plot ID	Ecological Research Plot
Plot Est. Date	18 May 2014	Existing Plot Area	100ha
Plot Size	1.0ha (100mx100m)	Existing Plot Census	1984 onwards.



NSFSEC002: Waratah Mix

Target Eucalypt Species: *Eucalyptus fastigata*

High severity fire? Unknown

Maximum Tree Height (m) 48m


Low severity fire? Yes, frequency unknown (Fire Scars)

Target Species Growth Stage: Mature


Cut stumps? No

Understorey: Wet Sclerophyll

Other Disturbance? No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus fastigata</i>	67	20.7
<i>Eucalyptus obliqua</i>	59	19.4
<i>Eucalyptus cypellocarpa</i>	46	13.3
<i>Eucalyptus radiata</i>	93	9.6
<i>Eucalyptus viminalis</i>	7	0.9
<i>Eucalyptus ovata</i>	1	<0.1




NSFSEC003: WogWay

AusPlot ID	NSFSEC003	Elevation	845m
AusPlot Name	WogWay	Aspect	170°
State	New South Wales	Slope	15°; Moderate
Bioregion	South East Corner	Landform Element	Midslope
Location (UTM)	55 H 711994 5902761	MAT, MAP	10.9 °C, 911 mm
Location (Lat/Long)	-37.0140 149.3808	Existing Plot Custodian	NA
Tenure	South East Forests NP	Existing Plot ID	NA
Plot Est. Date	16 May 2014	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	NA




NSFSEC003: WogWay

Target Eucalypt Species:	<i>Eucalyptus fastigata</i>	High severity fire?	Unknown
Maximum Tree Height (m)	58m	Low severity fire?	Yes, frequency unknown (Fire Scars)
Target Species Growth Stage:	Mature	Cut stumps?	No
Understorey:	Wet Sclerophyll	Other Disturbance?	No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus viminalis</i>	118	29.2
<i>Eucalyptus fastigata</i>	72	18.3
<i>Eucalyptus obliqua</i>	20	14.3
<i>Acacia dealbata</i>	5	0.5
<i>Prostanthera lasianthos</i>	6	0.1
<i>Lomatia myricoides</i>	4	<0.1



NSFSEC004: Goodenia

AusPlot ID	NSFSEC004	Elevation	420m
AusPlot Name	Goodenia	Aspect	65°
State	New South Wales	Slope	15°; Moderate
Bioregion	South East Corner	Landform Element	Midslope, Gully, Ridge
Location (UTM)	55 H 742155 5912353	MAT, MAP	13.1 °C, 1000 mm
Location (Lat/Long)	-36.9035 149.7176	Existing Plot Custodian	NA
Tenure	South East Forests NP	Existing Plot ID	NA
Plot Est. Date	12 May 2014	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	NA



NSFSEC004: Goodenia

Target Eucalypt Species: *Eucalyptus fastigata*

High severity fire? Unknown

Maximum Tree Height (m) 64m


Low severity fire? Yes, frequency unknown (Fire Scars)

Target Species Growth Stage: Mature


Cut stumps? No

Understorey: Wet Sclerophyll

Other Disturbance? No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus fastigata</i>	91	33.9
<i>Eucalyptus cypellocarpa</i>	8	9.5
<i>Eucalyptus sieberi</i>	22	7.0
<i>Acacia melanoxylon</i>	19	0.5
<i>Olearia argophylla</i>	10	0.1
<i>Elaeocarpus holopetalus</i>	6	0.1
<i>Doryphora sassafras</i>	4	0.1
<i>Pittosporum undulatum</i>	1	<0.1



NSFSEC005: Candelo

AusPlot ID	NSFSEC005	Elevation	645m
AusPlot Name	Candelo	Aspect	27°
State	New South Wales	Slope	14°; Moderate
Bioregion	South East Corner	Landform Element	Midslope
Location (UTM)	55 H 731303 5917163	MAT, MAP	11.9 °C, 953 mm
Location (Lat/Long)	-36.8631 149.5949	Existing Plot Custodian	NA
Tenure	South East Forests NP	Existing Plot ID	NA
Plot Est. Date	20 May 2014	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	NA



NSFSEC005: Candelo

Target Eucalypt Species: *Eucalyptus obliqua*

High severity fire? Unknown

Maximum Tree Height (m) 57m


Low severity fire? Yes, frequency unknown (Fire Scars)

Target Species Growth Stage: Mature


Cut stumps? No

Understorey: Wet Sclerophyll

Other Disturbance? No




Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus obliqua</i>	122	47.5
<i>Eucalyptus cypellocarpa</i>	21	8.8
<i>Eucalyptus fastigata</i>	5	1.2
<i>Eucalyptus sieberi</i>	3	0.1
<i>Acacia melanoxylon</i>	2	<0.1
<i>Pittosporum undulatum</i>	1	<0.1
<i>Bedfordia arborescens</i>	1	<0.1



Northern New South Wales (NSF)




Eucalyptus pilularis at NSFNNC005 (Port Macquarie)



Eucalyptus pilularis at NSFNNC002 (A-Tree)







Eucalyptus pilularis at NSFNNC001 (Mines Road)






Eucalyptus grandis at NSFNNC008 (O'Sullivan's)

Northern New South Wales (NSF)



NSFNNC001: Mines Road

AusPlot ID	NSFNNC001	Elevation	535m
AusPlot Name	Mines Road	Aspect	335°
State	New South Wales	Slope	14°; Moderate to Steep
Bioregion	NSW North Coast	Landform Element	Ridge
Location (UTM)	56 J 455876 6539200	MAT, MAP	15.4 °C, 1434 mm
Location (Lat/Long)	-31.2803 152.5368	Existing Plot Custodian	ForestsNSW
Tenure	Mines Rd Flora Reserve	Existing Plot ID	Mines Rd Flora Reserve
Plot Est. Date	20 September 2013	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	Flora Surveys



NSFNNC001: Mines Road

Target Eucalypt Species: *Eucalyptus pilularis*

High severity fire? Unknown

Maximum Tree Height (m) 56m

Low severity fire? Yes, frequency unknown (Fire Scars)


Most recent fire in last 2-4 years

Target Species Growth Stage: Mature


Cut stumps? No

Understorey: Wet Sclerophyll

Other Disturbance? No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus pilularis</i>	78	41.8
<i>Allocasuarina torulosa</i>	152	7.8
<i>Eucalyptus microcorys</i>	20	2.6
<i>Synoum glandulosum</i>	55	1.0
<i>Cryptocarya rigida</i>	38	0.5
<i>Schizomeria ovata</i>	19	0.4
<i>Elaeocarpus reticulatus</i>	16	0.2
<i>Archontophoenix cunninghamiana</i>	5	0.1
<i>Trochocarpa laurina</i>	11	0.1
<i>Endiandra sieberi</i>	8	0.1
<i>Archihodomyrtus beckleri</i>	9	0.1
<i>Caldcluvia paniculosa</i>	3	0.1
<i>Rhodamnia rubescens</i>	4	0.1
<i>Eupomatia laurina</i>	4	0.1
<i>Eucalyptus sp.</i>	2	<0.1
UNNCUnk	2	<0.1



NSFNNC002: A-Tree

AusPlot ID	NSFNNC002	Elevation	631m
AusPlot Name	A-Tree	Aspect	10°
State	New South Wales	Slope	15-30°; Moderate to Steep
Bioregion	NSW North Coast	Landform Element	Ridge and Upper Slope
Location (UTM)	56 J 448656 6543494	MAT, MAP	15.3 °C, 1375 mm
Location (Lat/Long)	-31.2421 152.4609	Existing Plot Custodian	ForestsNSW
Tenure	Willi Willi NP	Existing Plot ID	A-Tree Flora Reserve
Plot Est. Date	26 September 2013	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	Flora Surveys and Tree Inventory



NSFNNC002: A-Tree

Target Eucalypt Species: *Eucalyptus pilularis*

High severity fire? Unknown

Maximum Tree Height (m) 66m


Low severity fire? Yes, frequency unknown (Fire Scars)

Target Species Growth Stage: Mature


Cut stumps? Yes, 5 chainsawed stumps

Understorey: Wet Sclerophyll

Other Disturbance? No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus pilularis</i>	165	45.1
<i>Allocasuarina torulosa</i>	226	6.8
<i>Eucalyptus microcorys</i>	52	4.6
<i>Eucalyptus saligna</i>	9	2.1
<i>Lophostemon</i> sp.	1	0.1
UNNCU14	1	<0.1
UNNCU15	1	<0.1
<i>Eucalyptus</i> sp.	1	<0.1
<i>Trochocarpa laurina</i>	1	<0.1
<i>Elaeocarpus reticulatus</i>	1	<0.1



NSFNNC003: Tinebank

AusPlot ID	NSFNNC003	Elevation	600m
AusPlot Name	Tinebank	Aspect	147°
State	New South Wales	Slope	Not Recorded; Moderate to Steep
Bioregion	NSW North Coast	Landform Element	Midslope
Location (UTM)	56 J 454822 6547263	MAT, MAP	16.2 °C, 1362 mm
Location (Lat/Long)	-31.2086 152.5267	Existing Plot Custodian	ForestsNSW
Tenure	Willi Will NP	Existing Plot ID	Tinebank Flora Reserve
Plot Est. Date	01 October 2013	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	Flora Surveys




NSFNNC003: Tinebank

Target Eucalypt Species: *Eucalyptus pilularis* High severity fire? Unknown


Maximum Tree Height (m) 74m Low severity fire? No

Target Species Growth Stage: Mature Cut stumps? No

Understorey: Wet Sclerophyll Other Disturbance? No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus pilularis</i>	27	31.3
<i>Syncarpia glomulifera</i>	59	14.8
<i>Allocasuarina torulosa</i>	43	7.9
<i>Cryptocarya rigida</i>	209	3.1
UNNCU22	39	1.6
UNNCU19	45	1.3
UNNCU18	39	0.8
<i>Acacia schinoides</i>	13	0.7
<i>Synoum glandulosum</i>	27	0.5
UNNCU21	5	0.4
<i>Melicope hayesii</i>	7	0.1
<i>Caldcluvia paniculosa</i>	2	0.1
<i>Callicoma serratifolia</i>	4	0.1
UNNCU23	1	<0.1



NSFNNC004: Lorne

AusPlot ID	NSFNNC004	Elevation	283m
AusPlot Name	Lorne	Aspect	160°
State	New South Wales	Slope	8°; Gently Inclined
Bioregion	NSW North Coast	Landform Element	Midslope
Location (UTM)	56 J 463887 6504736	MAT, MAP	16.5 °C, 1457 mm
Location (Lat/Long)	-31.5828 152.6164	Existing Plot Custodian	ForestsNSW
Tenure	Bago Bluff NP	Existing Plot ID	Lorne Flora Reserve
Plot Est. Date	06 October 2013	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	Flora Surveys



NSFNNC004: Lorne

Target Eucalypt Species: *Eucalyptus pilularis*

High severity fire? Unknown

Maximum Tree Height (m) 74m


Low severity fire? Yes, frequency unknown (Fire Scars)

Target Species Growth Stage: Mature


Cut stumps? Yes, 6 chainsaw, 7 axe

Understorey: Wet Sclerophyll

Other Disturbance? No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus pilularis</i>	47	30.0
<i>Eucalyptus microcorys</i>	125	17.1
<i>Allocasuarina torulosa</i>	97	4.6
<i>Syncarpia glomulifera</i>	2	1.0
<i>Eucalyptus saligna</i>	10	0.7
<i>Cryptocarya glaucescens</i>	48	0.7
<i>Cryptocarya rigida</i>	51	0.6
<i>Archontophoenix cunninghamiana</i>	6	0.1
<i>Synoum glandulosum</i>	6	0.1
<i>Schizomeria ovata</i>	3	0.1
<i>Cryptocarya microneura</i>	3	<0.1
<i>Acmena smithii</i>	1	<0.1
UNNCU18	3	<0.1
<i>Caldcluvia paniculosa</i>	1	<0.1
<i>Trochocarpa laurina</i>	3	<0.1
<i>Pilidiostigma glabrum</i>	2	<0.1
UNNCU29	1	<0.1
<i>Endiandra discolor</i>	1	<0.1
UNNCU26	1	<0.1
<i>Callistemon salignus</i>	1	<0.1
<i>Pittosporum undulatum</i>	1	<0.1



NSFNNC005: Bird Tree

AusPlot ID	NSFNNC005	Elevation	352m
AusPlot Name	Bird Tree	Aspect	350°
State	New South Wales	Slope	6°; Gently Inclined
Bioregion	NSW North Coast	Landform Element	Midslope
Location (UTM)	56 J 469954 6494251	MAT, MAP	16.1 °C, 1542 mm
Location (Lat/Long)	-31.6858 152.6825	Existing Plot Custodian	NA
Tenure	Middle Brother NP	Existing Plot ID	NA
Plot Est. Date	30 October 2013	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	NA



NSFNNC005: Bird Tree

Target Eucalypt Species: *Eucalyptus pilularis*

High severity fire? Unknown

Maximum Tree Height (m) 77m


Low severity fire? Yes, frequency unknown (Fire Scars)

Target Species Growth Stage: Mature


Cut stumps? Yes, 18 axe stumps

Understorey: Wet Sclerophyll/Rainforest

Other Disturbance? No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus pilularis</i>	73	48.1
<i>Eucalyptus microcorys</i>	27	9.9
<i>Syncarpia glomulifera</i>	31	9.3
<i>Schizomeria ovata</i>	92	2.0
<i>Allocasuarina torulosa</i>	41	1.6
<i>Archontophoenix cunninghamiana</i>	116	1.4
<i>Cryptocarya rigida</i>	107	1.3
<i>Synoum glandulosum</i>	69	0.8
<i>Lophostemon sp.</i>	3	0.7
<i>Cryptocarya microneura</i>	12	0.6
<i>Cryptocarya glaucescens</i>	21	0.5
<i>Caldcluvia paniculosa</i>	4	0.4
<i>Eupomatia laurina</i>	7	0.1
UNNCU38	5	0.1
UNNCU40	4	0.1
<i>Neolitsea dealbata</i>	4	0.1
<i>Cissus hypoglauca</i>	3	<0.1
<i>Archihodomyrtus beckleri</i>	4	<0.1
<i>Syzygium oleosum</i>	3	<0.1
UNNCU34	1	<0.1
<i>Clerodendrum floribundum</i>	1	<0.1



NSFNNC006: Black Bull

AusPlot ID	NSFNNC006	Elevation	683m
AusPlot Name	Black Bull	Aspect	180°
State	New South Wales	Slope	Not Recorded; Moderate
Bioregion	NSW North Coast	Landform Element	Midslope
Location (UTM)	56 J 473680 6663723	MAT, MAP	15.5 °C, 1895 mm
Location (Lat/Long)	-30.1578 152.7270	Existing Plot Custodian	Forests NSW
Tenure	Nymboi-Binderay NP	Existing Plot ID	Black Bull Flora Reserve
Plot Est. Date	07 November 2013	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	Flora Surveys



NSFNNC006: Black Bull

Target Eucalypt Species: *Eucalyptus pilularis*

High severity fire? Unknown

Maximum Tree Height (m) 70m


Low severity fire? Yes, frequency unknown (Fire Scars)

Target Species Growth Stage: Mature


Cut stumps? No

Understorey: Wet Sclerophyll

Other Disturbance? No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus pilularis</i>	58	18.8
<i>Eucalyptus andrewsii</i>	17	12.0
<i>Allocasuarina torulosa</i>	185	7.2
<i>Syncarpia glomulifera</i>	79	5.0
<i>Eucalyptus saligna</i>	12	3.6
<i>Trochocarpa laurina</i>	24	0.3
UNNCU38	7	0.1
<i>Acacia maidenii</i>	5	0.1
<i>Elaeocarpus reticulatus</i>	2	<0.1
<i>Persoonia conjuncta</i>	1	<0.1
<i>Callitris sp.</i>	1	<0.1
<i>Neolitsea dealbata</i>	1	<0.1
<i>Schizomeria ovata</i>	1	<0.1



NSFNNC007: Bruxner

AusPlot ID	NSFNNC007	Elevation	188m
AusPlot Name	Bruxner	Aspect	270°
State	New South Wales	Slope	Not Recorded; Moderate
Bioregion	NSW North Coast	Landform Element	Midslope
Location (UTM)	56 J 508833 6654596	MAT, MAP	18.0 °C, 1872 mm
Location (Lat/Long)	-30.2401 153.0918	Existing Plot Custodian	Forests NSW
Tenure	Bruxner Flora Reserve	Existing Plot ID	Bruxner Flora Reserve
Plot Est. Date	13 November 2013	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	Flora Surveys



NSFNNC007: Bruxner

Target Eucalypt Species: *Eucalyptus grandis*

High severity fire? Unknown

Maximum Tree Height (m) 65m


Low severity fire? No

Target Species Growth Stage: Mature

Cut stumps? Yes, 12 axe stumps


Understorey: Rainforest

Other Disturbance? Yes, 11 trees ringbarked






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus grandis</i>	151	29.1
<i>Eucalyptus pilularis</i>	12	4.2
<i>Lophostemon</i> sp.	56	2.5
<i>Archontophoenix cunninghamiana</i>	134	2.2
<i>Syncarpia glomulifera</i>	26	2.0
<i>Ceratopetalum apetalum</i>	112	1.7
<i>Geissois benthamii</i>	40	1.4
UNNCUSM	63	1.3
<i>Allocasuarina torulosa</i>	29	0.9
<i>Caldcluvia paniculosa</i>	41	0.6
<i>Eucalyptus microcorys</i>	12	0.5
<i>Niemeyeria whitei</i>	19	0.5
<i>Schizomeria ovata</i>	29	0.4
<i>Litsea australis</i>	23	0.4
<i>Guioa semiglauc</i>	6	0.3
<i>Orites excelsus</i>	5	0.2
<i>Callicoma serratifolia</i>	7	0.1
<i>Litsea reticulata</i>	7	0.1
<i>Synoum glandulosum</i>	7	0.1
<i>Alphitonia excelsa</i>	6	0.1
<i>Cryptocarya rigida</i>	1	0.1
<i>Cryptocarya bidwillii</i>	3	0.1
<i>Trochocarpa laurina</i>	2	0.1
<i>Acacia maidenii</i>	1	0.1

Unidentified species: UNNCUnk, UNNCG15, UNNCMYT2, UNNCG2, UN-
NCG22, UNNCG4, UNNCG9, UNNCPALM2, UNNCG18, UNNCG16, UNNCG10,
UNNCG7, UNNCG6, UNNCG21, UNNCU19, UNNCG20




NSFNNC008: O'Sullivans

AusPlot ID	NSFNNC008	Elevation	75m
AusPlot Name	O'Sullivans	Aspect	180°
State	New South Wales	Slope	3°; Gently Inclined
Bioregion	NSW North Coast	Landform Element	Lower Slope
Location (UTM)	56 J 430275 6421029	MAT, MAP	17.6 °C, 1323 mm
Location (Lat/Long)	-32.3455 152.2605	Existing Plot Custodian	NA
Tenure	Bruxner Flora Reserve	Existing Plot ID	NA
Plot Est. Date	20 November 2013	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	NA




NSFNNC008: O'Sullivan's

Target Eucalypt Species:	<i>Eucalyptus grandis</i>	High severity fire?	Unknown
Maximum Tree Height (m)	66m	Low severity fire?	Yes, frequency unknown (Fire Scars)
Target Species Growth Stage:	Mature	Cut stumps?	Yes, 9 chainsaw and axe stumps
Understorey:	Wet Sclerophyll/Rainforest	Other Disturbance?	No



Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus grandis</i>	108	27.8
UNNCEUC4	63	6.8
<i>Syncarpia glomulifera</i>	87	3.6
UNNCEUC1	37	2.8
<i>Cryptocarya microneura</i>	93	2.4
UNNCEUC3	23	2.0
<i>Cryptocarya glaucescens</i>	47	0.9
<i>Allocasuarina torulosa</i>	23	0.7
<i>Lophostemon</i> sp.	13	0.6
<i>Acmena smithii</i>	26	0.5
<i>Caldcluvia paniculosa</i>	15	0.2
UNNCEUC2	5	0.2
UNNCG28	12	0.1
UNNCG24	2	0.1
<i>Schizomeria ovata</i>	7	0.1
<i>Synoum glandulosum</i>	5	0.1
<i>Ceratopetalum apetalum</i>	2	0.1
<i>Cryptocarya rigida</i>	3	0.1
UNNCG26	3	0.1
<i>Callicoma serratifolia</i>	1	0.1
<i>Niemeyeria whitei</i>	1	0.1



Far North Queensland (QDF)




Eucalyptus grandis at QDFWET003 (Lamb Range)



Eucalyptus grandis at QDFWET003 (Lamb Range)






Eucalyptus grandis at QDFWET004 (Koombaloomba)






Eucalyptus grandis at QDFWET002 (Longlands Gap)

Far North Queensland (QDF)



QDFWET001: Baldy

AusPlot ID	QDFWET001	Elevation	1058m
AusPlot Name	Baldy	Aspect	270°
State	Queensland	Slope	2°; Gently Inclined
Bioregion	Wet Tropics	Landform Element	Lower Slope
Location (UTM)	55 K 331915 8089923	MAT, MAP	19.4 °C, 1726 mm
Location (Lat/Long)	−17.2698 145.4187	Existing Plot Custodian	NA
Tenure	Baldy Forest Reserve	Existing Plot ID	NA
Plot Est. Date	27 August 2014	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	NA



QDFWET001: Baldy

Target Eucalypt Species: *Eucalyptus grandis*

High severity fire? Unknown

Maximum Tree Height (m) 50m


Low severity fire? Yes, frequency unknown (Fire Scars)

Target Species Growth Stage: Mature

Cut stumps? Yes, 2 cut stumps


Understorey: Grass/Rainforest

Other Disturbance? No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus grandis</i>	64	18.3
<i>Corymbia intermedia</i>	36	3.9
<i>Flindersia brayleyana</i>	12	1.6
<i>Allocasuarina torulosa</i>	34	1.5
<i>Acacia selsa</i>	6	0.4
<i>Euroschinus falcata</i>	7	0.2
<i>Archontophoenix cunninghamiana</i>	5	0.2
<i>Guioa lacioneura</i>	4	0.2
<i>Glochidion hylandii</i>	1	0.1
<i>Guioa acutifolia</i>	3	0.1
<i>Alstonia muelleriana</i>	2	0.1
<i>Banksia aquilonia</i>	1	0.1
<i>Stenocarpus sinuatus</i>	1	0.1
<i>Litsea connorsii</i>	1	0.1
<i>Glochidion harveyanum</i>	3	0.1
<i>Litsea leefeana</i>	2	0.1
<i>UWETLive</i>	3	0.1
<i>Alstonia scholaris</i>	2	<0.1
<i>Neolitsea dealbata</i>	2	<0.1
<i>Melicope sp.</i>	1	<0.1
<i>Lomatia fraxinifolia</i>	1	<0.1
<i>Toona australis</i>	2	<0.1
<i>Syzygium oleosum</i>	2	<0.1
<i>Dendrocnide photinophylla</i>	2	<0.1

Other Species include *Rhodamnia sacilifolia*, *Darlingia darlingiana*, *Geijera salicifolia*, *Cordia dichotoma*, *Casearia sp.*, each recorded once and with basal area <0.1




QDFWET002: Longlands

AusPlot ID	QDFWET002	Elevation	1048m
AusPlot Name	Herberton	Aspect	360 ^o
State	Queensland	Slope	5°; Gently Inclined
Bioregion	Wet Tropics	Landform Element	Upper Slope
Location (UTM)	55 K 336964 8073780	MAT, MAP	19.4 °C, 1375 mm
Location (Lat/Long)	−17.4158 145.4644	Existing Plot Custodian	NA
Tenure	Herberton R. NP	Existing Plot ID	NA
Plot Est. Date	31 August 2014	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	NA




QDFWET002: Longlands

Target Eucalypt Species:	<i>Eucalyptus grandis</i>	High severity fire?	Unknown
Maximum Tree Height (m)	40m	Low severity fire?	Yes, frequency unknown (Fire Scars)
Target Species Growth Stage:	Mature	Cut stumps?	Yes, 9 cut stumps
Understorey:	Grass	Other Disturbance?	No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus grandis</i>	75	11.6
<i>Corymbia intermedia</i>	124	5.3
<i>Acacia melanoxylon</i>	42	0.6




QDFWET003: Lamb Range

AusPlot ID	QDFWET003	Elevation	1148m
AusPlot Name	Lamb Range	Aspect	360 ^o
State	Queensland	Slope	20°; Steep
Bioregion	Wet Tropics	Landform Element	Midslope
Location (UTM)	55 K 346920 8107629	MAT, MAP	18.9 °C, 1601 mm
Location (Lat/Long)	−17.1107 145.5609	Existing Plot Custodian	NA
Tenure	Danbulla NP	Existing Plot ID	NA
Plot Est. Date	9 September 2014	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	NA




QDFWET003: Lamb Range

Target Eucalypt Species:	<i>Eucalyptus grandis</i>	High severity fire?	Unknown
Maximum Tree Height (m)	48m	Low severity fire?	Yes, frequency unknown (Fire Scars)
Target Species Growth Stage:	Mature	Cut stumps?	Yes, 11 cut stumps
Understorey:	Wet Sclerophyll/Rainforest	Other Disturbance?	No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus grandis</i>	91	21.3
<i>Allocasuarina torulosa</i>	152	13.2
<i>Corymbia intermedia</i>	4	1.0
<i>Eucalyptus resinifera</i>	7	0.7
<i>Banksia</i>	5	0.6
<i>Glochidion harveyanum</i>	11	0.3
<i>Flindersia brayleyana</i>	2	0.2
<i>Acacia melanoxylon</i>	1	0.1
<i>Hedycarya angustifolia</i>	1	<0.1
<i>Hedycarya loxocarya</i>	1	<0.1
<i>Schizomeria whitei</i>	1	<0.1
<i>Glochidion Harveyanum</i>	1	<0.1
<i>Polyscias sp</i>	1	<0.1
<i>Toona australis</i>	1	<0.1



QDFWET004: Koombaloomba

AusPlot ID	QDFWET004	Elevation	795m
AusPlot Name	Koombaloomba	Aspect	0°
State	Queensland	Slope	360°; Steep
Bioregion	Wet Tropics	Landform Element	Upper Slope
Location (UTM)	55 K 350005 8026818	MAT, MAP	20.5 °C, 1732 mm
Location (Lat/Long)	-17.8416 145.5843	Existing Plot Custodian	NA
Tenure	Koombaloomba NP	Existing Plot ID	NA
Plot Est. Date	12 September 2014	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	NA



QDFWET004: Koombaloomba

Target Eucalypt Species: *Eucalyptus grandis*

High severity fire? Unknown

Maximum Tree Height (m) 47m


Low severity fire? Yes, frequency unknown (Fire Scars)

Target Species Growth Stage: Mature


Cut stumps? Yes, 15 cut stumps

Understorey: Rainforest

Other Disturbance? Pigs damaging understorey



Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus grandis</i>	68	23.1
<i>Syncarpia glomulifera</i>	35	5.6
<i>Acacia melanoxylon</i>	181	3.4
<i>Corymbia intermedia</i>	12	1.9
<i>Eucalyptus resinifera</i>	4	1.4
<i>Polyscias elegans</i>	35	0.4
<i>Sloanea langii</i>	25	0.3
<i>Commersonia bartramia</i>	11	0.2
<i>UWETLive</i>	4	0.1
<i>Acacia cincinnata</i>	3	0.1
<i>Litsea leefeana</i>	3	<0.1
<i>Endiandra hypotephra</i>	1	<0.1
<i>Guioa acutifolia</i>	3	<0.1
<i>Acronychia acronychiodes</i>	3	<0.1
<i>Alphitonia petriei</i>	1	<0.1
<i>Mischocarpus lachnocarpus</i>	1	<0.1
<i>Gmelina fasciculiflora</i>	1	<0.1
<i>Alstonia muelleriana</i>	1	<0.1
<i>Melicope sp.</i>	1	<0.1
<i>Symplocos cochinchiensis</i>	1	<0.1
<i>Euroschinus falcata</i>	1	<0.1
<i>Neolitsea dealbata</i>	1	<0.1
<i>Litsea connorsii</i>	1	<0.1
<i>Cupaniopsis foveolata</i>	1	<0.1
<i>Glochidion sp.</i>	1	<0.1



Tasmania (TCF)




Eucalyptus regnans at TCFTSR003 (Styx Valley)



Eucalyptus regnans at TCFTSR004 (Weld)






Eucalyptus



Eucalyptus


TCFTSR001: Bird Track

AusPlot ID	TCFTSR001	Elevation	212m
AusPlot Name	Bird Track	Aspect	180°
State	Tasmania	Slope	15°; Moderate
Bioregion	Tas. Southern Ranges	Landform Element	Midslope
Location (UTM)	55 G 470964 5229193	MAT, MAP	10.3 °C, 1466 mm
Location (Lat/Long)	-43.0891 146.6435	Existing Plot Custodian	Forestry Tasmania
Tenure	World Heritage Area	Existing Plot ID	Wildfire Chronosequence Plot 1934S
Plot Est. Date	25 January 2012	Existing Plot Area	0.25ha (50mx50m)
Plot Size	1.0ha (100mx100m)	Existing Plot Census	2007




TCFTSR001: Bird Track

Target Eucalypt Species:	<i>Eucalyptus obliqua</i>	High severity fire?	Yes, 1934 (known fire event)
Maximum Tree Height (m)	59m	Low severity fire?	No
Target Species Growth Stage:	Mature, 1934 regrowth	Cut stumps?	No
Understorey:	Rainforest	Other Disturbance?	No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus obliqua</i>	149	58.0
<i>Nothofagus cunninghamii</i>	219	7.0
<i>Acacia melanoxylon</i>	58	4.2
<i>Atherosperma moschatum</i>	38	1.3
<i>Eucryphia lucida</i>	16	0.3
<i>Monotoca glauca</i>	27	0.3
<i>Phyllocladus aspleniifolius</i>	20	0.3
<i>Acacia dealbata</i>	4	0.2
<i>Nematolepis squamea</i>	3	0.1
<i>Olearia argophylla</i>	3	0.1
<i>Eucalyptus regnans</i>	1	0.1
<i>Tasmannia lanceolata</i>	5	<0.1
<i>Pittosporum bicolor</i>	2	<0.1



TCFTSR002: Warra Supersite

AusPlot ID	TCFTSR002	Elevation	111m
AusPlot Name	Warra Supersite	Aspect	180°
State	Tasmania	Slope	3°; Gently Inclined
Bioregion	Tas. Southern Ranges	Landform Element	Flats
Location (UTM)	55 G 471794 5228473	MAT, MAP	11.2 °C, 1364 mm
Location (Lat/Long)	-43.0959 146.6534	Existing Plot Custodian	Forestry Tasmania
Tenure	World Heritage Area	Existing Plot ID	Warra Supersite
Plot Est. Date	25 April 2012	Existing Plot Area	1.6ha (100mx1600m)
Plot Size	1.6ha (100mx100m)	Existing Plot Census	Ecological Surveys and Flux Tower



Note: 1.6ha plot with atypical subplot configuration.


60m Tall Flux Tower affects plots 11-25

Plots 1-10 and 26-40 are largely undisturbed (i.e. 0,0 to 100,100).


TCFTSR002: Warra Supersite

Target Eucalypt Species:	<i>Eucalyptus obliqua</i>	High severity fire?	Yes, 1898 (known fire event)
Maximum Tree Height (m)	>60m	Low severity fire?	No
Target Species Growth Stage:	Mature, 1898 regrowth	Cut stumps?	Yes, trees removed for Flux Tower
Understorey:	Rainforest	Other Disturbance?	Infrastructure for Supersite

Note: 1.6ha plot with atypical subplot configuration






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus obliqua</i>	176	56.3
<i>Acacia melanoxylon</i>	120	10.1
<i>Nothofagus cunninghamii</i>	146	3.5
<i>Pomaderris apetala</i>	119	1.7
<i>Atherosperma moschatum</i>	26	0.6
<i>Meleleuca ericifolia</i>	8	0.2
<i>Monotoca glauca</i>	6	0.1
<i>Pittosporum bicolor</i>	6	0.1
<i>Phyllocladus aspleniifolius</i>	6	0.1
<i>Eucryphia lucida</i>	1	<0.1
<i>Tasmannia lanceolata</i>	1	<0.1
<i>Acacia verticillata</i>	1	<0.1




TCFTSR003: North Styx

AusPlot ID	TCFTSR003	Elevation	560m
AusPlot Name	North Styx	Aspect	185 ^o
State	Tasmania	Slope	9 ^o ; Moderate
Bioregion	Tas. Southern Ranges	Landform Element	Midslope
Location (UTM)	55 G 468022 5260045	MAT, MAP	9.7 °C, 1299 mm
Location (Lat/Long)	-42.8118 146.6083	Existing Plot Custodian	NA
Tenure	Forest Reserve	Existing Plot ID	NA
Plot Est. Date	19 April 2013	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	NA




TCFTSR003: North Styx

Target Eucalypt Species:	<i>Eucalyptus regnans</i>	High severity fire?	Yes, probably 1934 (known fire event)
Maximum Tree Height (m)	57m	Low severity fire?	No
Target Species Growth Stage:	Mature, 1934 regrowth	Cut stumps?	No
Understorey:	Wet Sclerophyll/Rainforest	Other Disturbance?	No





Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus regnans</i>	244	61.7
<i>Eucalyptus delegatensis</i>	66	6.4
<i>Nothofagus cunninghamii</i>	66	4.0
<i>Atherosperma moschatum</i>	37	2.3
<i>Monotoca glauca</i>	51	0.6
<i>Phyllocladus aspleniifolius</i>	27	0.5
<i>Nematolepis squamea</i>	10	0.3
<i>Acacia dealbata</i>	3	0.3
<i>Acacia melanoxylon</i>	2	0.3
<i>Pittosporum bicolor</i>	5	0.2
<i>Olearia argophylla</i>	5	0.2



TCFTSR004: Weld


AusPlot ID	TCFTSR004	Elevation	87m
AusPlot Name	Weld	Aspect	185°
State	Tasmania	Slope	Not Recorded ⁰ ; Gently to Moderate
Bioregion	Tas. Southern Ranges	Landform Element	Lower Slope
Location (UTM)	55 G 479137 5234556	MAT, MAP	11.0 °C, 1228 mm
Location (Lat/Long)	-43.0411 146.7435	Existing Plot Custodian	NA
Tenure	Forest Reserve	Existing Plot ID	NA
Plot Est. Date	01 May 2013	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	NA




*GPS Coordinate System: UTM Zone 55G: WGS84

TCFTSR004: Weld

Target Eucalypt Species:	<i>Eucalyptus regnans</i>	High severity fire?	Yes, 1934 (known fire event)
Maximum Tree Height (m)	60m	Low severity fire?	No
Target Species Growth Stage:	Mature, 1934 regrowth	Cut stumps?	No
Understorey:	Wet Sclerophyll/Rainforest	Other Disturbance?	No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus regnans</i>	79	20.5
<i>Acacia melanoxylon</i>	144	15.0
<i>Eucalyptus obliqua</i>	29	3.5
<i>Pomaderris apetala</i>	28	0.6
<i>Nothofagus cunninghamii</i>	5	0.3
<i>Pittosporum bicolor</i>	4	0.2
<i>Atherosperma moschatum</i>	5	0.2
<i>Leptospermum spp</i>	6	0.1
<i>Anopterus glandulosus</i>	4	0.1
<i>Monotoca glauca</i>	2	<0.1



TCFTSR005: Arve/ZigZag

AusPlot ID	TCFTSR005	Elevation	284m
AusPlot Name	Arve/ZigZag	Aspect	310°
State	Tasmania	Slope	8°; Moderate
Bioregion	Tas. Southern Ranges	Landform Element	Midslope
Location (UTM)	55 G 479360 5227846	MAT, MAP	10.2 °C, 1381 mm
Location (Lat/Long)	-43.1028 146.7472	Existing Plot Custodian	Forestry Tasmania
Tenure	Research Reserve	Existing Plot ID	Wildfire Chronosequence Plot WCP09 /898N
Plot Est. Date	14 May 2013	Existing Plot Area	0.25ha (50x50m)
Plot Size	1.0ha (100mx100m)	Existing Plot Census	2007




TCFTSR005: Arve/ZigZag

Target Eucalypt Species: *Eucalyptus obliqua* High severity fire? Yes, 1898 (known fire event)


Maximum Tree Height (m) 66m Low severity fire? No

Target Species Growth Stage: Mature, 1898 regrowth Cut stumps? No

Understorey: Rainforest Other Disturbance? No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus obliqua</i>	235	67.3
<i>Pomaderris apetala</i>	502	7.1
<i>Nematolepis squamea</i>	269	5.8
<i>Eucalyptus regnans</i>	14	3.3
<i>Olearia argophylla</i>	8	0.2
<i>Acacia dealbata</i>	1	0.1
<i>Atherosperma moschatum</i>	5	0.1
<i>Pittosporum bicolor</i>	1	<0.1
<i>Acacia verticillata</i>	1	<0.1




TCFTSR006: Mt Field

AusPlot ID	TCFTSR006	Elevation	843m
AusPlot Name	Mt Field	Aspect	180°
State	Tasmania	Slope	Not Recorded; Moderate
Bioregion	Tas. Southern Ranges	Landform Element	Midslope
Location (UTM)	55 G 471267 5274331	MAT, MAP	6.6 °C, 1309 mm
Location (Lat/Long)	-42.6829 146.6492	Existing Plot Custodian	NA
Tenure	National Park	Existing Plot ID	NA
Plot Est. Date	1 December 2014	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	NA




TCFTSR006: Mt Field

Target Eucalypt Species:	<i>Eucalyptus delegatensis</i>	High severity fire?	Unknown, possible stand replacing pre-1900
Maximum Tree Height (m)	51m	Low severity fire?	No
Target Species Growth Stage:	Mature	Cut stumps?	Yes, 4 stumps.
Understorey:	Rainforest	Other Disturbance?	Snig track to east of plot






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus delegatensis</i>	113	52.5
<i>Eucalyptus coccifera</i>	55	20.2
<i>Eucalyptus subcrenulata</i>	107	9.4
<i>Phyllocladus aspleniifolius</i>	183	6.7
<i>Leptospermum lanigerum</i>	103	5.7
<i>Eucalyptus urnigera</i>	34	3.1
<i>Atherosperma moschatum</i>	37	0.7
<i>Pittosporum bicolor</i>	37	0.5
<i>Nematolepis squamea</i>	8	0.1
<i>Ozothamnus antennaria</i>	7	0.1
<i>Nothofagus cunninghamii</i>	5	0.1
<i>Coprosma nitida</i>	2	<0.1
<i>Hakea lissosperma</i>	1	<0.1



TCFKIN001: Black River


AusPlot ID	TCFKIN001	Elevation	49m
AusPlot Name	Black River	Aspect	180°
State	Tasmania	Slope	Not Recorded; Gentle
Bioregion	King	Landform Element	Ridge and Upper Slope
Location (UTM)	55 G 355571 5470581	MAT, MAP	12.4 °C, 1139 mm
Location (Lat/Long)	−40.9525 145.2852	Existing Plot Custodian	Forestry Tasmania
Tenure	TFA Future Reserve	Existing Plot ID	Permanent Inventory Plot 955
Plot Est. Date	03 November 2014	Existing Plot Area	0.20ha (100x20m)
Plot Size	1.0ha (100mx100m)	Existing Plot Census	1972, 1976, 1987, 1998




*GPS Coordinate System: UTM Zone 55G: WGS84

TCFKIN001: Black River

Target Eucalypt Species:	<i>Eucalyptus obliqua</i>	High severity fire?	Yes, 1926 (known fire event, from PIP955)
Maximum Tree Height (m)	57m	Low severity fire?	No
Target Species Growth Stage:	Mature, 1926 regrowth	Cut stumps?	No
Understorey:	Wet Sclerophyll	Other Disturbance?	No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus obliqua</i>	148	30.7
<i>Eucalyptus ovata</i>	61	11.8
<i>Nematolepis squamea</i>	128	3.3
<i>Monotoca glauca</i>	121	2.2
<i>Acacia mucronata</i>	37	1.9
<i>Leptospermum scoparium</i>	49	0.9
<i>Acacia melanoxylon</i>	5	0.6
<i>Zieria arborescens</i>	16	0.2




TCFKIN002: Bond Tier

AusPlot ID	TCFKIN002	Elevation	54m
AusPlot Name	Bond Tiers	Aspect	240°
State	Tasmania	Slope	Not Recorded; Gentle
Bioregion	King	Landform Element	Lower Slope
Location (UTM)	55 G 318377 5464267	MAT, MAP	12.3 °C, 1275 mm
Location (Lat/Long)	-40.9526 144.8420	Existing Plot Custodian	NA
Tenure	Regional Reserve	Existing Plot ID	NA
Plot Est. Date	17 November 2014	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	NA




TCFKIN002: Bond Tier

Target Eucalypt Species:	<i>Eucalyptus obliqua</i>	High severity fire?	Unknown, possibly 1920's
Maximum Tree Height (m)	64m	Low severity fire?	No
Target Species Growth Stage:	Mature, (1920's?)	Cut stumps?	No
Understorey:	Wet Sclerophyll	Other Disturbance?	No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus obliqua</i>	80	50.0
<i>Acacia melanoxylon</i>	47	7.5
<i>Nothofagus cunninghamii</i>	71	5.6
<i>Pomaderris apetala</i>	179	4.3
<i>Olearia argophylla</i>	115	2.2
<i>Pittosporum bicolor</i>	62	1.3
<i>Nematolepis squamea</i>	8	0.2
<i>Monotoca glauca</i>	1	<0.1
<i>Atherosperma moschatum</i>	2	<0.1
<i>Leptospermum scoparium</i>	1	<0.1




TCFBEL001: Mt Maurice

AusPlot ID	TCFBEL001	Elevation	752m
AusPlot Name	Mt Maurice	Aspect	324°
State	Tasmania	Slope	Not Recorded; Moderate
Bioregion	Ben Lomond	Landform Element	Midslope
Location (UTM)	55 G 545065 5426540	MAT, MAP	8.7 °C, 1371 mm
Location (Lat/Long)	-41.3113 147.5383	Existing Plot Custodian	NA
Tenure	TFA Future Reserve	Existing Plot ID	NA
Plot Est. Date	8 December 2014	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	NA




TCFBEL001: Mt Maurice

Target Eucalypt Species:	<i>Eucalyptus delegatensis</i>	High severity fire?	Unknown
Maximum Tree Height (m)	51m	Low severity fire?	No
Target Species Growth Stage:	Mature	Cut stumps?	Yes, 28 stumps, 17 Axe, 11 Chainsaw
Understorey:	Wet Sclerophyll	Other Disturbance?	Snig Tracks






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus delegatensis</i>	295	53.0
<i>Eucalyptus dalrympleana</i>	86	7.3
<i>Acacia dealbata</i>	32	1.3
<i>Leptospermum lanigerum</i>	34	0.5
<i>Phyllocladus aspleniifolius</i>	5	0.1
<i>Tasmannia lanceolata</i>	6	0.1
<i>Persoonia muelleri</i>	4	<0.1
<i>Monotoca glauca</i>	3	<0.1
<i>Pittosporum bicolor</i>	2	<0.1
<i>Nothofagus cunninghamii</i>	1	<0.1



TCFBEL002: Ben Ridge

AusPlot ID	TCFBEL002	Elevation	910m
AusPlot Name	Ben Ridge	Aspect	223 ^o
State	Tasmania	Slope	Not Recorded; Gentle to Steep
Bioregion	Ben Lomond	Landform Element	Ridge and Upper Slope
Location (UTM)	55 G 550390 5420282	MAT, MAP	8.6 °C, 1350 mm
Location (Lat/Long)	−41.3673 147.6025	Existing Plot Custodian	NA
Tenure	TFA Future Reserve	Existing Plot ID	NA
Plot Est. Date	8 January 2015	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	NA



TCFBEL002: Ben Ridge

Target Eucalypt Species: *Eucalyptus delegatensis*

High severity fire? Unknown

Maximum Tree Height (m) 47m


Low severity fire? No

Target Species Growth Stage: Mature


Cut stumps? Yes, 25 Stumps, 12 Chainsaw, 13 Axe Cut

Understorey: Wet Sclerophyll

Other Disturbance? Snig Tracks






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus delegatensis</i>	330	58.1
<i>Acacia dealbata</i>	114	6.2
<i>Tasmannia lanceolata</i>	138	1.9
<i>Pittosporum bicolor</i>	2	0.1
<i>Persoonia muelleri</i>	4	<0.1
<i>Pomaderris apetala</i>	2	<0.1




TCFTNS001: Flowerdale

AusPlot ID	TCFTNS001	Elevation	206m
AusPlot Name	Flowerdale	Aspect	90°
State	Tasmania	Slope	Not Recorded ⁰ ; Flat
Bioregion	Tas. Northern Slopes	Landform Element	Ridge
Location (UTM)	55 G 379490 5455259	MAT, MAP	11.4 °C, 1406 mm
Location (Lat/Long)	-41.0449 145.5661	Existing Plot Custodian	Forestry Tasmania
Tenure	Flowerdale Forest Res.	Existing Plot ID	Permanent Inventory Plot 600
Plot Est. Date	27 March 2012	Existing Plot Area	0.2ha (20mx100m)
Plot Size	1.0ha (100mx100m)	Existing Plot Census	1970,1974,1985,1997




TCFTNS001: Flowerdale

Target Eucalypt Species:	<i>Eucalyptus obliqua</i>	High severity fire?	Yes, approx. 1925 (from PIP600)
Maximum Tree Height (m)	59m	Low severity fire?	No
Target Species Growth Stage:	Mature, 1925 regrowth	Cut stumps?	Yes, 4 axe stumps
Understorey:	Wet Sclerophyll	Other Disturbance?	No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus obliqua</i>	176	59.4
<i>Acacia melanoxylon</i>	44	3.3
<i>Nematolepis squamea</i>	92	2.5
<i>Pomaderris apetala</i>	49	1.2
<i>Olearia argophylla</i>	18	0.3
<i>Pittosporum bicolor</i>	11	0.3
<i>Monotoca glauca</i>	12	0.2
<i>Acacia verticillata</i>	2	<0.1
<i>Coprosma spp</i>	1	<0.1




TCFTNS002: Dip River

AusPlot ID	TCFTNS002	Elevation	247m
AusPlot Name	Dip River	Aspect	360°
State	Tasmania	Slope	1°; Flat
Bioregion	Tas. Northern Slopes	Landform Element	Lower Slopes
Location (UTM)	55 G 365934 5456172	MAT, MAP	11.2 °C, 1477 mm
Location (Lat/Long)	-41.0345 145.4055	Existing Plot Custodian	Forestry Tasmania
Tenure	Dip River Forest Res.	Existing Plot ID	Permanent Inventory Plot 957
Plot Est. Date	19 August 2012	Existing Plot Area	0.2ha (20mx100m)
Plot Size	1.0ha (100mx100m)	Existing Plot Census	1972,1976,1986,1998




TCFTNS002: Dip River

Target Eucalypt Species:	<i>Eucalyptus obliqua</i>	High severity fire?	Yes, approx. 1923 (from PIP957)
Maximum Tree Height (m)	66m	Low severity fire?	No
Target Species Growth Stage:	Mature, 1923 regrowth	Cut stumps?	No
Understorey:	Wet Sclerophyll	Other Disturbance?	No






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus obliqua</i>	60	32.6
<i>Pomaderris apetala</i>	593	13.1
<i>Acacia melanoxylon</i>	60	9.8
<i>Olearia argophylla</i>	26	0.8
<i>Atherosperma moschatum</i>	10	0.6
<i>Nothofagus cunninghamii</i>	7	0.3
<i>Pittosporum bicolor</i>	2	0.1




TCFTNS003: McKenzie

AusPlot ID	TCFTNS003	Elevation	790m
AusPlot Name	McKenzie	Aspect	180°
State	Tasmania	Slope	6°
Bioregion	Tas. Northern Slopes	Landform Element	Gentle to moderate slope
Location (UTM)	55 G 438224 5391043	MAT, MAP	7.5 °C, 1723 mm
Location (Lat/Long)	-41.6299 146.2583	Existing Plot Custodian	NA
Tenure	TFA Future Reserve	Existing Plot ID	NA
Plot Est. Date	20 January 2015	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	NA




TCFTNS003: McKenzie

Target Eucalypt Species:	<i>Eucalyptus delegatensis</i>	High severity fire?	Unknown
Maximum Tree Height (m)	51m	Low severity fire?	No
Target Species Growth Stage:	Mature	Cut stumps?	Yes, 7 stumps, Axe Cut (>100cm DBH)
Understorey:	Rainforest/Sclerophyll	Other Disturbance?	Very old snig track






Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus delegatensis</i>	241	46.9
<i>Acacia dealbata</i>	73	8.3
<i>Leptospermum lanigerum</i>	113	3.4
<i>Nematolepis squamea</i>	72	1.4
<i>Nothofagus cunninghamii</i>	17	1.0
<i>Eucalyptus dalrympleana</i>	3	0.7
<i>Atherosperma moschatum</i>	11	0.6
<i>Pittosporum bicolor</i>	11	0.2
<i>Olearia argophylla</i>	3	0.1
<i>Monotoca glauca</i>	4	<0.1
<i>Phyllocladus aspleniifolius</i>	1	<0.1




TCFTNS004: Caveside

AusPlot ID	TCFTNS004	Elevation	691m
AusPlot Name	Caveside	Aspect	295°
State	Tasmania	Slope	5°
Bioregion	Tas. Northern Slopes	Landform Element	Gentle Slope
Location (UTM)	55 G 458482 5386756	MAT, MAP	7.4 °C, 1368 mm
Location (Lat/Long)	-41.6698 146.5012	Existing Plot Custodian	NA
Tenure	TFA Future Reserve	Existing Plot ID	NA
Plot Est. Date	03 February 2015	Existing Plot Area	NA
Plot Size	1.0ha (100mx100m)	Existing Plot Census	NA



TCFTNS004: Caveside

Target Eucalypt Species:	<i>Eucalyptus delegatensis</i>	High severity fire?	Unknown
Maximum Tree Height (m)	40m	Low severity fire?	No
Target Species Growth Stage:	Mature	Cut stumps?	Yes, 13 Stumps, Axe Cut (>100cm DBH)
Understorey:	Rainforest/Sclerophyll	Other Disturbance?	Not observed



Species	No. Stems	BA (m ² /ha)
<i>Eucalyptus delegatensis</i>	107	35.5
<i>Eucalyptus obliqua</i>	77	17.7
<i>Pomaderris apetala</i>	889	14.2
<i>Nothofagus cunninghamii</i>	268	9.2
<i>Bedfordia salicina</i>	320	4.9
<i>Acacia dealbata</i>	22	2.3
<i>Olearia argophylla</i>	47	0.6
<i>Leptospermum lanigerum</i>	10	0.3
<i>Atherosperma moschatum</i>	2	<0.1
<i>Phyllocladus aspleniifolius</i>	2	<0.1
<i>Pittosporum bicolor</i>	1	<0.1

