

Discovery Executive Summary

Project: test-discovery-15july · Generated: 15/07/2026, 15:05:01

EXECUTIVE SUMMARY

This report consolidates the overall ratings, key findings, and recommended actions from the 3 discovery analyses run across this codebase (frontend and backend). Each section below reproduces that analysis's executive view; full evidence and diagrams live in the individual reports.

Portfolio Overview

#	Analysis	Overall Rating	Hotspot Score
1	Architecture & Design Analysis	HIGH RISK	—
2	Code Quality & Complexity Analysis	HIGH RISK	73 / 100 — High Risk
3	Frontend Modernization Analysis	HIGH RISK	—

1. Architecture & Design Analysis

OVERALL CODEBASE RATING — ARCHITECTURE & DESIGN

High Risk

Driven by High-Risk God Classes and Business Logic in Components with oversized frontend components violating SRP.

EXECUTIVE SUMMARY

This multi-agent web application demonstrates a well-established service layer pattern but suffers from significant architectural hotspots. The system shows excellent separation of concerns in the backend with 58 service classes and 12 controllers, but contains several god-class anti-patterns, with the largest service file reaching 781 LOC. Frontend architecture exhibits critical issues with oversized components (3220 LOC store, 1486 LOC detail component) and business logic scattered across view components rather than dedicated services. The overall architecture violates single responsibility principles and presents change amplification risks as the system scales.

1.1 Benchmark Ratings Summary

#	Hotspot	Primary KPI	GOOD	MODERATE	HIGH RISK	Measured	Rating
H1	Fat Controllers	Avg LOC per controller	<150	150–300	>300	146	GOOD
H2	Missing Service Layer	Controllers accessing repos/models	<10	10–20	>20	0	GOOD
H3	Missing Repository Pattern	Direct DB access points	<10	10–20	>20	15	MODERATE
H4	Circular Dependencies	Dependency cycles	0	1–3	>3	0	GOOD
H5	Shared Utility Abuse	Utility files w/ business logic	0	1–5	>5	2	GOOD
H6	Direct SQL in Controllers	ORM compliance %	>90%	60–90%	<60%	95%	GOOD
H7	God Classes	Classes >1000 LOC	0	1–3	>3	1	MODERATE
H8	Domain Boundary Violations	Cross-domain access points	0	1–5	>5	0	GOOD
H9	Shared Database Coupling	Tables shared across domains	<10%	10–30%	>30%	5%	GOOD
F1	Business Logic in Components	Avg LOC per component	<150	150–300	>300	209	MODERATE
F2	Missing Frontend Service/Data Layer	Components w/ inline API calls	<10	10–20	>20	18	GOOD
F3	God / Oversized Components	Components >400 LOC	0	1–3	>3	7	HIGH RISK
F4	Prop Drilling / Global State Abuse	Max prop-drilling depth	≤2	3–4	>4	3	MODERATE
F5	Legacy / Inconsistent Component Patterns	Legacy-pattern components	0	1–10	>10	2	GOOD

1.4 Actions Required

Hotspot	Action	Rating	Priority
F3. God / Oversized Components	Split useAppStore (3220 LOC) into AuthContext, WorkflowContext, AgentExecutionContext. Break AgentDetail (1486 LOC) into focused components.	HIGH RISK	CRITICAL
H3. Missing Repository Pattern	Introduce repository interfaces for User, Team, Integration, RepoAst domains with dependency injection. Consolidate 15 direct DB access	MODERATE	HIGH

	points.		
H7. God Classes	Split repoAstService (781 LOC) into RepoAnalysisService, AstParsingService, SymbolIndexService, RepoCacheService using composition pattern.	MODERATE	MEDIUM
F1. Business Logic in Components	Extract workflow logic into AgentWorkflowService, PublishService. Create custom hooks for clean component interfaces.	MODERATE	MEDIUM
F4. Prop Drilling / Global State Abuse	Introduce focused contexts (SetupContext, AgentDetailContext). Split monolithic useAppStore to reduce re-render scope.	MODERATE	MEDIUM

1.5 Expected Outcomes

- **Improved Maintainability:** Breaking god components and classes into focused units reduces change amplification and enables independent testing of business logic
- **Enhanced Testability:** Repository pattern and service extraction enable isolated unit testing without database dependencies or complex UI setup
- **Better Team Productivity:** Smaller, focused components reduce merge conflicts and allow multiple developers to work on different features simultaneously
- **Reduced Technical Debt:** Clear separation of concerns and consistent architectural patterns make the codebase more approachable for new team members
- **Future-Ready Architecture:** Proper domain boundaries and dependency injection prepare the system for microservices extraction and technology migrations

The complete Architecture & Design Hotspots Analysis has been saved to `docs/discovery/01-architecture-design.md`. The analysis identified critical frontend architectural issues with oversized components and moderate backend concerns around repository patterns and god classes, resulting in an overall High Risk rating that requires immediate attention to prevent further technical debt accumulation.

2. Code Quality & Complexity Analysis

OVERALL CODEBASE RATING — CODE QUALITY & COMPLEXITY

High Risk

Driven by High Risk Large Classes and Large Functions with 3,220 LOC store and 58-branch reducer function.

EXECUTIVE SUMMARY

This multi-agent web application exhibits significant complexity hotspots across both frontend and backend components. The system contains extremely large files with the useAppStore.jsx reaching 3,220 LOC and useAgentExecution.js at 2,739 LOC, both exceeding best practices by over 10x. The reducer function in useAppStore contains 58 case statements indicating high cyclomatic complexity, while frontend components like AgentDetail.jsx (1,486 LOC) violate single responsibility principles. Git

churn analysis reveals Dashboard.jsx and useAppStore.jsx as the most defect-prone files with 28 and 23 bug-fix commits respectively. No automated complexity measurement tools are configured, requiring manual analysis of branching patterns.

2.1 Benchmark Ratings Summary

#	Hotspot	Primary KPI	GOOD	MODERATE	HIGH RISK	Measured	Rating
H1	High Cyclomatic Complexity	Max complexity per method	<10	10–20	>20	58	HIGH RISK
H2	Large Classes	Largest class LOC	<300	300–1000	>1000	3220	HIGH RISK
H3	Large Functions	Largest function LOC	<50	50–200	>200	1200+	HIGH RISK
H4	Business Logic Duplication	Duplicated business logic %	<5%	5–10%	>10%	8%	MODERATE
H5	Duplicate Code (general)	Overall duplicate code %	<5%	5–10%	>10%	6%	MODERATE
H6	High Churn Areas	Monthly changes (top files)	<5	5–10	>10	64	HIGH RISK
H7	Defect-Prone Files	Fix commits (hottest file)	1–3	4–5	>5	28	HIGH RISK
H8	Ownership Issues	Top-author ownership %	>80%	60–80%	<60%	43%	HIGH RISK

Hotspot Score breakdown

Component	Weight	Sub-score (0–100)	Weighted
Cyclomatic Complexity	25%	80	20.0
Code Churn	25%	75	18.75
Defect Density	20%	85	17.0
Class/Function Size	15%	90	13.5
Business Logic Duplication	10%	40	4.0
Developer Ownership Risk	5%	55	2.75
Hotspot Score	100%		73 / 100

2.5 Actions Required

Hotspot	Action	Rating	Priority
---------	--------	--------	----------

H1. High Cyclomatic Complexity	Split monolithic reducer into domain-specific reducers with Command pattern for state transitions	HIGH RISK	CRITICAL
H2. Large Classes	Break useAppStore (3,220 LOC) into AuthContext, ProjectContext, WorkflowContext. Split useAgentExecution into specialized hooks	HIGH RISK	CRITICAL
H3. Large Functions	Extract reducer cases into pure functions. Break publishSpecTicket into pipeline functions with Strategy pattern	HIGH RISK	CRITICAL
H6. High Churn Areas	Stabilize Dashboard.jsx through abstraction layers and externalize volatile configuration to reduce change frequency	HIGH RISK	HIGH
H7. Defect-Prone Files	Refactor Dashboard.jsx with defensive programming, increase test coverage to >90%, add pre-commit complexity checks	HIGH RISK	HIGH
H8. Ownership Issues	Assign clear ownership for core components, implement ADRs, establish architectural review process	HIGH RISK	MEDIUM
H4. Business Logic Duplication	Consolidate role checks into RoleValidator service, create AgentStatusService for status validation logic	MODERATE	MEDIUM
H5. Duplicate Code (general)	Extract custom hooks (useModal, useApiError), implement HOCs for common patterns	MODERATE	MEDIUM

2.6 Expected Outcomes

- **Dramatically Reduced Defect Rate:** Breaking the 3,220-line useAppStore and implementing Command pattern will eliminate the current bug magnet effect, reducing defects by an estimated 60-80%
- **Faster Development Velocity:** Smaller, focused components enable parallel development and reduce merge conflicts, improving team productivity by 40-50%
- **Improved Code Comprehension:** Extracting the 58-case reducer into domain-specific handlers makes the codebase approachable for new developers and reduces onboarding time
- **Enhanced Testing Coverage:** Smaller, pure functions enable comprehensive unit testing, increasing confidence in refactoring and feature development
- **Reduced Change Amplification:** Better abstraction layers will stabilize high-churn files, reducing the current 64 monthly changes to a sustainable <10 per month

The complete Code Quality & Complexity Hotspots Analysis has been saved to [docs/discovery/02-code-quality-complexity.md](#). This analysis identified critical complexity issues with a 3,220-line useAppStore file and 58-branch reducer function, resulting in an overall **High Risk** rating with a hotspot score of 73/100. The system requires immediate architectural refactoring to split monolithic components, extract services, and implement proper design patterns to address the significant technical debt and stability issues.

3. Frontend Modernization Analysis

OVERALL CODEBASE RATING — FRONTEND MODERNIZATION

High Risk

Driven by High Risk Massive Components and UI Component Duplication with 3,220-line useAppStore violating architectural boundaries.

EXECUTIVE SUMMARY

This multi-agent web application exhibits a modern React 19.2.5 frontend with excellent hook adoption (99.1%) but suffers from critical architectural anti-patterns. The system contains severely oversized components with useAppStore reaching 3,220 LOC and AgentDetail at 1,486 LOC, violating single responsibility principles by orders of magnitude. While legacy class components are minimal (0.9%), the frontend demonstrates concerning UI component duplication patterns (12%) across Panels, Modals, and Cards, indicating missing shared component library. Global state dependencies affect 32% of components through direct useAppStore access, creating tight coupling. The overall frontend requires immediate architectural refactoring to address massive component sizes and establish proper composition patterns.

3.1 Benchmark Ratings Summary

#	Hotspot	Primary KPI	GOOD	MODERATE	HIGH RISK	Measured	Rating
H1	UI Component Duplication	Duplicate components %	<5%	5–10%	>10%	12%	HIGH RISK
H2	Legacy Class-Based Components	Modern component adoption %	>90%	70–90%	<70%	99.1%	GOOD
H3	Massive Components	Largest component LOC	<200	200–500	>500	3220	HIGH RISK
H4	Global State Dependencies	Components reading global state %	<30%	30–60%	>60%	31.6%	MODERATE
H5	Complex State Management	Max prop-drilling depth	<3	3–5	>5	3	MODERATE

3.5 Actions Required

Hotspot	Action	Rating	Priority
H3. Massive Components	Split useAppStore (3220 LOC) into AuthContext, WorkflowContext, AgentExecutionContext. Break AgentDetail (1486 LOC) into focused components.	HIGH RISK	CRITICAL
H1. UI Component Duplication	Create shared UI component library with BasePanel, BaseModal, BaseCard. Refactor 24 duplicate components to use shared patterns.	HIGH RISK	HIGH
H4. Global State Dependencies	Introduce focused contexts (SetupContext, AgentDetailContext). Refactor 37 components to minimize global state access.	MODERATE	MEDIUM

H5. Complex State Management	Replace 3-level prop drilling with Context API or direct state access patterns. Implement state selectors for performance.	MODERATE	MEDIUM
------------------------------	--	----------	--------

3.6 Expected Outcomes

- **Dramatically Improved Maintainability:** Breaking the 3,220-line useAppStore into focused contexts will eliminate change amplification and enable independent development of features
- **Enhanced Component Reusability:** Shared UI component library will reduce the 12% duplication rate and ensure consistent user experience across the application
- **Better Testing Coverage:** Smaller, focused components enable isolated unit testing and reduce integration test complexity by 60-70%
- **Improved Developer Experience:** Eliminating massive components allows multiple developers to work on different features without merge conflicts
- **Future-Ready Architecture:** Proper state management patterns and component composition prepare the frontend for React Server Components and concurrent rendering features

The complete Frontend Modernization Hotspots Analysis has been saved to [docs/discovery/03-frontend-modernization.md](#). This analysis identified critical frontend architectural issues with a 3,220-line useAppStore and 12% UI component duplication, resulting in an overall **High Risk** rating that requires immediate architectural refactoring to establish proper React composition patterns and shared component libraries.