

2. Code Quality & Complexity Hotspots Analysis

Objective: Reduce complexity through helper methods, domain services, and the Strategy/Command patterns.

Date: 2026-08-26 16:24:45 IST | **Scope:** `shende-shweta/pingcrm` — PHP/Laravel (backend) + React/TypeScript/Inertia.js (frontend)

Executive Summary

EXECUTIVE SUMMARY

The PingCRM codebase — a legacy enterprise IVR platform built on Laravel + React/Inertia.js — exhibits **High Risk** code quality across three of eight standard hotspots: Large Functions, Business Logic Duplication, and Duplicate Code (general). The most severe structural problems are concentrated in the `app/Legacy/` and `app/Http/Controllers/Ivr/` layers (PHP) and the `resources/js/Pages/Ivr/`, `resources/js/components/legacy/`, and `resources/js/legacy/class/` directories (React/TypeScript), which together total 78,691 backend LOC and 107,943 frontend LOC. The 83 IVR controllers (759 LOC each) contain near-identical query, tenant-scoping, and dispatch logic repeated verbatim, while 133 LegacyPass2 pages and 229 legacy monolith components on the frontend differ only by index numbers — combined duplication exceeds 30% of the codebase. One production function (`IvrHub`, 372 LOC, estimated CC ≈ 26) crosses the High Risk threshold for both size and complexity. Git churn history was available and showed **Good** ratings for H6 and H7: the repository has low monthly-change frequency on its hottest files and only 4 fix/bug commits on record, meaning structural risk is not yet manifesting as active regression churn — making this the optimal window to refactor before it does.

1,233

FILES ANALYZED (141 PHP · 769 TSX · 135 TS · 147 JSX · 41 JS)

1+

FUNCTIONS / METHODS OVER 200 LOC (IVRHUB: 372 LOC IDENTIFIED)

0

CLASSES / FILES OVER 1 000 LOC (MAX 759 LOC)

~26

HIGHEST ESTIMATED CYCLOMATIC COMPLEXITY (IVRHUB; MANUAL BRANCH-COUNT, NO TOOL CONFIGURED)

OVERALL CODEBASE RATING — CODE QUALITY & COMPLEXITY

High Risk

H3 (Large Functions — IvrHub at 372 LOC), H4/H5 (Business Logic and general Duplicate Code exceeding 30% of codebase), H9 (PHP `extract()` at 4,940 call-sites), and H10 (458 TypeScript any usages) collectively drive the High Risk verdict.

HOTSPOT SCORE (WEIGHTED COMPOSITE)

45 / 100 — Moderate

Hotspot Score = (Cyclomatic Complexity × 25%) + (Code Churn × 25%) + (Defect Density × 20%) + (Class/Function Size × 15%) + (Business Logic Duplication × 10%) + (Developer Ownership Risk × 5%) = (68 × 25%) + (5 × 25%) + (15 × 20%) + (75 × 15%) + (90 × 10%) + (70 × 5%) = 17.0 + 1.25 + 3.0 + 11.25 + 9.0 + 3.5 = 45

SCORE VS. RATING GAP: H3, H4, H5, H9, and H10 individually breach High Risk thresholds, pushing the Overall Rating to High Risk. The composite Hotspot Score (45/100, Moderate) is dampened because H6 (Code Churn) and H7 (Defect Density) together carry 45% of the weight and both rate Good — the low churn/fix history significantly moderates the weighted average despite the severe structural problems.

2.1 Benchmark Ratings Summary

One row per hotspot. "Measured" is the real value found; "Rating" is the band it falls into.

#	Hotspot	Primary KPI	GOOD	MODERATE	HIGH RISK	Measured	Rating
H1	High Cyclomatic Complexity	Max complexity per method	<10	10–20	>20	~26 (IvrHub; manual branch-count, no tool configured)	HIGH RISK
H2	Large Classes	Largest class LOC	<300	300–1000	>1000	759 LOC (IVR controllers; 83 files)	MODERATE
H3	Large Functions	Largest function LOC	<50	50–200	>200	372 LOC (IvrHub React component function)	HIGH RISK
H4	Business Logic Duplication	Duplicated business logic %	<5%	5–10%	>10%	>15% (identical filter/tenant/dispatch logic in 83 controllers)	HIGH RISK
H5	Duplicate Code (general)	Overall duplicate code %	<5%	5–10%	>10%	>30% (133 LegacyPass2 pages + 229 monolith components + 8 util files)	HIGH RISK
H6	High Churn Areas	Monthly changes (top files)	<5	5–10	>10	~0.26/month (top file: 20 commits over 78 months)	GOOD
H7	Defect-Prone Files	Fix commits (hottest file)	1–3	4–5	>5	1 fix commit max per hot file (4 total fix/bug commits in repo)	GOOD
H8	Ownership Issues	Top-author ownership %	>80%	60–80%	<60%	43% (Contacts/Index: 6 of 14 commits by top author; 5 distinct authors)	HIGH RISK
H9	PHP extract() Dynamic Variable	extract() calls per	<5	5–20	>20	40+ per GodService (4,940 total across all files)	HIGH RISK

	Injection (additional)	GodService class					
H10	TypeScript any Overuse (additional)	any occurrences per 100 LOC of legacy frontend	<0.5	0.5–2	>2	~3.1/100 LOC (458 usages across 14,656 LOC of legacy components)	HIGH RISK
H11	Missing fetch AbortController in Hooks (additional)	Legacy hooks without unmount cleanup	<10%	10–50%	>50%	100% (124/124 legacy hooks call fetch with no abort or cleanup return)	HIGH RISK

No additional hotspots beyond the standard and labelled sets were observed.

Hotspot Score breakdown

Component	Weight	Sub-score (0–100)	Weighted
Cyclomatic Complexity	25%	68 (IvrHub CC ~26; just above the H1 >20 threshold; lower-High band)	17.0
Code Churn	25%	5 (~0.26 changes/month for hottest file; deep Good band)	1.25
Defect Density	20%	15 (1 fix commit per hot file; Good band, low-end)	3.0
Class/Function Size	15%	75 (worst of H2=55, H3=80; IvrHub 372 LOC well into High Risk)	11.25
Business Logic Duplication	10%	90 (H5 >30% duplication; deep High Risk band)	9.0
Developer Ownership Risk	5%	70 (inverted H8: 43% top-author is high risk; mid-High band)	3.5
Hotspot Score	100%		45 / 100

2.2 Hotspot-by-Hotspot Evidence

H1. High Cyclomatic Complexity HIGH

Benchmark: Estimated CC ≈ 26 (IvrHub React function; 30+ conditional branch points across 372 LOC) → falls in the **High Risk** band (Good <10 · Moderate 10–20 · High Risk >20).

No static-analysis tooling (ESLint `complexity` rule, PHPStan cyclomatic-complexity plugin, or Radon) is configured in this project. Complexity was estimated by counting branch decision points (`if`, `else`, ternary `?`, `&&`, `||`) short-circuits, optional chaining `?.` per function via `grep`. The IvrHub React function was the primary identified area of high branching; GodService classes have high method count but low per-method CC.

Example 1 — `resources/js/Pages/Ivr/Hub/Index.tsx` lines 107–479 (IvrHub, ~372 LOC, CC ≈ 26):

```

function IvrHub({
  stats, callVolumeByHour, callTrend, queueDistribution,
  queueMetrics, recentCalls, agentSnapshot, filters,
  queueOptions, dispositionOptions, organizationOptions,
  accountName, refreshedAt,
}: { ... }) {
  const [localFilters, setLocalFilters] = useState<Filters>({ ... })
  const [autoRefresh, setAutoRefresh] = useState(true)
  const [loading, setLoading] = useState(false)

  useEffect(() => { setLocalFilters({ ... }) }, [filters])

  const applyFilters = useCallback((next: Filters) => {
    setLoading(true)
    router.get('/ivr', buildQuery(next), { ... })
  }, [])

  useEffect(() => {
    if (!autoRefresh) return // branch point
    const id = window.setInterval(refreshDashboard, 20000)
    return () => window.clearInterval(id)
  }, [autoRefresh, refreshDashboard, filters])

  return (
    // ~290 lines JSX – 20+ additional decision branches
    <div>
      {filters.organization_id && organizationOptions.length > 0 && ( //
branch
        <span>...</span>
      )}
      {loading && <span className="ml-2 text-indigo-600">Refreshing...
</span>}
      ...
    </div>
  )
}

```

Example 2 — `app/Legacy/Services/QueueManagementGodService.php` lines 1–373 (high method count, shared mutable state):

```

class QueueManagementGodService
{
  public static $sharedRuntimeCache = []; // mutable global-ish state
  private $apiKey = "LEGACY_IVR_KEY_2032"; // hard-coded secret

  public function orchestrateQueueManagementWorkflow1($payload)

```

```

{
    extract($payload);          // unsafe: injects arbitrary variables into
scope
    sleep(1);                   // blocking I/O
    self::$sharedRuntimeCache[$tenant_id ?? 1] = $payload; // branch: ??
    return DB::table("ivr_queue_managements")->insertGetId((array)
$payload);
}
// 44 more identical methods: orchestrateQueueManagementWorkflow2 .. 45
}

```

Why it matters here: The `IvrHub` function combines data-fetching side effects, auto-refresh polling, multi-field filter state management, five distinct data tables, and a dense conditional JSX render all in one 372-line function body. A regression in any single feature (e.g. the auto-refresh interval or organization-filter display logic) requires reading the entire function to understand side effects. The GodService's shared `$sharedRuntimeCache` means method execution is order-dependent in ways no single-method test can reveal.

Recommended approach:

1. Split `IvrHub` into presentation sub-components: `IvrFilters`, `IvrMetricCards`, `IvrQueueTable`, `IvrCallTable`, `IvrAgentTable` — each ≤80 LOC.
2. Extract the auto-refresh and filter-application logic into a custom hook `useIvrDashboard(filters)`.
3. Apply the Strategy pattern to GodService: each workflow variant becomes a concrete class implementing `IvrWorkflowStrategy::execute(array $payload): void`.
4. Configure the ESLint `eslint-plugin-complexity` rule (max: 15) and PHPStan to catch future regressions.

1 file affected.

File	Line(s)	Issue	Action
<code>resources/js/Pages/Ivr/Hub/Index.tsx</code>	107	Oversized React function with estimated CC ~26 (30+ branch points across 372 LOC)	Extract sub-components and a <code>useIvrDashboard</code> hook; target ≤80 LOC per unit

12 files affected.

File	Line(s)	Issue	Action
<code>app/Legacy/Services/AgentDeskGodService.php</code>	8	God Service class with 40+ near-identical methods sharing mutable static cache	Apply Strategy pattern; one class per workflow variant implementing <code>IvrWorkflowStrategy</code>
<code>app/Legacy/Services/BusinessHoursGodService.php</code>	8	God Service class with 40+ near-identical methods sharing mutable static cache	Apply Strategy pattern; one class per workflow variant implementing <code>IvrWorkflowStrategy</code>
<code>app/Legacy/Services/CallAnalyticsGodService.php</code>	8	God Service class with 40+ near-identical methods sharing mutable static cache	Apply Strategy pattern; one class per workflow variant implementing <code>IvrWorkflowStrategy</code>
<code>app/Legacy/Services/CallFlowGodService.php</code>	8	God Service class with 40+ near-identical methods sharing mutable static cache	Apply Strategy pattern; one class per workflow variant implementing <code>IvrWorkflowStrategy</code>

app/Legacy/Services/CallRecordingGodService.php	8	God Service class with 40+ near-identical methods sharing mutable static cache	Apply Strategy pattern; one class per workflow variant implementing IvrWorkflowStrategy
app/Legacy/Services/CallRoutingGodService.php	8	God Service class with 40+ near-identical methods sharing mutable static cache	Apply Strategy pattern; one class per workflow variant implementing IvrWorkflowStrategy
app/Legacy/Services/CustomerProfileGodService.php	8	God Service class with 40+ near-identical methods sharing mutable static cache	Apply Strategy pattern; one class per workflow variant implementing IvrWorkflowStrategy
app/Legacy/Services/DidInventoryGodService.php	8	God Service class with 40+ near-identical methods sharing mutable static cache	Apply Strategy pattern; one class per workflow variant implementing IvrWorkflowStrategy
app/Legacy/Services/HistoricalReportsGodService.php	8	God Service class with 40+ near-identical methods sharing mutable static cache	Apply Strategy pattern; one class per workflow variant implementing IvrWorkflowStrategy
app/Legacy/Services/LiveMonitoringGodService.php	8	God Service class with 40+ near-identical methods sharing mutable static cache	Apply Strategy pattern; one class per workflow variant implementing IvrWorkflowStrategy
app/Legacy/Services/PromptLibraryGodService.php	8	God Service class with 40+ near-identical methods sharing mutable static cache	Apply Strategy pattern; one class per workflow variant implementing IvrWorkflowStrategy
app/Legacy/Services/QueueManagementGodService.php	8	God Service class with 40+ near-identical methods sharing mutable static cache	Apply Strategy pattern; one class per workflow variant implementing IvrWorkflowStrategy

H2. Large Classes / Files HIGH

Benchmark: Largest class/file = 759 LOC (IVR single-action controllers; 83 files at this size) → falls in the **Moderate** band (Good <300 · Moderate 300–1000 · High Risk >1000).

Example 1 — app/Http/Controllers/Ivr/QueueManagementStoreController.php (759 LOC, 57 methods):

```
class QueueManagementStoreController extends Controller
{
    private $tenantId = 1; // hard-coded – multi-tenant broken

    public function __invoke(Request $request) { return $this->handleStore($request); }

    public function handleStore(Request $request)
    {
        $service = new QueueManagementGodService(); // direct instantiation
        $q = $request->get("q");
        if ($q) {
```

```

        // SQL injection: raw user input concatenated into query string
        $rows = DB::select(
            "select * from ivr_queue_managements where name like '%" . $q
            . "%' and tenant_id = ".$this->tenantId
        );
    } else {
        $rows = QueueManagement::where("tenant_id", $this->tenantId)-
>get();
    }
    if ($request->wantsJson()) {
        return response()->json(["data" => $rows, ...]);
    }
    return Inertia::render("Ivr/QueueManagement/Store", [...]);
}
// ... 55 more legacyEndpointN methods follow
}

```

Example 2 — `app/Legacy/Helpers/LegacyIvrString.php` (567 LOC, 70+ methods):

```

class LegacyIvrString
{
    public static function transform1($value)
    {
        // duplicate of other helper – kept for backward compatibility
        if ($value === null) { return ""; }
        return (string) $value . "_2127_1";
    }
    // 69 more near-identical transforms: transform2 .. transform70
}

```

Why it matters here: 83 IVR controllers at 759 LOC each total over 63,000 LOC of near-identical CRUD scaffolding. Any schema change requires 83 coordinated edits. The 5 helper classes add another 2,835 LOC of duplicated `transformN()` methods with no differentiation between them.

Recommended approach:

1. Create a shared `IvrBaseController` with the tenant query, JSON-response pattern, and legacy-endpoint dispatch as protected helpers — reduces each concrete controller to ≤50 LOC.
2. Replace the 70+ per-class transform methods in `LegacyIvrString` et al. with a single `LegacyTransformer::transform(string $type, mixed $value, int $idx): string`.
3. Remove `$tenantId = 1`; read from `Auth::user()->account_id` or a model `TenantScope`.

80 files affected.

File	Line(s)	Issue	Action
<code>app/Http/Controllers/Ivr/AgentDeskDestroyController.php</code>	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller

app/Http/Controllers/Ivr/AgentDeskExportController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/AgentDeskImportController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/AgentDeskIndexController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/AgentDeskStoreController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/AgentDeskSyncController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/AgentDeskUpdateController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/BusinessHoursDestroyController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/BusinessHoursExportController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/BusinessHoursImportController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/BusinessHoursIndexController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/BusinessHoursStoreController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/BusinessHoursSyncController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/BusinessHoursUpdateController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/CallAnalyticsDestroyController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/CallAnalyticsExportController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller

			helpers; target ≤80 LOC per controller
<code>app/Http/Controllers/Ivr/CallAnalyticsImportController.php</code>	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
<code>app/Http/Controllers/Ivr/CallAnalyticsIndexController.php</code>	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
<code>app/Http/Controllers/Ivr/CallAnalyticsStoreController.php</code>	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
<code>app/Http/Controllers/Ivr/CallAnalyticsSyncController.php</code>	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
<code>app/Http/Controllers/Ivr/CallAnalyticsUpdateController.php</code>	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
<code>app/Http/Controllers/Ivr/CallFlowDestroyController.php</code>	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
<code>app/Http/Controllers/Ivr/CallFlowExportController.php</code>	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
<code>app/Http/Controllers/Ivr/CallFlowImportController.php</code>	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
<code>app/Http/Controllers/Ivr/CallFlowIndexController.php</code>	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
<code>app/Http/Controllers/Ivr/CallFlowStoreController.php</code>	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
<code>app/Http/Controllers/Ivr/CallFlowSyncController.php</code>	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
<code>app/Http/Controllers/Ivr/CallFlowUpdateController.php</code>	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
<code>app/Http/Controllers/Ivr/CallRecordingDestroyController.php</code>	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
<code>app/Http/Controllers/Ivr/CallRecordingExportController.php</code>	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller

app/Http/Controllers/Ivr/CallRecordingImportController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/CallRecordingIndexController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/CallRecordingStoreController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/CallRecordingSyncController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/CallRecordingUpdateController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/CallRoutingDestroyController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/CallRoutingExportController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/CallRoutingImportController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/CallRoutingIndexController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/CallRoutingStoreController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/CallRoutingSyncController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/CallRoutingUpdateController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/CustomerProfileIndexController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/CustomerProfileStoreController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/CustomerProfileUpdateController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller

			helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/DidInventoryDestroyController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/DidInventoryExportController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/DidInventoryImportController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/DidInventoryIndexController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/DidInventoryStoreController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/DidInventorySyncController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/DidInventoryUpdateController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/HistoricalReportsDestroyController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/HistoricalReportsExportController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/HistoricalReportsImportController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/HistoricalReportsIndexController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/HistoricalReportsStoreController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/HistoricalReportsSyncController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/HistoricalReportsUpdateController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller

app/Http/Controllers/Ivr/LiveMonitoringDestroyController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/LiveMonitoringExportController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/LiveMonitoringImportController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/LiveMonitoringIndexController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/LiveMonitoringStoreController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/LiveMonitoringSyncController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/LiveMonitoringUpdateController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/PromptLibraryDestroyController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/PromptLibraryExportController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/PromptLibraryImportController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/PromptLibraryIndexController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/PromptLibraryStoreController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/PromptLibrarySyncController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/PromptLibraryUpdateController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
app/Http/Controllers/Ivr/QueueManagementDestroyController.php	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller

			helpers; target ≤80 LOC per controller
<code>app/Http/Controllers/Ivr/QueueManagementExportController.php</code>	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
<code>app/Http/Controllers/Ivr/QueueManagementImportController.php</code>	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
<code>app/Http/Controllers/Ivr/QueueManagementIndexController.php</code>	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
<code>app/Http/Controllers/Ivr/QueueManagementStoreController.php</code>	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
<code>app/Http/Controllers/Ivr/QueueManagementSyncController.php</code>	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller
<code>app/Http/Controllers/Ivr/QueueManagementUpdateController.php</code>	12	759-LOC controller with 55+ duplicated legacyEndpoint methods and inline SQL	Introduce IvrBaseController with shared query/dispatch helpers; target ≤80 LOC per controller

5 files affected.

File	Line(s)	Issue	Action
<code>app/Legacy/Helpers/LegacyIvrArray.php</code>	5	567-LOC helper class with 70 near-identical static transform methods	Collapse to single parameterised LegacyTransformer class
<code>app/Legacy/Helpers/LegacyIvrCrypto.php</code>	5	567-LOC helper class with 70 near-identical static transform methods	Collapse to single parameterised LegacyTransformer class
<code>app/Legacy/Helpers/LegacyIvrDate.php</code>	5	567-LOC helper class with 70 near-identical static transform methods	Collapse to single parameterised LegacyTransformer class
<code>app/Legacy/Helpers/LegacyIvrMath.php</code>	5	567-LOC helper class with 70 near-identical static transform methods	Collapse to single parameterised LegacyTransformer class
<code>app/Legacy/Helpers/LegacyIvrString.php</code>	5	567-LOC helper class with 70 near-identical static transform methods	Collapse to single parameterised LegacyTransformer class

H3. Large Functions CRITICAL

Benchmark: `Largest function = 372 LOC (IvrHub React component function, resources/js/Pages/Ivr/Hub/Index.tsx:107–479)` → falls in the **High Risk** band (Good <50 · Moderate 50–200 · High Risk >200).

Example 1 — `resources/js/Pages/Ivr/Hub/Index.tsx` lines 107–479 (IvrHub, 372 LOC):

```
// Lines 107–479: single function body rendering the entire IVR enterprise hub
function IvrHub({
```

```
// 14 typed props
stats, callVolumeByHour, callTrend, queueDistribution,
queueMetrics, recentCalls, agentSnapshot, filters,
queueOptions, dispositionOptions, organizationOptions,
accountName, refreshedAt,
}: { ... }) {
  // 3 useState + 2 useEffect + 2 useCallback + 1 useMemo
  // ~290 lines of JSX: 5 data tables, 4 filter controls, 3 charts, auto-
  refresh toggle
}
```

The function combines: 14 typed props, 3 state variables, 2 side effects, 2 callbacks, 1 memoized value, inline filter form logic, 5 tabular data tables, 3 chart renders, the auto-refresh orchestration, and full conditional organization/queue display — all without any extraction into sub-components or a dedicated hook.

Example 2 — `resources/js/Pages/Ivr/WhisperCoach/LegacyPass2_84.tsx` lines 3–392 (392-LOC render function):

```
function WhisperCoachLegacyPass2_84() {
  return (
    <div>
      <Head title="WhisperCoach legacy pass2 84" />
      <h1>WhisperCoach extended legacy surface 84</h1>
      <section key={1}>...</section> // 30 near-identical sections
      <section key={2}>...</section>
      // ... 28 more identical sections
    </div>
  )
}
// 133 identical files exist: LegacyPass2_1.tsx through LegacyPass2_131.tsx
```

Why it matters here: `IvrHub` is the primary real-time operations screen for the IVR platform. Its monolithic structure means a bug in auto-refresh timing, filter application, or a single table column requires understanding all three side effects and 14 prop types simultaneously. This is the critical path for any future feature on the IVR hub screen.

Recommended approach:

1. Extract `useIvrDashboard(filters)` hook to own all data-refresh and filter-application logic.
2. Extract `<IvrQueueMetricsTable rows={queueMetrics} />`, `<IvrRecentCallsTable rows={recentCalls} />`, `<IvrAgentSnapshot rows={agentSnapshot} />` as standalone components.
3. Extract `<IvrFilterBar ... />` for the four filter inputs.
4. Target: main `IvrHub` return ≤ 80 LOC; each sub-component ≤ 100 LOC.

1 file affected.

File	Line(s)	Issue	Action
<code>resources/js/Pages/Ivr/Hub/Index.tsx</code>	107	372-LOC monolithic function combining state, effects, and	Extract <code>useIvrDashboard</code> hook + <code>IvrQueueMetricsTable</code> ,

		5-table JSX render	IvrRecentCallsTable, IvrAgentSnapshot, IvrFilterBar components
--	--	--------------------	--

133 files affected.

File	Line(s)	Issue	Action
resources/js/Pages/Ivr/AfterHours/LegacyPass2_130.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/AfterHours/LegacyPass2_36.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/AfterHours/LegacyPass2_83.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/AgentDesk/LegacyPass2_3.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/AgentDesk/LegacyPass2_50.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/AgentDesk/LegacyPass2_97.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/ApiIntegration/LegacyPass2_107.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/ApiIntegration/LegacyPass2_13.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/ApiIntegration/LegacyPass2_60.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/AuditTrail/LegacyPass2_110.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/AuditTrail/LegacyPass2_16.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection

			component rendered N times via .map()
<code>resources/js/Pages/Ivr/AuditTrail/LegacyPass2_63.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/BargeMonitor/LegacyPass2_132.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/BargeMonitor/LegacyPass2_38.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/BargeMonitor/LegacyPass2_85.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/BillingMeter/LegacyPass2_119.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/BillingMeter/LegacyPass2_25.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/BillingMeter/LegacyPass2_72.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/BusinessHours/LegacyPass2_5.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/BusinessHours/LegacyPass2_52.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/BusinessHours/LegacyPass2_99.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/CallAnalytics/LegacyPass2_101.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/CallAnalytics/LegacyPass2_54.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection

			component rendered N times via .map()
resources/js/Pages/Ivr/CallAnalytics/LegacyPass2_7.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/CallbackScheduler/LegacyPass2_117.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/CallbackScheduler/LegacyPass2_23.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/CallbackScheduler/LegacyPass2_70.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/CallFlow/LegacyPass2_0.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/CallFlow/LegacyPass2_47.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/CallFlow/LegacyPass2_94.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/CallRecording/LegacyPass2_10.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/CallRecording/LegacyPass2_104.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/CallRecording/LegacyPass2_57.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/CallRouting/LegacyPass2_1.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/CallRouting/LegacyPass2_48.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection

			component rendered N times via .map()
resources/js/Pages/Ivr/CallRouting/LegacyPass2_95.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/CampaignDialer/LegacyPass2_40.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/CampaignDialer/LegacyPass2_87.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/ComplianceArchive/LegacyPass2_120.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/ComplianceArchive/LegacyPass2_26.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/ComplianceArchive/LegacyPass2_73.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/ConferenceBridge/LegacyPass2_127.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/ConferenceBridge/LegacyPass2_33.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/ConferenceBridge/LegacyPass2_80.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/CrmBridge/LegacyPass2_106.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/CrmBridge/LegacyPass2_12.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/CrmBridge/LegacyPass2_59.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection

			component rendered N times via .map()
resources/js/Pages/Ivr/CustomerProfile/LegacyPass2_105.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/CustomerProfile/LegacyPass2_11.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/CustomerProfile/LegacyPass2_58.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/DidInventory/LegacyPass2_100.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/DidInventory/LegacyPass2_53.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/DidInventory/LegacyPass2_6.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/DispositionCode/LegacyPass2_39.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/DispositionCode/LegacyPass2_86.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/EmergencyRoute/LegacyPass2_128.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/EmergencyRoute/LegacyPass2_34.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/EmergencyRoute/LegacyPass2_81.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/FraudScreen/LegacyPass2_121.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection

			component rendered N times via .map()
resources/js/Pages/Ivr/FraudScreen/LegacyPass2_27.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/FraudScreen/LegacyPass2_74.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/HistoricalReports/LegacyPass2_102.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/HistoricalReports/LegacyPass2_55.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/HistoricalReports/LegacyPass2_8.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/HolidayCalendar/LegacyPass2_129.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/HolidayCalendar/LegacyPass2_35.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/HolidayCalendar/LegacyPass2_82.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/IvrSettings/LegacyPass2_113.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/IvrSettings/LegacyPass2_19.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/IvrSettings/LegacyPass2_66.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
resources/js/Pages/Ivr/KnowledgeBase/LegacyPass2_43.tsx	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection

			component rendered N times via .map()
<code>resources/js/Pages/Ivr/KnowledgeBase/LegacyPass2_90.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/LeadList/LegacyPass2_41.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/LeadList/LegacyPass2_88.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/LiveMonitoring/LegacyPass2_103.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/LiveMonitoring/LegacyPass2_56.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/LiveMonitoring/LegacyPass2_9.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/MediaServer/LegacyPass2_124.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/MediaServer/LegacyPass2_30.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/MediaServer/LegacyPass2_77.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/NotificationHub/LegacyPass2_108.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/NotificationHub/LegacyPass2_14.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/NotificationHub/LegacyPass2_61.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection

			component rendered N times via .map()
<code>resources/js/Pages/Ivr/NumberPorting/LegacyPass2_122.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/NumberPorting/LegacyPass2_28.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/NumberPorting/LegacyPass2_75.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/OverflowRoute/LegacyPass2_115.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/OverflowRoute/LegacyPass2_21.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/OverflowRoute/LegacyPass2_68.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/PromptLibrary/LegacyPass2_4.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/PromptLibrary/LegacyPass2_51.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/PromptLibrary/LegacyPass2_98.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/QueueManagement/LegacyPass2_2.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/QueueManagement/LegacyPass2_49.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/QueueManagement/LegacyPass2_96.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection

			component rendered N times via .map()
<code>resources/js/Pages/Ivr/RateDeck/LegacyPass2_46.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/RateDeck/LegacyPass2_93.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/RoleAccess/LegacyPass2_109.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/RoleAccess/LegacyPass2_15.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/RoleAccess/LegacyPass2_62.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/ScriptBuilder/LegacyPass2_42.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/ScriptBuilder/LegacyPass2_89.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/SkillGroup/LegacyPass2_114.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/SkillGroup/LegacyPass2_20.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/SkillGroup/LegacyPass2_67.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/SpeechRecognition/LegacyPass2_125.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/SpeechRecognition/LegacyPass2_31.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection

			component rendered N times via .map()
<code>resources/js/Pages/Ivr/SpeechRecognition/LegacyPass2_78.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/SurveyEngine/LegacyPass2_118.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/SurveyEngine/LegacyPass2_24.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/SurveyEngine/LegacyPass2_71.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/SystemConfig/LegacyPass2_112.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/SystemConfig/LegacyPass2_18.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/SystemConfig/LegacyPass2_65.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/TenantAdmin/LegacyPass2_111.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/TenantAdmin/LegacyPass2_17.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/TenantAdmin/LegacyPass2_64.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/TextToSpeech/LegacyPass2_126.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/TextToSpeech/LegacyPass2_32.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection

			component rendered N times via .map()
<code>resources/js/Pages/Ivr/TextToSpeech/LegacyPass2_79.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/TicketSync/LegacyPass2_44.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/TicketSync/LegacyPass2_91.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/TrunkGroup/LegacyPass2_123.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/TrunkGroup/LegacyPass2_29.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/TrunkGroup/LegacyPass2_76.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/VoicemailBox/LegacyPass2_116.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/VoicemailBox/LegacyPass2_22.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/VoicemailBox/LegacyPass2_69.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/WebhookDispatcher/LegacyPass2_45.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/WebhookDispatcher/LegacyPass2_92.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/WhisperCoach/LegacyPass2_131.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection

			component rendered N times via .map()
<code>resources/js/Pages/Ivr/WhisperCoach/LegacyPass2_37.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()
<code>resources/js/Pages/Ivr/WhisperCoach/LegacyPass2_84.tsx</code>	3	392-LOC render function with 30 identical sections (133 near-identical files)	Replace with single parameterised LegacyPassSection component rendered N times via .map()

H4. Business Logic Duplication CRITICAL

Benchmark: Duplicated business-rule code > 15% of backend LOC (identical filter/tenant/dispatch pattern in 83 IVR controllers) → falls in the **High Risk** band (Good <5% · Moderate 5–10% · High Risk >10%).

Example 1 — Identical SQL filter/tenant/JSON pattern repeated 80 times

(`app/Http/Controllers/Ivr/QueueManagementStoreController.php:26–42` and 79 peers):

```
// Identical block in every IVR controller (80 occurrences confirmed via grep):
$q = $request->get("q");
if ($q) {
    $rows = DB::select(
        "select * from ivr_queue_managements where name like '%" . $q
        . "%' and tenant_id = " . $this->tenantId
    );
} else {
    $rows = QueueManagement::where("tenant_id", $this->tenantId)->get();
}
if ($request->wantsJson()) {
    return response()->json(["data" => $rows, "module" => "QueueManagement",
    "action" => "Store"]);
}
```

Example 2 — Identical orchestration dispatch in GodServices

(`app/Legacy/Services/QueueManagementGodService.php:13–20` and 44 identical sibling methods):

```
// Repeated 40–45 times per GodService, across 12 GodService classes (total
~540 instances):
public function orchestrateQueueManagementWorkflow1($payload)
{
    extract($payload);
    sleep(1);
    self::$sharedRuntimeCache[$tenant_id ?? 1] = $payload;
    return DB::table("ivr_queue_managements")->insertGetId((array) $payload);
}
```

```
}
// orchestrateQueueManagementWorkflow2 .. 45: byte-for-byte identical body
```

Why it matters here: Every bug in the `LIKE '%...%'` SQL filter must be applied to 80 controllers. The fix for broken multi-tenancy (`$tenantId = 1`) requires the same 80-file edit. A timing or caching change to the orchestration dispatch must land in 40 places per GodService with no compiler verification of consistency.

Recommended approach:

1. Introduce `IvrQueryHelper::filteredRows(string $table, string $q, int $tenantId)` as a protected method on `IvrBaseController`.
2. Introduce `IvrJsonResponse::make(array $rows, string $module, string $action)` as a shared response builder.
3. Collapse the `orchestrateWorkflowN()` family in each GodService to a single `orchestrate(int $workflowId, array $payload): mixed` dispatch reading variant config from a lookup array.
4. Add a PHPStan rule or PR checklist: no `private $tenantId =` literals in controllers.

80 files affected.

File	Line(s)	Issue	Action
<code>app/Http/Controllers/Ivr/AgentDeskDestroyController.php</code>	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to <code>IvrBaseController::filteredRows()</code> using parameterized query binding
<code>app/Http/Controllers/Ivr/AgentDeskExportController.php</code>	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to <code>IvrBaseController::filteredRows()</code> using parameterized query binding
<code>app/Http/Controllers/Ivr/AgentDeskImportController.php</code>	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to <code>IvrBaseController::filteredRows()</code> using parameterized query binding
<code>app/Http/Controllers/Ivr/AgentDeskIndexController.php</code>	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to <code>IvrBaseController::filteredRows()</code> using parameterized query binding
<code>app/Http/Controllers/Ivr/AgentDeskStoreController.php</code>	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to <code>IvrBaseController::filteredRows()</code> using parameterized query binding
<code>app/Http/Controllers/Ivr/AgentDeskSyncController.php</code>	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to <code>IvrBaseController::filteredRows()</code> using parameterized query binding
<code>app/Http/Controllers/Ivr/AgentDeskUpdateController.php</code>	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to <code>IvrBaseController::filteredRows()</code> using parameterized query binding
<code>app/Http/Controllers/Ivr/BusinessHoursDestroyController.php</code>	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to <code>IvrBaseController::filteredRows()</code> using parameterized query binding
<code>app/Http/Controllers/Ivr/BusinessHoursExportController.php</code>	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to <code>IvrBaseController::filteredRows()</code>

			s() using parameterized query binding
app/Http/Controllers/Ivr/BusinessHoursImportController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/BusinessHoursIndexController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/BusinessHoursStoreController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/BusinessHoursSyncController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/BusinessHoursUpdateController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/CallAnalyticsDestroyController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/CallAnalyticsExportController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/CallAnalyticsImportController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/CallAnalyticsIndexController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/CallAnalyticsStoreController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/CallAnalyticsSyncController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/CallAnalyticsUpdateController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/CallFlowDestroyController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/CallFlowExportController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding

app/Http/Controllers/Ivr/CallFlowImportController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/CallFlowIndexController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/CallFlowStoreController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/CallFlowSyncController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/CallFlowUpdateController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/CallRecordingDestroyController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/CallRecordingExportController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/CallRecordingImportController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/CallRecordingIndexController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/CallRecordingStoreController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/CallRecordingSyncController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/CallRecordingUpdateController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/CallRoutingDestroyController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/CallRoutingExportController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/CallRoutingImportController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding

			s() using parameterized query binding
app/Http/Controllers/Ivr/CallRoutingIndexController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/CallRoutingStoreController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/CallRoutingSyncController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/CallRoutingUpdateController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/CustomerProfileIndexController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/CustomerProfileStoreController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/CustomerProfileUpdateController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/DidInventoryDestroyController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/DidInventoryExportController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/DidInventoryImportController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/DidInventoryIndexController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/DidInventoryStoreController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/DidInventorySyncController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding
app/Http/Controllers/Ivr/DidInventoryUpdateController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRow s() using parameterized query binding

app/Http/Controllers/Ivr/HistoricalReportsDestroyController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/HistoricalReportsExportController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/HistoricalReportsImportController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/HistoricalReportsIndexController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/HistoricalReportsStoreController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/HistoricalReportsSyncController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/HistoricalReportsUpdateController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/LiveMonitoringDestroyController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/LiveMonitoringExportController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/LiveMonitoringImportController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/LiveMonitoringIndexController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/LiveMonitoringStoreController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/LiveMonitoringSyncController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/LiveMonitoringUpdateController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/PromptLibraryDestroyController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows

			s() using parameterized query binding
app/Http/Controllers/Ivr/PromptLibraryExportController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/PromptLibraryImportController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/PromptLibraryIndexController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/PromptLibraryStoreController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/PromptLibrarySyncController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/PromptLibraryUpdateController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/QueueManagementDestroyController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/QueueManagementExportController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/QueueManagementImportController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/QueueManagementIndexController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/QueueManagementStoreController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/QueueManagementSyncController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding
app/Http/Controllers/Ivr/QueueManagementUpdateController.php	28	Inline raw SQL filter pattern with user-input concatenation duplicated in 80 controllers	Extract to IvrBaseController::filteredRows() using parameterized query binding

H5. Duplicate Code (General) CRITICAL

Benchmark: Overall duplicate code > 30% (133 LegacyPass2 pages · 229 monolith components · 147 class widgets · 8 duplicate util files) → falls in the **High Risk** band (Good <5% · Moderate 5–10% · High Risk >10%).

Example 1 — 133 near-identical LegacyPass2 TSX pages

(**resources/js/Pages/Ivr/WhisperCoach/LegacyPass2_84.tsx** vs **LegacyPass2_37.tsx**):

```
// LegacyPass2_84.tsx (392 lines) – differs from LegacyPass2_37.tsx only in
index number:
function WhisperCoachLegacyPass2_84() {
  return <div>
    <Head title="WhisperCoach legacy pass2 84" />
    <section key={1}>
      <p>Duplicate enterprise copy for discovery bots – module WhisperCoach row
1 idx 84</p>
    </section>
    // ... 29 more sections (all identical except "84" in the text)
  </div>
}
```

Example 2 — 8 duplicate formatter utility files (**resources/js/utils/duplicate/legacyFormatters1.ts** through **legacyFormatters8.ts**):

```
// legacyFormatters1.ts vs legacyFormatters2.ts – identical logic, only name
prefix differs:
export function legacyFormatters1_fn_1(input: unknown): string {
  if (input === null || input === undefined) return ''
  return String(input).trim().toUpperCase() + '_1'
}
// legacyFormatters2_fn_1, legacyFormatters3_fn_1 ... legacyFormatters8_fn_1:
identical bodies
```

Example 3 — 229 legacy monolith components

(**resources/js/components/legacy/NotificationHubMonolith4.tsx** and 228 peers):

```
export default function NotificationHubMonolith4({ rows, tenantId, legacyMeta
}: any) {
  const [draft, setDraft] = useState<any>({})
  const save = async () => { /* inline validation + fetch */ }
  return <div>
    <input onChange={e => setDraft({ ...draft, name: e.target.value })} />
    <button onClick={save}>Save</button>
    <div key={1}>Computed NotificationHub field 1: {rows?.length ?? 0}</div>
    // ... 30 computed field divs
  </div>
```

```
}
// 228 near-identical components exist for every IVR module x 5 variants
```

Why it matters here: The LegacyPass2 pages alone represent 52,136 LOC of near-zero-value frontend surface inflating bundle size and making **grep**-based refactoring unmanageable. The 229 monolith components embed inline fetch + validation + render logic for every module, meaning a single "Save" button validation change requires editing up to 229 files.

Recommended approach:

1. Replace all 133 `LegacyPass2_*.tsx` files with a single `<LegacyModulePassPage module="WhisperCoach" idx={84} sections={30} />` component backed by a data config array.
2. Replace the 229 monolith components with a single generic `<LegacyMonolithCard module={...} tenantId={...} legacyMeta={...} />`.
3. Collapse the 8 formatter util files into one `legacyFormatters.ts` with `formatLegacy(input: unknown, suffix: number): string`.
4. Add an ESLint `no-restricted-imports` rule flagging future imports from `utils/duplicate/`.

133 files affected.

File	Line(s)	Issue	Action
<code>resources/js/Pages/Ivr/AfterHours/LegacyPass2_130.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/AfterHours/LegacyPass2_36.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/AfterHours/LegacyPass2_83.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/AgentDesk/LegacyPass2_3.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/AgentDesk/LegacyPass2_50.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/AgentDesk/LegacyPass2_97.tsx</code>	10, 14, 18, 22,	133 near-identical 392-LOC pages differing only by index	Replace with single parameterised

	26, 30, 34, 38, 42, 46, 50, 54 +83	number	LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/ApiIntegration/LegacyPass2_107.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/ApiIntegration/LegacyPass2_13.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/ApiIntegration/LegacyPass2_60.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/AuditTrail/LegacyPass2_110.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/AuditTrail/LegacyPass2_16.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/AuditTrail/LegacyPass2_63.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/BargeMonitor/LegacyPass2_132.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/BargeMonitor/LegacyPass2_38.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array

<code>resources/js/Pages/Ivr/BargeMonitor/LegacyPass2_85.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/BillingMeter/LegacyPass2_119.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/BillingMeter/LegacyPass2_25.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/BillingMeter/LegacyPass2_72.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/BusinessHours/LegacyPass2_5.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/BusinessHours/LegacyPass2_52.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/BusinessHours/LegacyPass2_99.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/CallAnalytics/LegacyPass2_101.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/CallAnalytics/LegacyPass2_54.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46,	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array

	50, 54 +83		
<code>resources/js/Pages/Ivr/CallAnalytics/LegacyPass2_7.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/CallbackScheduler/LegacyPass2_117.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/CallbackScheduler/LegacyPass2_23.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/CallbackScheduler/LegacyPass2_70.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/CallFlow/LegacyPass2_0.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/CallFlow/LegacyPass2_47.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/CallFlow/LegacyPass2_94.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/CallRecording/LegacyPass2_10.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/CallRecording/LegacyPass2_104.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38,	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage

	42, 46, 50, 54 +83		component backed by config array
<code>resources/js/Pages/Ivr/CallRecording/LegacyPass2_57.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/CallRouting/LegacyPass2_1.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/CallRouting/LegacyPass2_48.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/CallRouting/LegacyPass2_95.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/CampaignDialer/LegacyPass2_40.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/CampaignDialer/LegacyPass2_87.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/ComplianceArchive/LegacyPass2_120.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/ComplianceArchive/LegacyPass2_26.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array

<code>resources/js/Pages/Ivr/ComplianceArchive/LegacyPass2_73.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/ConferenceBridge/LegacyPass2_127.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/ConferenceBridge/LegacyPass2_33.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/ConferenceBridge/LegacyPass2_80.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/CrmBridge/LegacyPass2_106.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/CrmBridge/LegacyPass2_12.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/CrmBridge/LegacyPass2_59.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/CustomerProfile/LegacyPass2_105.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/CustomerProfile/LegacyPass2_11.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46,	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array

	50, 54 +83		
<code>resources/js/Pages/Ivr/CustomerProfile/LegacyPass2_58.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/DidInventory/LegacyPass2_100.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/DidInventory/LegacyPass2_53.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/DidInventory/LegacyPass2_6.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/DispositionCode/LegacyPass2_39.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/DispositionCode/LegacyPass2_86.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/EmergencyRoute/LegacyPass2_128.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/EmergencyRoute/LegacyPass2_34.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/EmergencyRoute/LegacyPass2_81.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38,	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage

	42, 46, 50, 54 +83		component backed by config array
<code>resources/js/Pages/Ivr/FraudScreen/LegacyPass2_121.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/FraudScreen/LegacyPass2_27.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/FraudScreen/LegacyPass2_74.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/HistoricalReports/LegacyPass2_102.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/HistoricalReports/LegacyPass2_55.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/HistoricalReports/LegacyPass2_8.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/HolidayCalendar/LegacyPass2_129.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/HolidayCalendar/LegacyPass2_35.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array

<code>resources/js/Pages/Ivr/HolidayCalendar/LegacyPass2_82.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/IvrSettings/LegacyPass2_113.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/IvrSettings/LegacyPass2_19.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/IvrSettings/LegacyPass2_66.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/KnowledgeBase/LegacyPass2_43.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/KnowledgeBase/LegacyPass2_90.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/LeadList/LegacyPass2_41.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/LeadList/LegacyPass2_88.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/LiveMonitoring/LegacyPass2_103.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46,	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array

	50, 54 +83		
<code>resources/js/Pages/Ivr/LiveMonitoring/LegacyPass2_56.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/LiveMonitoring/LegacyPass2_9.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/MediaServer/LegacyPass2_124.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/MediaServer/LegacyPass2_30.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/MediaServer/LegacyPass2_77.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/NotificationHub/LegacyPass2_108.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/NotificationHub/LegacyPass2_14.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/NotificationHub/LegacyPass2_61.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/NumberPorting/LegacyPass2_122.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38,	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage

	42, 46, 50, 54 +83		component backed by config array
<code>resources/js/Pages/Ivr/NumberPorting/LegacyPass2_28.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/NumberPorting/LegacyPass2_75.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/OverflowRoute/LegacyPass2_115.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/OverflowRoute/LegacyPass2_21.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/OverflowRoute/LegacyPass2_68.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/PromptLibrary/LegacyPass2_4.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/PromptLibrary/LegacyPass2_51.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/PromptLibrary/LegacyPass2_98.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array

<code>resources/js/Pages/Ivr/QueueManagement/LegacyPass2_2.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/QueueManagement/LegacyPass2_49.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/QueueManagement/LegacyPass2_96.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/RateDeck/LegacyPass2_46.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/RateDeck/LegacyPass2_93.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/RoleAccess/LegacyPass2_109.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/RoleAccess/LegacyPass2_15.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/RoleAccess/LegacyPass2_62.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/ScriptBuilder/LegacyPass2_42.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46,	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array

	50, 54 +83		
<code>resources/js/Pages/Ivr/ScriptBuilder/LegacyPass2_89.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/SkillGroup/LegacyPass2_114.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/SkillGroup/LegacyPass2_20.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/SkillGroup/LegacyPass2_67.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/SpeechRecognition/LegacyPass2_125.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/SpeechRecognition/LegacyPass2_31.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/SpeechRecognition/LegacyPass2_78.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/SurveyEngine/LegacyPass2_118.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/SurveyEngine/LegacyPass2_24.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38,	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage

	42, 46, 50, 54 +83		component backed by config array
<code>resources/js/Pages/Ivr/SurveyEngine/LegacyPass2_71.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/SystemConfig/LegacyPass2_112.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/SystemConfig/LegacyPass2_18.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/SystemConfig/LegacyPass2_65.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/TenantAdmin/LegacyPass2_111.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/TenantAdmin/LegacyPass2_17.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/TenantAdmin/LegacyPass2_64.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/TextToSpeech/LegacyPass2_126.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array

<code>resources/js/Pages/Ivr/TextToSpeech/LegacyPass2_32.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/TextToSpeech/LegacyPass2_79.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/TicketSync/LegacyPass2_44.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/TicketSync/LegacyPass2_91.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/TrunkGroup/LegacyPass2_123.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/TrunkGroup/LegacyPass2_29.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/TrunkGroup/LegacyPass2_76.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/VoicemailBox/LegacyPass2_116.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/VoicemailBox/LegacyPass2_22.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46,	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array

	50, 54 +83		
<code>resources/js/Pages/Ivr/VoicemailBox/LegacyPass2_69.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/WebhookDispatcher/LegacyPass2_45.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/WebhookDispatcher/LegacyPass2_92.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/WhisperCoach/LegacyPass2_131.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/WhisperCoach/LegacyPass2_37.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array
<code>resources/js/Pages/Ivr/WhisperCoach/LegacyPass2_84.tsx</code>	10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54 +83	133 near-identical 392-LOC pages differing only by index number	Replace with single parameterised LegacyModulePassPage component backed by config array

8 files affected.

File	Line(s)	Issue	Action
<code>resources/js/utls/duplicate/legacyFormatters1.ts</code>	3, 8, 13, 18, 23, 28, 33, 38, 43, 48, 53, 58 +208	8 duplicate utility files with identical logic and only naming differences	Collapse to single legacyFormatters.ts with parameterised formatLegacy(input, suffix)
<code>resources/js/utls/duplicate/legacyFormatters2.ts</code>	3, 8, 13, 18, 23, 28, 33, 38, 43, 48, 53, 58 +208	8 duplicate utility files with identical logic and only naming differences	Collapse to single legacyFormatters.ts with parameterised formatLegacy(input, suffix)
<code>resources/js/utls/duplicate/legacyFormatters3.ts</code>	3, 8, 13, 18, 23,	8 duplicate utility files with identical logic and only	Collapse to single legacyFormatters.ts with

	28, 33, 38, 43, 48, 53, 58 +208	naming differences	parameterised formatLegacy(input, suffix)
<code>resources/js/utils/duplicate/legacyFormatters4.ts</code>	3, 8, 13, 18, 23, 28, 33, 38, 43, 48, 53, 58 +208	8 duplicate utility files with identical logic and only naming differences	Collapse to single legacyFormatters.ts with parameterised formatLegacy(input, suffix)
<code>resources/js/utils/duplicate/legacyFormatters5.ts</code>	3, 8, 13, 18, 23, 28, 33, 38, 43, 48, 53, 58 +208	8 duplicate utility files with identical logic and only naming differences	Collapse to single legacyFormatters.ts with parameterised formatLegacy(input, suffix)
<code>resources/js/utils/duplicate/legacyFormatters6.ts</code>	3, 8, 13, 18, 23, 28, 33, 38, 43, 48, 53, 58 +208	8 duplicate utility files with identical logic and only naming differences	Collapse to single legacyFormatters.ts with parameterised formatLegacy(input, suffix)
<code>resources/js/utils/duplicate/legacyFormatters7.ts</code>	3, 8, 13, 18, 23, 28, 33, 38, 43, 48, 53, 58 +208	8 duplicate utility files with identical logic and only naming differences	Collapse to single legacyFormatters.ts with parameterised formatLegacy(input, suffix)
<code>resources/js/utils/duplicate/legacyFormatters8.ts</code>	3, 8, 13, 18, 23, 28, 33, 38, 43, 48, 53, 58 +208	8 duplicate utility files with identical logic and only naming differences	Collapse to single legacyFormatters.ts with parameterised formatLegacy(input, suffix)

229 files affected.

File	Line(s)	Issue	Action
<code>resources/js/components/legacy/AfterHoursMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/AfterHoursMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/AfterHoursMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/AfterHoursMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/AfterHoursMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/AgentDeskMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch,	Replace with single generic LegacyMonolithCard component with typed props

		validation, and render in 64 LOC each	
<code>resources/js/components/legacy/AgentDeskMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/AgentDeskMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/AgentDeskMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/AgentDeskMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/ApiIntegrationMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/ApiIntegrationMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/ApiIntegrationMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/ApiIntegrationMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/ApiIntegrationMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/AuditTrailMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/AuditTrailMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/AuditTrailMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/AuditTrailMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/AuditTrailMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props

[illegible]

		validation, and render in 64 LOC each	
<code>resources/js/components/legacy/CallAnalyticsMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CallAnalyticsMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CallAnalyticsMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CallAnalyticsMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CallAnalyticsMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CallbackSchedulerMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CallbackSchedulerMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CallbackSchedulerMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CallbackSchedulerMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CallbackSchedulerMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CallFlowMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CallFlowMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CallFlowMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CallFlowMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props

<code>resources/js/components/legacy/CallFlowMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CallRecordingMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CallRecordingMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CallRecordingMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CallRecordingMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CallRecordingMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CallRoutingMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CallRoutingMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CallRoutingMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CallRoutingMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CallRoutingMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CampaignDialerMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CampaignDialerMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CampaignDialerMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CampaignDialerMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch,	Replace with single generic LegacyMonolithCard component with typed props

		validation, and render in 64 LOC each	
<code>resources/js/components/legacy/CampaignDialerMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/ComplianceArchiveMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/ComplianceArchiveMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/ComplianceArchiveMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/ComplianceArchiveMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/ComplianceArchiveMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/ConferenceBridgeMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/ConferenceBridgeMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/ConferenceBridgeMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/ConferenceBridgeMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CrmBridgeMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CrmBridgeMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CrmBridgeMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/CrmBridgeMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props

resources/js/components/legacy/CustomerProfileMonolith0.tsx	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
resources/js/components/legacy/CustomerProfileMonolith1.tsx	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
resources/js/components/legacy/CustomerProfileMonolith2.tsx	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
resources/js/components/legacy/CustomerProfileMonolith3.tsx	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
resources/js/components/legacy/CustomerProfileMonolith4.tsx	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
resources/js/components/legacy/DidInventoryMonolith0.tsx	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
resources/js/components/legacy/DidInventoryMonolith1.tsx	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
resources/js/components/legacy/DidInventoryMonolith2.tsx	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
resources/js/components/legacy/DidInventoryMonolith3.tsx	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
resources/js/components/legacy/DidInventoryMonolith4.tsx	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
resources/js/components/legacy/DispositionCodeMonolith0.tsx	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
resources/js/components/legacy/DispositionCodeMonolith1.tsx	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
resources/js/components/legacy/DispositionCodeMonolith2.tsx	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
resources/js/components/legacy/DispositionCodeMonolith3.tsx	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
resources/js/components/legacy/DispositionCodeMonolith4.tsx	6	229 near-identical monolith components mixing fetch,	Replace with single generic LegacyMonolithCard component with typed props

		validation, and render in 64 LOC each	
<code>resources/js/components/legacy/EmergencyRouteMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/EmergencyRouteMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/EmergencyRouteMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/EmergencyRouteMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/EmergencyRouteMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/FraudScreenMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/FraudScreenMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/FraudScreenMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/FraudScreenMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/FraudScreenMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/HistoricalReportsMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/HistoricalReportsMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/HistoricalReportsMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/HistoricalReportsMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props

<code>resources/js/components/legacy/HistoricalReportsMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/HolidayCalendarMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/HolidayCalendarMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/HolidayCalendarMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/HolidayCalendarMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/HolidayCalendarMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/IvrSettingsMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/IvrSettingsMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/IvrSettingsMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/IvrSettingsMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/IvrSettingsMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/KnowledgeBaseMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/KnowledgeBaseMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/KnowledgeBaseMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/KnowledgeBaseMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch,	Replace with single generic LegacyMonolithCard component with typed props

		validation, and render in 64 LOC each	
<code>resources/js/components/legacy/KnowledgeBaseMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/LeadListMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/LeadListMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/LeadListMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/LeadListMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/LeadListMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/LiveMonitoringMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/LiveMonitoringMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/LiveMonitoringMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/LiveMonitoringMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/LiveMonitoringMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/MediaServerMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/MediaServerMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/MediaServerMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props

<code>resources/js/components/legacy/MediaServerMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/MediaServerMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/NotificationHubMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/NotificationHubMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/NotificationHubMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/NotificationHubMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/NumberPortingMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/NumberPortingMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/NumberPortingMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/NumberPortingMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/NumberPortingMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/OverflowRouteMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/OverflowRouteMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/OverflowRouteMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/OverflowRouteMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch,	Replace with single generic LegacyMonolithCard component with typed props

		validation, and render in 64 LOC each	
<code>resources/js/components/legacy/OverflowRouteMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/PromptLibraryMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/PromptLibraryMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/PromptLibraryMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/PromptLibraryMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/PromptLibraryMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/QueueManagementMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/QueueManagementMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/QueueManagementMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/QueueManagementMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/QueueManagementMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/RateDeckMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/RateDeckMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/RateDeckMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props

<code>resources/js/components/legacy/RateDeckMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/RateDeckMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/RoleAccessMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/RoleAccessMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/RoleAccessMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/RoleAccessMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/RoleAccessMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/ScriptBuilderMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/ScriptBuilderMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/ScriptBuilderMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/ScriptBuilderMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/SkillGroupMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/SkillGroupMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/SkillGroupMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/SkillGroupMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch,	Replace with single generic LegacyMonolithCard component with typed props

		validation, and render in 64 LOC each	
<code>resources/js/components/legacy/SkillGroupMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/SpeechRecognitionMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/SpeechRecognitionMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/SpeechRecognitionMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/SpeechRecognitionMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/SurveyEngineMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/SurveyEngineMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/SurveyEngineMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/SurveyEngineMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/SurveyEngineMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/SystemConfigMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/SystemConfigMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/SystemConfigMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/SystemConfigMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props

<code>resources/js/components/legacy/SystemConfigMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/TenantAdminMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/TenantAdminMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/TenantAdminMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/TenantAdminMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/TenantAdminMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/TextToSpeechMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/TextToSpeechMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/TextToSpeechMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/TextToSpeechMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/TextToSpeechMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/TicketSyncMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/TicketSyncMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/TicketSyncMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/TicketSyncMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch,	Replace with single generic LegacyMonolithCard component with typed props

		validation, and render in 64 LOC each	
<code>resources/js/components/legacy/TrunkGroupMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/TrunkGroupMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/TrunkGroupMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/TrunkGroupMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/TrunkGroupMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/VoicemailBoxMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/VoicemailBoxMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/VoicemailBoxMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/VoicemailBoxMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/VoicemailBoxMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/WebhookDispatcherMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/WebhookDispatcherMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/WebhookDispatcherMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/WebhookDispatcherMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props

<code>resources/js/components/legacy/WebhookDispatcherMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/WhisperCoachMonolith0.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/WhisperCoachMonolith1.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/WhisperCoachMonolith2.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/WhisperCoachMonolith3.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props
<code>resources/js/components/legacy/WhisperCoachMonolith4.tsx</code>	6	229 near-identical monolith components mixing fetch, validation, and render in 64 LOC each	Replace with single generic LegacyMonolithCard component with typed props

H8. Ownership Issues MEDIUM

Benchmark: Top-author ownership = 43% on hottest file (`resources/js/Pages/Contacts/Index`: Jonathan Reinink 6/14 commits; 5 distinct authors) → falls in the **High Risk** band (Good >80% · Moderate 60–80% · High Risk <60%).

The repository has 19 distinct committers across 124 commits since 2020. The most-churned frontend file (`resources/js/Pages/Users/Edit.vue` — 20 commits) had 4 distinct authors; the Vue → TSX migration introduced a fifth. Files that were actively migrated between frameworks inherently accumulate multiple contributors. The IVR layer was added in a single commit (`e60dc88`), so IVR-specific files currently show clean single-author origin — but this will degrade as the team begins fixing structural issues without explicit ownership governance.

File	Commits	Distinct Authors	Top Author Share	Rating
<code>resources/js/Pages/Contacts/Index.vue</code>	14	5	43% (Jonathan Reinink)	High Risk
<code>app/Http/Controllers/ContactsController.php</code>	5	2	80% (Jonathan Reinink)	Good
<code>resources/js/Pages/Users/Edit.vue</code>	10	4	40% (Jonathan Reinink)	High Risk

Recommended approach:

1. Add a **CODEOWNERS** file assigning explicit module owners for the IVR layer, contacts/organizations pages, and shared components.
2. Require second-review from the module owner on any PR touching a file with 3+ distinct authors.

3 files affected.

File	Line(s)	Issue	Action
------	---------	-------	--------

<code>resources/js/Pages/Contacts/Create.tsx</code>	—	5 distinct committers on high-traffic page; no clear owner	Add CODEOWNERS entry; assign module steward for Contacts/Organizations pages
<code>resources/js/Pages/Contacts/Edit.tsx</code>	—	5 distinct committers on high-traffic page; no clear owner	Add CODEOWNERS entry; assign module steward for Contacts/Organizations pages
<code>resources/js/Pages/Contacts/Index.tsx</code>	—	5 distinct committers on high-traffic page; no clear owner	Add CODEOWNERS entry; assign module steward for Contacts/Organizations pages

H9. PHP extract() Dynamic Variable Injection **CRITICAL** (additional)

Benchmark: `extract()` calls per `GodService` class = ~40; total across codebase = **4,940** → falls in the **High Risk** band (Good <5 · Moderate 5–20 · High Risk >20).

Example 1 — `app/Legacy/Services/QueueManagementGodService.php:13–20` (representative of 4,940 occurrences):

```
public function orchestrateQueueManagementWorkflow1($payload)
{
    extract($payload); // unsafe: any key in $payload overwrites a local
    variable
    sleep(1);
    self::$sharedRuntimeCache[$tenant_id ?? 1] = $payload;
    return DB::table("ivr_queue_managements")->insertGetId((array) $payload);
}
```

Example 2 — `app/Http/Controllers/Ivr/QueueManagementStoreController.php:47–53` :

```
public function legacyEndpoint1(Request $request)
{
    try {
        $payload = $request->all();
        extract($payload); // user-supplied HTTP request directly extracted
        into scope
        $service = new QueueManagementGodService();
        $service->orchestrateQueueManagementWorkflow1($payload);
        return ["ok" => true, "endpoint" => 1];
    } catch (\Throwable $e) {
        return ["ok" => false, "err" => $e->getMessage()]; // stack trace
        swallowed
    }
}
```

`extract($payload)` with user-supplied `$payload` injects arbitrary keys as PHP variables into the current scope. An attacker controlling `$payload` can overwrite `$tenant_id`, `$service`, or any other variable in scope. Beyond security risk, functions whose local variable scope is determined at runtime are impossible to reason about statically — PHPStan and IDE refactoring tools are blind to them.

Recommended approach:

1. Remove all `extract()` calls in GodService and controller methods; access payload keys explicitly: `$name = $payload['name'] ?? null`.
2. Add `phpcs` rule `Generic.PHP.ForbiddenFunctions` with `extract` to the CI pipeline.
3. Validate and allowlist `$payload` keys via Laravel `Request::validate()` before any use.

12 files affected.

File	Line(s)	Issue	Action
<code>app/Legacy/Services/AgentDeskGodService.php</code>	15, 23, 31, 39, 47, 55, 63, 71, 79, 87, 95, 103 +33	<code>extract(\$payload)</code> with user-controlled input creates variable injection risk in 4,940 locations	Replace with explicit key access; add CI phpcs rule banning <code>extract()</code> usage
<code>app/Legacy/Services/BusinessHoursGodService.php</code>	15, 23, 31, 39, 47, 55, 63, 71, 79, 87, 95, 103 +33	<code>extract(\$payload)</code> with user-controlled input creates variable injection risk in 4,940 locations	Replace with explicit key access; add CI phpcs rule banning <code>extract()</code> usage
<code>app/Legacy/Services/CallAnalyticsGodService.php</code>	15, 23, 31, 39, 47, 55, 63, 71, 79, 87, 95, 103 +33	<code>extract(\$payload)</code> with user-controlled input creates variable injection risk in 4,940 locations	Replace with explicit key access; add CI phpcs rule banning <code>extract()</code> usage
<code>app/Legacy/Services/CallFlowGodService.php</code>	15, 23, 31, 39, 47, 55, 63, 71, 79, 87, 95, 103 +33	<code>extract(\$payload)</code> with user-controlled input creates variable injection risk in 4,940 locations	Replace with explicit key access; add CI phpcs rule banning <code>extract()</code> usage
<code>app/Legacy/Services/CallRecordingGodService.php</code>	15, 23, 31, 39, 47, 55, 63, 71, 79, 87, 95, 103 +33	<code>extract(\$payload)</code> with user-controlled input creates variable injection risk in 4,940 locations	Replace with explicit key access; add CI phpcs rule banning <code>extract()</code> usage
<code>app/Legacy/Services/CallRoutingGodService.php</code>	15, 23, 31, 39, 47, 55, 63, 71, 79, 87, 95, 103 +33	<code>extract(\$payload)</code> with user-controlled input creates variable injection risk in 4,940 locations	Replace with explicit key access; add CI phpcs rule banning <code>extract()</code> usage
<code>app/Legacy/Services/CustomerProfileGodService.php</code>	15, 23, 31, 39,	<code>extract(\$payload)</code> with user-controlled input creates	Replace with explicit key access; add CI phpcs rule

	47, 55, 63, 71, 79, 87, 95, 103 +33	variable injection risk in 4,940 locations	banning extract() usage
<code>app/Legacy/Services/DidInventoryGodService.php</code>	15, 23, 31, 39, 47, 55, 63, 71, 79, 87, 95, 103 +33	extract(\$payload) with user-controlled input creates variable injection risk in 4,940 locations	Replace with explicit key access; add CI phpcs rule banning extract() usage
<code>app/Legacy/Services/HistoricalReportsGodService.php</code>	15, 23, 31, 39, 47, 55, 63, 71, 79, 87, 95, 103 +33	extract(\$payload) with user-controlled input creates variable injection risk in 4,940 locations	Replace with explicit key access; add CI phpcs rule banning extract() usage
<code>app/Legacy/Services/LiveMonitoringGodService.php</code>	15, 23, 31, 39, 47, 55, 63, 71, 79, 87, 95, 103 +33	extract(\$payload) with user-controlled input creates variable injection risk in 4,940 locations	Replace with explicit key access; add CI phpcs rule banning extract() usage
<code>app/Legacy/Services/PromptLibraryGodService.php</code>	15, 23, 31, 39, 47, 55, 63, 71, 79, 87, 95, 103 +33	extract(\$payload) with user-controlled input creates variable injection risk in 4,940 locations	Replace with explicit key access; add CI phpcs rule banning extract() usage
<code>app/Legacy/Services/QueueManagementGodService.php</code>	15, 23, 31, 39, 47, 55, 63, 71, 79, 87, 95, 103 +33	extract(\$payload) with user-controlled input creates variable injection risk in 4,940 locations	Replace with explicit key access; add CI phpcs rule banning extract() usage

80 files affected.

File	Line(s)	Issue	Action
<code>app/Http/Controllers/Ivr/AgentDeskDestroyController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/AgentDeskExportController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/AgentDeskImportController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165,	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access

	178, 191 +43		
app/Http/Controllers/Ivr/AgentDeskIndexController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/AgentDeskStoreController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/AgentDeskSyncController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/AgentDeskUpdateController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/BusinessHoursDestroyController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/BusinessHoursExportController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/BusinessHoursImportController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/BusinessHoursIndexController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access

<code>app/Http/Controllers/Ivr/BusinessHoursStoreController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/BusinessHoursSyncController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/BusinessHoursUpdateController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/CallAnalyticsDestroyController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/CallAnalyticsExportController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/CallAnalyticsImportController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/CallAnalyticsIndexController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/CallAnalyticsStoreController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/CallAnalyticsSyncController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165,	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access

	178, 191 +43		
app/Http/Controllers/Ivr/CallAnalyticsUpdateController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/CallFlowDestroyController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/CallFlowExportController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/CallFlowImportController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/CallFlowIndexController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/CallFlowStoreController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/CallFlowSyncController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/CallFlowUpdateController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access

<code>app/Http/Controllers/Ivr/CallRecordingDestroyController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/CallRecordingExportController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/CallRecordingImportController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/CallRecordingIndexController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/CallRecordingStoreController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/CallRecordingSyncController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/CallRecordingUpdateController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/CallRoutingDestroyController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/CallRoutingExportController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165,	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access

	178, 191 +43		
app/Http/Controllers/Ivr/CallRoutingImportController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/CallRoutingIndexController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/CallRoutingStoreController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/CallRoutingSyncController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/CallRoutingUpdateController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/CustomerProfileIndexController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/CustomerProfileStoreController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/CustomerProfileUpdateController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access

app/Http/Controllers/Ivr/DidInventoryDestroyController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/DidInventoryExportController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/DidInventoryImportController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/DidInventoryIndexController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/DidInventoryStoreController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/DidInventorySyncController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/DidInventoryUpdateController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/HistoricalReportsDestroyController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/HistoricalReportsExportController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165,	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access

	178, 191 +43		
<code>app/Http/Controllers/Ivr/HistoricalReportsImportController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/HistoricalReportsIndexController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/HistoricalReportsStoreController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/HistoricalReportsSyncController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/HistoricalReportsUpdateController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/LiveMonitoringDestroyController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/LiveMonitoringExportController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
<code>app/Http/Controllers/Ivr/LiveMonitoringImportController.php</code>	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access

app/Http/Controllers/Ivr/LiveMonitoringIndexController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/LiveMonitoringStoreController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/LiveMonitoringSyncController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/LiveMonitoringUpdateController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/PromptLibraryDestroyController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/PromptLibraryExportController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/PromptLibraryImportController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/PromptLibraryIndexController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/PromptLibraryStoreController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165,	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access

	178, 191 +43		
app/Http/Controllers/Ivr/PromptLibrarySyncController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/PromptLibraryUpdateController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/QueueManagementDestroyController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/QueueManagementExportController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/QueueManagementImportController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/QueueManagementIndexController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/QueueManagementStoreController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
app/Http/Controllers/Ivr/QueueManagementSyncController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access

app/Http/Controllers/Ivr/QueueManagementUpdateController.php	48, 61, 74, 87, 100, 113, 126, 139, 152, 165, 178, 191 +43	extract() called on raw \$request->all() in all 83 IVR controller legacyEndpoint methods	Remove extract(); use explicit Request::validate() + named variable access
--	--	---	--

H10. TypeScript any Overuse HIGH (additional)

Benchmark: 458 any usages / 14,656 LOC of legacy components = 3.1 per 100 LOC → falls in the **High Risk** band (Good <0.5 · Moderate 0.5–2 · High Risk >2).

Example 1 — `resources/js/components/legacy/NotificationHubMonolith4.tsx:3–5` :

```
export default function NotificationHubMonolith4({ rows, tenantId, legacyMeta
}: any) {
  const [draft, setDraft] = useState<any>({})
  // props typed as any: TypeScript provides zero safety on rows, tenantId,
  legacyMeta
```

Example 2 — `resources/js/hooks/legacy/useCallAnalyticsLegacy2.ts:4` :

```
const [data, setData] = useState<any[]>([])
// API response shape unknown; errors in .data access caught only at runtime
```

All 229 legacy monolith components use `: any` for their props interface and `useState<any>` for draft state. This defeats TypeScript's primary purpose: a component expecting `rows: CallAnalytics[]` receives `rows: any`, so renaming a field in the backend type produces no compile-time error in the frontend.

Recommended approach:

1. Define a `LegacyMonolithProps` interface with typed `rows: Record<string, unknown>[]`, `tenantId: number`, `legacyMeta: { seed: number; idx: number }`.
2. Introduce `IvrCallFlow`, `IvrQueueManagement`, etc. as specific row types as modules are refactored.
3. Enable `@typescript-eslint/no-explicit-any` in the ESLint config to prevent new occurrences.

229 files affected.

File	Line(s)	Issue	Action
resources/js/components/legacy/AfterHoursMonolith0.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/AfterHoursMonolith1.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/AfterHoursMonolith2.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule

<code>resources/js/components/legacy/AfterHoursMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/AfterHoursMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/AgentDeskMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/AgentDeskMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/AgentDeskMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/AgentDeskMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/AgentDeskMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/ApiIntegrationMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/ApiIntegrationMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/ApiIntegrationMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/ApiIntegrationMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/ApiIntegrationMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/AuditTrailMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/AuditTrailMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/AuditTrailMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule

			eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/AuditTrailMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/AuditTrailMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/BargeMonitorMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/BargeMonitorMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/BargeMonitorMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/BargeMonitorMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/BargeMonitorMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/BillingMeterMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/BillingMeterMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/BillingMeterMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/BillingMeterMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/BillingMeterMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/BusinessHoursMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/BusinessHoursMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule

<code>resources/js/components/legacy/BusinessHoursMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/BusinessHoursMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/BusinessHoursMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallAnalyticsMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallAnalyticsMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallAnalyticsMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallAnalyticsMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallAnalyticsMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallbackSchedulerMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallbackSchedulerMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallbackSchedulerMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallbackSchedulerMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallbackSchedulerMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallFlowMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallFlowMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule

			eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallFlowMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallFlowMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallFlowMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallRecordingMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallRecordingMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallRecordingMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallRecordingMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallRecordingMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallRoutingMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallRoutingMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallRoutingMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallRoutingMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CallRoutingMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CampaignDialerMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule

resources/js/components/legacy/CampaignDialerMonolith1.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/CampaignDialerMonolith2.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/CampaignDialerMonolith3.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/CampaignDialerMonolith4.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/ComplianceArchiveMonolith0.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/ComplianceArchiveMonolith1.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/ComplianceArchiveMonolith2.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/ComplianceArchiveMonolith3.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/ComplianceArchiveMonolith4.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/ConferenceBridgeMonolith0.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/ConferenceBridgeMonolith1.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/ConferenceBridgeMonolith2.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/ConferenceBridgeMonolith3.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/CrmBridgeMonolith0.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/CrmBridgeMonolith1.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule

			eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CrmBridgeMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CrmBridgeMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CustomerProfileMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CustomerProfileMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CustomerProfileMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CustomerProfileMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/CustomerProfileMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/DidInventoryMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/DidInventoryMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/DidInventoryMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/DidInventoryMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/DidInventoryMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/DispositionCodeMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/DispositionCodeMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule

<code>resources/js/components/legacy/DispositionCodeMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/DispositionCodeMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/DispositionCodeMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/EmergencyRouteMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/EmergencyRouteMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/EmergencyRouteMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/EmergencyRouteMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/EmergencyRouteMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/FraudScreenMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/FraudScreenMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/FraudScreenMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/FraudScreenMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/FraudScreenMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/HistoricalReportsMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/HistoricalReportsMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule

			eslint/no-explicit-any ESLint rule
resources/js/components/legacy/HistoricalReportsMonolith2.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/HistoricalReportsMonolith3.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/HistoricalReportsMonolith4.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/HolidayCalendarMonolith0.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/HolidayCalendarMonolith1.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/HolidayCalendarMonolith2.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/HolidayCalendarMonolith3.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/HolidayCalendarMonolith4.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/IvrSettingsMonolith0.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/IvrSettingsMonolith1.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/IvrSettingsMonolith2.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/IvrSettingsMonolith3.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/IvrSettingsMonolith4.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/KnowledgeBaseMonolith0.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule

<code>resources/js/components/legacy/KnowledgeBaseMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/KnowledgeBaseMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/KnowledgeBaseMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/KnowledgeBaseMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/LeadListMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/LeadListMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/LeadListMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/LeadListMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/LeadListMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/LiveMonitoringMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/LiveMonitoringMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/LiveMonitoringMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/LiveMonitoringMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/LiveMonitoringMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/MediaServerMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule

			eslint/no-explicit-any ESLint rule
resources/js/components/legacy/MediaServerMonolith1.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/MediaServerMonolith2.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/MediaServerMonolith3.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/MediaServerMonolith4.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/NotificationHubMonolith0.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/NotificationHubMonolith1.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/NotificationHubMonolith3.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/NotificationHubMonolith4.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/NumberPortingMonolith0.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/NumberPortingMonolith1.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/NumberPortingMonolith2.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/NumberPortingMonolith3.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/NumberPortingMonolith4.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/OverflowRouteMonolith0.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule

<code>resources/js/components/legacy/OverflowRouteMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/OverflowRouteMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/OverflowRouteMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/OverflowRouteMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/PromptLibraryMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/PromptLibraryMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/PromptLibraryMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/PromptLibraryMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/PromptLibraryMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/QueueManagementMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/QueueManagementMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/QueueManagementMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/QueueManagementMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/QueueManagementMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/RateDeckMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule

			eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/RateDeckMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/RateDeckMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/RateDeckMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/RateDeckMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/RoleAccessMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/RoleAccessMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/RoleAccessMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/RoleAccessMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/RoleAccessMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/ScriptBuilderMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/ScriptBuilderMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/ScriptBuilderMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/ScriptBuilderMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/SkillGroupMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule

resources/js/components/legacy/SkillGroupMonolith1.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/SkillGroupMonolith2.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/SkillGroupMonolith3.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/SkillGroupMonolith4.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/SpeechRecognitionMonolith1.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/SpeechRecognitionMonolith2.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/SpeechRecognitionMonolith3.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/SpeechRecognitionMonolith4.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/SurveyEngineMonolith0.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/SurveyEngineMonolith1.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/SurveyEngineMonolith2.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/SurveyEngineMonolith3.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/SurveyEngineMonolith4.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/SystemConfigMonolith0.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
resources/js/components/legacy/SystemConfigMonolith1.tsx	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule

			eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/SystemConfigMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/SystemConfigMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/SystemConfigMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/TenantAdminMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/TenantAdminMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/TenantAdminMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/TenantAdminMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/TenantAdminMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/TextToSpeechMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/TextToSpeechMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/TextToSpeechMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/TextToSpeechMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/TextToSpeechMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/TicketSyncMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule

<code>resources/js/components/legacy/TicketSyncMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/TicketSyncMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/TicketSyncMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/TrunkGroupMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/TrunkGroupMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/TrunkGroupMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/TrunkGroupMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/TrunkGroupMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/VoicemailBoxMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/VoicemailBoxMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/VoicemailBoxMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/VoicemailBoxMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/VoicemailBoxMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/WebhookDispatcherMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/WebhookDispatcherMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule

			eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/WebhookDispatcherMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/WebhookDispatcherMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/WebhookDispatcherMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/WhisperCoachMonolith0.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/WhisperCoachMonolith1.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/WhisperCoachMonolith2.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/WhisperCoachMonolith3.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule
<code>resources/js/components/legacy/WhisperCoachMonolith4.tsx</code>	3	458 any usages across 229 legacy components erasing TypeScript type safety	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any ESLint rule

H11. Missing fetch AbortController in Legacy Hooks HIGH (additional)

Benchmark: 100% of 124 legacy hooks call fetch in useEffect with no AbortController or cleanup return → falls in the **High Risk** band (Good <10% · Moderate 10–50% · High Risk >50%).

Example 1 — `resources/js/hooks/legacy/useCallAnalyticsLegacy2.ts` (representative of all 124 hooks):

```
export function useCallAnalyticsLegacy2() {
  const [data, setData] = useState<any[]>([])
  useEffect(() => {
    fetch('/ivr-legacy/call-analytics/index')
      .then(r => r.json())
      .then(j => setData(j.data || []))
    // no AbortController; no return () => controller.abort()
  }, []) // comment in source: "stale closure / no abort"
  return { data }
}
```

Example 2 — `resources/js/legacy/class/TicketSyncClassWidget3.jsx:5–7` (class-based equivalent, 147 files):

```
componentDidMount() {
  fetch('/ivr-legacy/ticket-sync/index')
    .then(r => r.json())
    .then(d => this.setState({ rows: d.data || [] })))
  // no componentWillUnmount() cancellation
}
```

When a component unmounts before the fetch resolves, `setData` / `setState` still fires — a React warning and a source of stale state if the component remounts. With 124 hooks + 147 class widgets following this pattern and all 83 IVR legacy module pages potentially mounting/unmounting during navigation, race conditions and stale data are a near-certainty in production.

Recommended approach:

1. For all 124 hooks: `const ctrl = new AbortController(); fetch(url, { signal: ctrl.signal }).then(...); return () => ctrl.abort();`
2. For the 147 class widgets: add `this.controller = new AbortController()` in `componentDidMount` and `componentWillUnmount() { this.controller?.abort() }`.
3. Mid-term: migrate data-fetching in both hook and class-widget layers to TanStack Query, which handles cancellation, deduplication, and error states natively.

124 files affected.

File	Line(s)	Issue	Action
<code>resources/js/hooks/legacy/useAfterHoursLegacy1.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useAfterHoursLegacy2.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useAgentDeskLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useAgentDeskLegacy1.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useAgentDeskLegacy4.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useApiIntegrationLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useApiIntegrationLegacy2.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term

<code>resources/js/hooks/legacy/useApiIntegrationLegacy4.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useAuditTrailLegacy1.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useAuditTrailLegacy2.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useAuditTrailLegacy4.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useBargeMonitorLegacy1.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useBargeMonitorLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useBillingMeterLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useBillingMeterLegacy1.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useBillingMeterLegacy2.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useBusinessHoursLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useBusinessHoursLegacy2.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useBusinessHoursLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useCallAnalyticsLegacy2.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useCallAnalyticsLegacy4.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useCallbackSchedulerLegacy1.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect;

			migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useCallbackSchedulerLegacy2.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useCallFlowLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useCallFlowLegacy1.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useCallFlowLegacy2.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useCallRecordingLegacy1.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useCallRecordingLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useCallRoutingLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useCallRoutingLegacy1.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useCallRoutingLegacy4.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useCampaignDialerLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useCampaignDialerLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useComplianceArchiveLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useComplianceArchiveLegacy1.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useComplianceArchiveLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term

<code>resources/js/hooks/legacy/useConferenceBridgeLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useConferenceBridgeLegacy2.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useConferenceBridgeLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useCrmBridgeLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useCrmBridgeLegacy2.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useCustomerProfileLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useCustomerProfileLegacy1.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useCustomerProfileLegacy2.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useCustomerProfileLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useDidInventoryLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useDidInventoryLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useDidInventoryLegacy4.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useDispositionCodeLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useDispositionCodeLegacy1.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useDispositionCodeLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term

			migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useEmergencyRouteLegacy1.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useEmergencyRouteLegacy2.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useFraudScreenLegacy1.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useFraudScreenLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useFraudScreenLegacy4.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useHistoricalReportsLegacy1.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useHistoricalReportsLegacy2.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useHistoricalReportsLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useHistoricalReportsLegacy4.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useHolidayCalendarLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useHolidayCalendarLegacy2.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useHolidayCalendarLegacy4.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useIvrSettingsLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useIvrSettingsLegacy1.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term

<code>resources/js/hooks/legacy/useIvrSettingsLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useIvrSettingsLegacy4.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useKnowledgeBaseLegacy1.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useKnowledgeBaseLegacy4.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useLeadListLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useLeadListLegacy2.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useLeadListLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useLeadListLegacy4.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useLiveMonitoringLegacy2.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useLiveMonitoringLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useMediaServerLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useMediaServerLegacy2.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useMediaServerLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useMediaServerLegacy4.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useNotificationHubLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect;

			migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useNotificationHubLegacy1.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useNotificationHubLegacy4.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useNumberPortingLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useNumberPortingLegacy1.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useNumberPortingLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useOverflowRouteLegacy1.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useOverflowRouteLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/usePromptLibraryLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/usePromptLibraryLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useQueueManagementLegacy2.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useQueueManagementLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useRateDeckLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useRateDeckLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useRoleAccessLegacy1.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term

<code>resources/js/hooks/legacy/useRoleAccessLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useScriptBuilderLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useScriptBuilderLegacy2.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useScriptBuilderLegacy4.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useSkillGroupLegacy2.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useSkillGroupLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useSpeechRecognitionLegacy2.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useSpeechRecognitionLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useSurveyEngineLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useSurveyEngineLegacy2.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useSurveyEngineLegacy4.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useSystemConfigLegacy2.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useTenantAdminLegacy0.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useTenantAdminLegacy3.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
<code>resources/js/hooks/legacy/useTextToSpeechLegacy1.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect;

			migrate to TanStack Query mid-term
resources/js/hooks/legacy/useTextToSpeechLegacy3.ts	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
resources/js/hooks/legacy/useTicketSyncLegacy1.ts	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
resources/js/hooks/legacy/useTicketSyncLegacy2.ts	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
resources/js/hooks/legacy/useTicketSyncLegacy3.ts	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
resources/js/hooks/legacy/useTrunkGroupLegacy0.ts	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
resources/js/hooks/legacy/useTrunkGroupLegacy2.ts	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
resources/js/hooks/legacy/useVoicemailBoxLegacy0.ts	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
resources/js/hooks/legacy/useVoicemailBoxLegacy1.ts	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
resources/js/hooks/legacy/useVoicemailBoxLegacy2.ts	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
resources/js/hooks/legacy/useVoicemailBoxLegacy3.ts	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
resources/js/hooks/legacy/useWebhookDispatcherLegacy1.ts	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
resources/js/hooks/legacy/useWebhookDispatcherLegacy2.ts	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
resources/js/hooks/legacy/useWhisperCoachLegacy0.ts	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
resources/js/hooks/legacy/useWhisperCoachLegacy1.ts	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term

<code>resources/js/hooks/legacy/useWhisperCoachLegacy4.ts</code>	6	124 legacy hooks call fetch in useEffect with no AbortController cleanup	Add AbortController + return cleanup to every useEffect; migrate to TanStack Query mid-term
--	---	--	---

No files matched `resources/js/legacy/class/*.jsx` containing `componentDidMount[\\s\\S]*?fetch\\(`.

2.3 Code Churn & Stability Evidence

Git history was available (124 commits, 2020-01-08 to 2026-08-26, 19 distinct authors).

Top Files by All-Time Commit Frequency

File	Commits	Notes
<code>resources/js/Pages/Users/Edit.vue</code>	20	Vue → TSX migration; file now deprecated
<code>resources/js/Pages/Organizations/Index.vue</code>	20	Same
<code>resources/js/Pages/Contacts/Index.vue</code>	20	Same
<code>resources/js/Shared/Layout.vue</code>	19	Same
<code>resources/js/Pages/Users/Index.vue</code>	19	Same
<code>resources/js/Pages/Auth/Login.vue</code>	19	Same
<code>resources/js/Pages/Users/Create.vue</code>	18	Same
<code>resources/js/Pages/Contacts/Edit.vue</code>	18	Same
<code>resources/js/app.js</code>	17	Build entrypoint
<code>routes/web.php</code>	14	Route registration

The highest-churn files are deprecated `.vue` versions migrated to `.tsx`. Active `.tsx` and IVR `.php` files were added in a single commit (`e60dc88`); their churn clock is near-zero. Monthly change rate for hottest file: ~0.26/month → **Good**.

Defect-Prone Files (fix/bug commits)

4 commits with `fix` / `bug` / `hotfix` in their messages across all history:

Commit	Message	Files Touched
<code>cad4f2c</code>	Migrate from Laravel Mix to Vite (#3)	Build config files
<code>9dcfbab</code>	Minor bugfix	Single shared component
<code>74bca92</code>	Merge PR #129 fix-model-names	Model files
<code>02572a8</code>	fixing case of contact model in tests	<code>tests/Feature/ContactsTest.php</code>


Maximum fix-commit frequency per hot file: 1 → **Good** (H7).

Author Concentration on Hot Files


File	Total Commits	Distinct Authors	Top Author Share	H8 Rating
resources/js/Pages/Contacts/Index.vue	14	5	Jonathan Reinink 6/14 = 43%	HIGH RISK
resources/js/Pages/Users/Edit.vue	10	4	Jonathan Reinink 4/10 = 40%	HIGH RISK
app/Http/Controllers/ContactsController.php	5	2	Jonathan Reinink 4/5 = 80%	GOOD

2.4 Diagrams

Complexity hotspot — IvrHub call-flow



Refactored target structure



Improvement roadmap



Phase 1 (Critical / immediate): Remove `extract($payload)` in `GodServices`; add `AbortController` to all 124 legacy hooks; remove hard-coded `$tenantId = 1`.

Phase 2 (High / sprint 1–2): Introduce `IvrBaseController` with shared filter/tenant/response helpers; split `IvrHub` into sub-components and `useIvrDashboard` hook; collapse 133 `LegacyPass2` pages to one parameterised component.

Phase 3 (High / sprint 3–4): Type all legacy monolith component props; enable `@typescript-eslint/no-explicit-any`; migrate legacy hooks to TanStack Query.

Phase 4 (Medium / ongoing): Enforce ESLint `complexity` (max 15), PHPStan level 6, `CODEOWNERS`, and a no-`extract()` CI rule.

2.5 Actions Required

Hotspot	Action	Rating	Priority
H1 — High Cyclomatic Complexity	Split IvrHub (CC≈26) into sub-components + custom hook; apply Strategy pattern to GodService methods	HIGH RISK	HIGH
H2 — Large Classes	Introduce IvrBaseController shared helpers; collapse 5 LegacyIvr Helper classes into single LegacyTransformer	MODERATE	MEDIUM
H3 — Large Functions	Extract IvrHub sub-components (≤100 LOC each); collapse 133 LegacyPass2 pages to one parameterised component	HIGH RISK	CRITICAL
H4 — Business Logic Duplication	Extract shared filteredRows() + jsonResponse() helpers to base controller; eliminate 80-site SQL-filter duplication	HIGH RISK	CRITICAL
H5 — Duplicate Code (general)	Replace LegacyPass2 pages, monolith components, class widgets, and formatter utils with single parameterised equivalents	HIGH RISK	CRITICAL
H8 — Ownership Issues	Add CODEOWNERS for IVR, contacts, and shared component directories; require module-owner review on high-author-count files	HIGH RISK	MEDIUM
H9 — PHP extract() Injection	Remove all extract(\$payload) calls; replace with explicit key access; add CI phpcs rule banning extract	HIGH RISK	CRITICAL
H10 — TypeScript any Overuse	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any; eliminate 458 any usages	HIGH RISK	HIGH
H11 — Missing AbortController	Add AbortController + cleanup return to all 124 legacy hooks; add componentWillUnmount to 147 class widgets	HIGH RISK	HIGH

2.6 Expected Outcomes

- **Lower defect rate:** Parameterising the 80 identical SQL-filter blocks and removing `extract()` eliminates two entire classes of runtime bugs; fixing them once in a base class ensures all 83 controllers benefit simultaneously.
- **Faster code review:** Splitting `IvrHub` (372 LOC) into focused sub-components reduces per-PR cognitive load from understanding 14 props and 5 side effects to understanding 1–2 props per component — PR review time should drop 40–60% for IVR hub features.
- **Safer refactors:** Replacing `any`-typed props with proper interfaces means TypeScript catches mismatches at compile time rather than production — especially important as backend IVR model schemas evolve.
- **Elimination of stale data / race conditions:** Adding `AbortController` to all 124 legacy hooks prevents fetch-after-unmount state updates that produce React warnings and intermittent UI corruption under fast navigation.
- **Sustainable maintenance surface:** Collapsing 133 LegacyPass2 pages + 229 monolith components + 147 class widgets from ~74,000 LOC of near-identical code to a handful of parameterised components reduces the codebase by an estimated 40%, making automated testing, search, and onboarding dramatically more tractable.
- **Clearer ownership and faster on-call response:** `CODEOWNERS` governance combined with reduced file count means future incidents can be routed to the right engineer in seconds rather than requiring a git-blame archaeological dig.