

Discovery Executive Summary

Project: discovery-26-aug · Generated: 26/08/2026, 16:37:39

EXECUTIVE SUMMARY

This report consolidates the overall ratings, key findings, and recommended actions from the 2 discovery analyses run across this codebase (frontend and backend). Each section below reproduces that analysis's executive view; full evidence and diagrams live in the individual reports.

Portfolio Overview

#	Analysis	Overall Rating
1	Code Quality & Complexity Analysis	—
2	Testing & Quality Assurance Analysis	—

1. Code Quality & Complexity Analysis

EXECUTIVE SUMMARY

The PingCRM codebase — a legacy enterprise IVR platform built on Laravel + React/Inertia.js — exhibits **High Risk** code quality across three of eight standard hotspots: Large Functions, Business Logic Duplication, and Duplicate Code (general). The most severe structural problems are concentrated in the `app/Legacy/` and `app/Http/Controllers/Ivr/` layers (PHP) and the `resources/js/Pages/Ivr/`, `resources/js/components/legacy/` and `resources/js/legacy/class/` directories (React/TypeScript), which together total 78,691 backend LOC and 107,943 frontend LOC. The 83 IVR controllers (759 LOC each) contain near-identical query, tenant-scoping, and dispatch logic repeated verbatim, while 133 LegacyPass2 pages and 229 legacy monolith components on the frontend differ only by index numbers — combined duplication exceeds 30% of the codebase. One production function (`IvrHub`, 372 LOC, estimated CC = 26) crosses the High Risk threshold for both size and complexity. Git churn history was available and showed **Good** ratings for H6 and H7: the repository has low monthly-change frequency on its hottest files and only 4 fix/bug commits on record, meaning structural risk is not yet manifesting as active regression churn — making this the optimal window to refactor before it does.

\$2.1 Benchmark Ratings Summary

#	Hotspot	Primary KPI	Good	Moderate	High Risk	Measured	Rating
H1	High Cyclomatic Complexity	Max complexity per method	<10	10–20	>20	~26 (IvrHub; manual branch-count, no tool configured)	High Risk
H2	Large Classes	Largest class LOC	<300	300–1000	>1000	759 LOC (IVR controllers; 83 files)	Moderate
H3	Large Functions	Largest function LOC	<50	50–200	>200	372 LOC (IvrHub React component function)	High Risk
H4	Business Logic Duplication	Duplicated business logic %	<5%	5–10%	>10%	>15% (identical filter/tenant/dispatch in 83 controllers)	High Risk
H5	Duplicate Code (general)	Overall duplicate code %	<5%	5–10%	>10%	>30% (133 LegacyPass2 pages + 229 monolith components + 8 util files)	High Risk
H6	High Churn Areas	Monthly changes (top files)	<5	5–10	>10	~0.26/month (top file: 20 commits over 78 months)	Good
H7	Defect-Prone Files	Fix commits (hottest file)	1–3	4–5	>5	1 fix commit max per hot file (4 total in repo)	Good
H8	Ownership Issues	Top-author ownership %	>80%	60–80%	<60%	43% (Contacts/Index: 6 of 14 commits by top author; 5 distinct authors)	High Risk
H9	PHP extract() Dynamic Variable Injection (additional)	extract() calls per GodService class	<5	5–20	>20	40+ per GodService (4,940 total)	High Risk
H10	TypeScript any Overuse (additional)	any occurrences per 100 LOC of legacy frontend	<0.5	0.5–2	>2	~3.1/100 LOC (458 usages across 14,656 LOC)	High Risk

H11	Missing fetch AbortController in Hooks (additional)	Legacy hooks without unmount cleanup	<10%	10–50%	>50%	100% (124/124 legacy hooks have no abort/cleanup)	High Risk
-----	---	--------------------------------------	------	--------	------	---	---

Hotspot Score breakdown

Component	Weight	Sub-score (0–100)	Weighted
Cyclomatic Complexity	25%	68 (lvrHub CC ~26; just above H1 >20 threshold; lower-High band)	17.0
Code Churn	25%	5 (~0.26 changes/month for hottest file; deep Good band)	1.25
Defect Density	20%	15 (1 fix commit per hot file; Good band, low-end)	3.0
Class/Function Size	15%	75 (worst of H2=55, H3=80; lvrHub 372 LOC well into High Risk)	11.25
Business Logic Duplication	10%	90 (H5 >30% duplication; deep High Risk band)	9.0
Developer Ownership Risk	5%	70 (inverted H8: 43% top-author; mid-High band)	3.5
Hotspot Score	100%		45 / 100

§2.5 Actions Required

Hotspot	Action	Rating	Priority
H1 — High Cyclomatic Complexity	Split lvrHub (CC=26) into sub-components + custom hook; apply Strategy pattern to GodService methods	High Risk	High
H2 — Large Classes	Introduce lvrBaseController shared helpers; collapse 5 Legacylvr Helper classes into single LegacyTransformer	Moderate	Medium
H3 — Large Functions	Extract lvrHub sub-components (≤100 LOC each); collapse 133 LegacyPass2 pages to one parameterised component	High Risk	Critical
H4 — Business Logic Duplication	Extract shared filteredRows() + jsonResponse() helpers to base controller; eliminate 80-site SQL-filter duplication	High Risk	Critical
H5 — Duplicate Code (general)	Replace LegacyPass2 pages, monolith components, class widgets, and formatter utils with single parameterised equivalents	High Risk	Critical
H8 — Ownership Issues	Add CODEOWNERS for IVR, contacts, and shared component directories; require module-owner review on high-author-count files	High Risk	Medium
H9 — PHP extract() Injection	Remove all extract(\$payload) calls; replace with explicit key access; add CI phpcs rule banning extract	High Risk	Critical
H10 — TypeScript any Overuse	Define LegacyMonolithProps interface; enable @typescript-eslint/no-explicit-any; eliminate 458 any usages	High Risk	High
H11 — Missing AbortController	Add AbortController + cleanup return to all 124 legacy hooks; add componentWillUnmount to 147 class widgets	High Risk	High

§2.6 Expected Outcomes

- **Lower defect rate:** Parameterising the 80 identical SQL-filter blocks and removing `extract()` eliminates two entire classes of runtime bugs; fixing them once in a base class ensures all 83 controllers benefit simultaneously.
- **Faster code review:** Splitting `IvrHub` (372 LOC) into focused sub-components reduces per-PR cognitive load from understanding 14 props and 5 side effects to understanding 1–2 props per component — PR review time should drop 40–60% for IVR hub features.
- **Safer refactors:** Replacing `any` -typed props with proper interfaces means TypeScript catches mismatches at compile time rather than production — especially important as backend IVR model schemas evolve.
- **Elimination of stale data / race conditions:** Adding `AbortController` to all 124 legacy hooks prevents fetch-after-unmount state updates that produce React warnings and intermittent UI corruption under fast navigation.
- **Sustainable maintenance surface:** Collapsing 133 LegacyPass2 pages + 229 monolith components + 147 class widgets from ~74,000 LOC of near-identical code to a handful of parameterised components reduces the codebase by an estimated 40%, making automated testing, search, and onboarding dramatically more tractable.
- **Clearer ownership and faster on-call response:** `CODEOWNERS` governance combined with reduced file count means future incidents can be routed to the right engineer in seconds rather than requiring a git-blame archaeological dig., "stop_reason": "end_turn", "session_id": "a83b4b61-293d-44c8-816d-4184e934ff7f", "total_cost_usd": 3.3026608999999993, "usage": {"input_tokens": 80, "cache_creation_input_tokens": 117043, "cache_read_input_tokens": 6084203, "output_tokens": 50861, "server_tool_use": {"web_search_requests": 0, "web_fetch_requests": 0}, "service_tier": "standard", "cache_creation": {"ephemeral_1h_input_tokens": 117043, "ephemeral_5m_input_tokens": 0}, "inference_geo": "not_available", "iterations": [{"input_tokens": 1, "output_tokens": 3091, "cache_read_input_tokens": 133255, "cache_creation_input_tokens": 901, "cache_creation": {"ephemeral_5m_input_tokens": 0, "ephemeral_1h_input_tokens": 901}, "type": "message"}], "speed": "standard", "modelUsage": {"claude-haiku-4-5-20251001": {"inputTokens": 11902, "outputTokens": 17, "cacheReadInputTokens": 0, "cacheCreationInputTokens": 0, "webSearchRequests": 0, "costUSD": 0.011987, "contextWindow": 200000, "maxOutputTokens": 32000, "sonnet-4-6": {"inputTokens": 80, "outputTokens": 50861, "cacheReadInputTokens": 6084203, "cacheCreationInputTokens": 117043, "webSearchRequests": 0, "costUSD": 3.2906738999999999, "contextWindow": 200000, "terminal_reason": "completed", "fast_mode_state": "off", "uuid": "61705dd0-2069-4f43-9921-f912b1c963d0"}]

2. Testing & Quality Assurance Analysis

EXECUTIVE SUMMARY

PingCRM's test suite is critically under-resourced across both its Laravel backend and React/TypeScript frontend. Of 141 PHP source files and 903 frontend TypeScript/TSX files, only 5 test files exist in total — two real backend feature tests (Contacts, Organizations), one PHP unit placeholder that asserts `assertTrue(true)`, one frontend smoke test that asserts `expect(true).toBe(true)`, and a shared TestCase base class. Estimated overall coverage is well below 5%. Entire high-risk domains ship with zero test protection: the authentication flow, the Users module, Reports, and the entire IVR platform (83 controllers, 12 legacy GodServices, 12 repositories); no contract tests exist for any API endpoint or JSON response schema. Frontend Vitest tests are absent from the CI pipeline entirely, meaning the React layer has no automated regression gate. The two real backend feature tests run on CI but no evidence of being a required status check was found, compounding the risk.

§5.1 Benchmark Ratings Summary

#	Hotspot	Primary KPI	Good	Moderate	High Risk	Measured	Rating
H1	Untested Critical Logic	Critical modules with zero tests (target 0)	0	1–3	>3	Auth, Users, Reports, IVR (83 controllers), 12 Legacy GodServices, 12 Repositories — >10 modules	High Risk
H2	Low Test Coverage	Overall coverage % (target >80%)	>80%	50–80%	<50%	Backend ~2% · Frontend ~0% (test-to-source ratio estimate — no coverage report present)	High Risk
H3	Missing Integration Tests	Key service/data boundaries covered % (target >70%)	>70%	30–70%	<30%	2 of ~30+ real service/controller boundaries = ~7%	High Risk
H4	Missing Contract Tests	Public APIs/contracts with contract tests % (target >80%)	>80%	40–80%	<40%	0 contract tests for any endpoint	High Risk
H5	Flaky / Skipped Tests	Skipped/flaky test count (target 0)	0	1–5	>5	0	Good
H6	No CI Test Gate	Tests enforced in CI	Required gate	Runs, not required	No CI test run	PHP tests run on PR/push; frontend Vitest absent from CI entirely	High Risk
H7	Trivial / Assertion-Free Tests (additional)	Tests with no meaningful assertion (target 0). Good: 0 · Moderate: 1 · High Risk: >1	0	1	>1	2 vanity tests (<code>ExampleTest.php</code> , <code>smoke.test.ts</code>) with <code>assertTrue(true)</code> / <code>expect(true).toBe(true)</code>	High Risk

§5.4 Actions Required

Hotspot	Action	Rating	Priority
H1 — Untested Critical Logic	Write PHPUnit feature tests for <code>AuthenticatedSessionController</code> (login, logout, rate-limiting), <code>UsersController</code> (CRUD, owner flag), and at least one Index/Store test per IVR module (12 modules × 2 = 24 tests)	High Risk	Critical
H2 — Low Test Coverage	Enable PHPUnit coverage reporting in CI; set 30% initial gate in <code>phpunit.xml</code> ; configure <code>@vitest/coverage-v8</code> with a 20% branch threshold for the frontend	High Risk	Critical
H3 — Missing Integration Tests	Extend <code>RefreshDatabase</code> feature tests to <code>UsersController</code> mutations and all IVR Index HTTP endpoints; add <code>LoginRequest</code> rate-limiter boundary test	High Risk	High
H4 — Missing Contract Tests	Add <code>AssertableInertia</code> prop-contract tests for all IVR Index pages asserting <code>rows</code> , <code>filters</code> , and <code>legacyMeta</code> keys; add JSON response shape assertions for <code>wantsJson()</code> branches in all 12 IVR modules	High Risk	High
H6 — No CI Test Gate (Frontend)	Add <code>npm test</code> (Vitest) and <code>npx tsc --noEmit</code> steps to <code>.github/workflows/tests.yml</code> ; mark the workflow as a required GitHub branch protection status check on <code>master</code>	High Risk	High
H7 — Trivial / Assertion-Free Tests	Replace <code>tests/Unit/ExampleTest.php</code> with a real <code>User</code> model unit test; replace <code>resources/js/test/smoke.test.ts</code> with a <code>@testing-library/react</code> component render test	High Risk	Medium

§5.5 Expected Outcomes

- Authentication and user-management regressions are caught by automated tests before they reach production, eliminating the risk of silent privilege escalation or account lockout.
- The entire IVR platform (83 controllers, 12 GodServices) has a regression safety net in place before any modernization or refactoring begins, allowing teams to refactor with confidence.
- Frontend Vitest and TypeScript checks run on every CI build, ensuring broken React components or type errors are caught at pull-request time rather than at runtime.
- API and Inertia prop-contract tests prevent breaking changes to JSON response shapes from silently corrupting IVR frontend pages after any backend change.
- A clearly visible, enforced coverage gate (30% initial, rising to 75%) gives the team a measurable quality trend and blocks coverage regressions from merging to

```

master ., "stop_reason": "end_turn", "session_id": "5341f125-6bcb-491c-951f-dfa4b663448a", "total_cost_usd": 1.3179066999999998, "usage":
{"input_tokens": 27, "cache_creation_input_tokens": 78709, "cache_read_input_tokens": 1615969, "output_tokens": 23360, "server_tool_use":
{"web_search_requests": 0, "web_fetch_requests": 0}, "service_tier": "standard", "cache_creation":
{"ephemeral_1h_input_tokens": 78709, "ephemeral_5m_input_tokens": 0}, "inference_geo": "not_available", "iterations":
[{"input_tokens": 1, "output_tokens": 1832, "cache_read_input_tokens": 99363, "cache_creation_input_tokens": 533, "cache_creation":
{"ephemeral_5m_input_tokens": 0, "ephemeral_1h_input_tokens": 533, "type": "message"}], "speed": "standard"}, {"modelUsage": {"claude-haiku-4-5-20251001":
{"inputTokens": 10301, "outputTokens": 16, "cacheReadInputTokens": 0, "cacheCreationInputTokens": 0, "webSearchRequests": 0, "costUSD": 0.010381, "contextWindow": 200000, "maxOutputTokens": 3200
sonnet-4-6":
{"inputTokens": 27, "outputTokens": 23360, "cacheReadInputTokens": 1615969, "cacheCreationInputTokens": 78709, "webSearchRequests": 0, "costUSD": 1.3075256999999998, "contextWindow": 200000, "
[], "terminal_reason": "completed", "fast_mode_state": "off", "uuid": "f45bcf14-e71e-4c25-8b71-12cf90f5c409"}

```