

3. Frontend Discovery & Modernization Analysis

Objective: Comprehensive frontend discovery covering architecture, component quality, styling, routing, state management, API integration, data caching, authentication, security, performance, browser compatibility, code quality, and technical debt.

Date: 2026-08-07 11:49:16 UTC | **Scope:** `resources/js/` — React 19.2.3 + TypeScript 5.6.3 (strict) + Inertia.js 2 SPA on a Laravel 11 / Vite 7 backend

Executive Summary

EXECUTIVE SUMMARY

This is the React/Inertia.js single-page frontend of a PingCRM-derived CRM that has been heavily extended with a synthetic "IVR" telephony surface. The core PingCRM slice (Pages/Contacts, Organizations, Users, Auth, Reports and the 14-component `Shared/` library) is clean, idiomatic React 19 with TypeScript strict mode on. The IVR extension, however, is a large modernization liability: 916 component files, of which ~517 are near-identical duplicates (133 `LegacyPass2_*` page clones, 229 `*Monolith*` components, 147 class-based `.jsx` widgets, 8 byte-identical formatter utilities). The most severe findings are the total absence of an API/service layer — all 874 `fetch()` calls are made inline inside components against an `unauthenticated ivr-legacy/*` route group — plus 375 files that start a 5-second `setInterval` poll with no cleanup (a systemic memory/network leak), 13,701 inline-`style` occurrences with zero design tokens, and a High-severity lodash CVE in a dependency that the frontend does not even import. TypeScript strict is enabled and ESLint is configured, but ESLint is not run in CI, and there are no error boundaries anywhere in the tree.

916

COMPONENTS /
FILES SCANNED

147

LEGACY CLASS-
BASED
COMPONENTS

0

COMPONENTS
OVER 500 LOC

0

GLOBAL /
SHARED STATE
MODULES

874

API CALLS
OUTSIDE
SERVICE LAYER

5+

SECURITY RISK
PATTERNS
FOUND

OVERALL CODEBASE RATING — FRONTEND DISCOVERY

High Risk

Driven by massive component duplication (H1), no API/service layer against an unguarded data API (H10/H12), no caching (H11), no design system (H8), weak architecture/inventory (H6/H7), security patterns (H13), and a systemic interval-leak (H18).

3.1 Benchmark Ratings Summary

One row per hotspot. "Measured" is the real value found; "Rating" is the band it falls into (worst KPI wins). This table is the source for the Overall Codebase Rating banner above.

#	Hotspot	Primary KPI	GOOD	MODERATE	HIGH RISK	Measured	Rating
---	---------	-------------	------	----------	-----------	----------	--------

H1	UI Component Duplication	Duplicate components %	<5%	5–10%	>10%	~517 / 916 ≈ 56% near-identical	HIGH RISK
H2	Legacy Class-Based Components	Modern component adoption %	>90%	70–90%	<70%	84.0% (147 class <code>.jsx</code>)	MODERATE
H3	Massive Components	Largest component LOC	<200	200–500	>500	479 LOC (134 files >300)	MODERATE
H4	Global State Dependencies	Components reading global state %	<30%	30–60%	>60%	~ 0% (no global store)	GOOD
H5	Complex State Management	Max prop-drilling depth	<3	3–5	>5	≤ 2 (Inertia page props)	GOOD
H6	Weak Frontend Architecture	Feature modules with clean boundaries %	>80%	50–80%	<50%	< 20% (API+UI+logic mixed)	HIGH RISK
H7	Missing Component Inventory	Shared component % of total	>30%	15–30%	<15%	1.5% (14 / 916, no Storybook)	HIGH RISK
H8	No Design System	Inline-style / magic-value occurrences	0–5	6–20	>20	13,701 inline styles, 0 tokens	HIGH RISK
H9	Routing Structure Weakness	Protected routes with guards %	100%	80–99%	<80%	100% page routes guarded	GOOD
H10	No API Integration Layer	API calls in service layer %	>90%	70–90%	<70%	0% (874 inline <code>fetch</code>)	HIGH RISK
H11	Poor Data Caching	Data-fetching points with caching %	>70%	40–70%	<40%	0% (no query cache)	HIGH RISK
H12	Weak Frontend Auth	Token storage + routes guarded	httpOnly + 100%	One gap	Both gaps	httpOnly cookie ☐ / data API unguarded	MODERATE
H13	Frontend Security Vulnerabilities	XSS-risk + hardcoded secrets count	0 each	1–3 total	>3 total	5+ (2 innerHTML, 2 no-SRI, seeded pw)	HIGH RISK
H14	Frontend Performance Gaps	Memoization / render optimization	good	some gaps	none + leaks	0 memo, 375 interval leaks	MODERATE
H15	Browser Compatibility Gaps	Browserslist + polyfills configured	Both present	One missing	Both missing	polyfills ☐ / no browserslist	MODERATE

H16	Frontend Code Quality	ESLint in CI + TypeScript strict	Both Yes	One Yes	Both No	strict ☐ / ESLint not in CI	MODERATE
H17	Technical Debt & Dependencies	Critical/High CVEs found	0	1–3	>3	1 High (lodash) + dead deps	MODERATE
H18	(additional) useEffect Cleanup / Leaks	Effects with timers lacking cleanup	0	1–10	>10	375 <code>setInterval</code> w/o cleanup	HIGH RISK
H19	(additional) Missing Error Boundaries	Error boundaries present	≥1 per area	1 global	0	0 boundaries app-wide	MODERATE

Additional hotspots: two beyond the standard set were observed and are folded into the ratings above — **H18** (effect cleanup: 375 timer effects with no teardown; threshold Good 0 · Moderate 1–10 · High Risk >10) and **H19** (error resilience: any uncaught render error blanks the whole SPA; threshold Good ≥1 boundary per area · Moderate 1 global · High Risk 0).

3.2 Hotspot-by-Hotspot Evidence

H1. UI Component Duplication CRITICAL

Benchmark: duplicate components = $\sim 517 / 916 \approx 56\%$ → falls in the **High Risk** band (Good <5% · Moderate 5–10% · High Risk >10%).

The IVR surface is generated boilerplate cloned across ~ 46 feature modules. Three clone families dominate: 133

`LegacyPass2_*` page variants, 229 `*Monolith[0-4]` components (five near-identical copies per feature), and 8 formatter utility files whose bodies are byte-identical apart from a numeric suffix.

`resources/js/utils/duplicate/legacyFormatters1.ts:3-6` (identical body repeated in `legacyFormatters2..8.ts`, 1101 lines each):

```
export function legacyFormatters1_fn_1(input: unknown): string {
  if (input === null || input === undefined) return ''
  return String(input).trim().toUpperCase() + '_1'
}
```

`resources/js/components/legacy/WhisperCoachMonolith0.tsx` through `WhisperCoachMonolith4.tsx` — five 64-line copies differing only by suffix; the same 5-copy pattern exists for every IVR feature (`CallAnalyticsMonolith0-4`, `RateDeckMonolith0-4`, ...). A fix to any shared behaviour must be applied dozens of times.

Why it matters here: style and behaviour drift silently between copies — a validation tweak or column fix lands in one

`LegacyPass2` clone but not its 2–3 siblings, so the same screen behaves differently depending on which route rendered it. The 8 identical formatter files also inflate the bundle and the type-check surface for zero functional gain.

Recommended approach: (1) collapse `legacyFormatters1-8.ts` into a single parameterised `utils/formatters.ts`; (2) extract one generic `IvrFeatureIndex` / `IvrFeatureForm` component driven by a per-feature config object, deleting the `LegacyPass2_*` clones; (3) replace the `*Monolith0-4` families with one configurable component per feature; (4) add `jscpd` to CI to fail builds above a duplication threshold.

370 files affected.

File	Line(s)	Issue	Action
<code>resources/js/components/legacy/AfterHoursMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/AfterHoursMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/AfterHoursMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/AfterHoursMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/AfterHoursMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/AgentDeskMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/AgentDeskMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/AgentDeskMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/AgentDeskMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/AgentDeskMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/ApiIntegrationMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/ApiIntegrationMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/ApiIntegrationMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones

			component/utility and delete clones
<code>resources/js/components/legacy/ApiIntegrationMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/ApiIntegrationMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/AuditTrailMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/AuditTrailMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/AuditTrailMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/AuditTrailMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/AuditTrailMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/BargeMonitorMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/BargeMonitorMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/BargeMonitorMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/BargeMonitorMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/BargeMonitorMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/BillingMeterMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/BillingMeterMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones

<code>resources/js/components/legacy/BillingMeterMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/BillingMeterMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/BillingMeterMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/BusinessHoursMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/BusinessHoursMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/BusinessHoursMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/BusinessHoursMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/BusinessHoursMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CallAnalyticsMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CallAnalyticsMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CallAnalyticsMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CallAnalyticsMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CallAnalyticsMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CallbackSchedulerMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CallbackSchedulerMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised

			component/utility and delete clones
<code>resources/js/components/legacy/CallbackSchedulerMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CallbackSchedulerMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CallbackSchedulerMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CallFlowMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CallFlowMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CallFlowMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CallFlowMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CallFlowMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CallRecordingMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CallRecordingMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CallRecordingMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CallRecordingMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CallRecordingMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CallRoutingMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones

resources/js/components/legacy/CallRoutingMonolith1.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/CallRoutingMonolith2.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/CallRoutingMonolith3.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/CallRoutingMonolith4.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/CampaignDialerMonolith0.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/CampaignDialerMonolith1.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/CampaignDialerMonolith2.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/CampaignDialerMonolith3.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/CampaignDialerMonolith4.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/ComplianceArchiveMonolith0.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/ComplianceArchiveMonolith1.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/ComplianceArchiveMonolith2.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/ComplianceArchiveMonolith3.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/ComplianceArchiveMonolith4.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/ConferenceBridgeMonolith0.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised

			component/utility and delete clones
<code>resources/js/components/legacy/ConferenceBridgeMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/ConferenceBridgeMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/ConferenceBridgeMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CrmBridgeMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CrmBridgeMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CrmBridgeMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CrmBridgeMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CustomerProfileMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CustomerProfileMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CustomerProfileMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CustomerProfileMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/CustomerProfileMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/DidInventoryMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/DidInventoryMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones

<code>resources/js/components/legacy/DidInventoryMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/DidInventoryMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/DidInventoryMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/DispositionCodeMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/DispositionCodeMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/DispositionCodeMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/DispositionCodeMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/DispositionCodeMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/EmergencyRouteMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/EmergencyRouteMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/EmergencyRouteMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/EmergencyRouteMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/EmergencyRouteMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/FraudScreenMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/FraudScreenMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised

			component/utility and delete clones
<code>resources/js/components/legacy/FraudScreenMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/FraudScreenMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/FraudScreenMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/HistoricalReportsMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/HistoricalReportsMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/HistoricalReportsMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/HistoricalReportsMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/HistoricalReportsMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/HolidayCalendarMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/HolidayCalendarMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/HolidayCalendarMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/HolidayCalendarMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/HolidayCalendarMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/IvrSettingsMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones

resources/js/components/legacy/IvrSettingsMonolith1.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/IvrSettingsMonolith2.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/IvrSettingsMonolith3.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/IvrSettingsMonolith4.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/KnowledgeBaseMonolith0.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/KnowledgeBaseMonolith1.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/KnowledgeBaseMonolith2.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/KnowledgeBaseMonolith3.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/KnowledgeBaseMonolith4.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/LeadListMonolith0.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/LeadListMonolith1.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/LeadListMonolith2.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/LeadListMonolith3.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/LeadListMonolith4.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/LiveMonitoringMonolith0.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised

			component/utility and delete clones
<code>resources/js/components/legacy/LiveMonitoringMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/LiveMonitoringMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/LiveMonitoringMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/LiveMonitoringMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/MediaServerMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/MediaServerMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/MediaServerMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/MediaServerMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/MediaServerMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/NotificationHubMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/NotificationHubMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/NotificationHubMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/NotificationHubMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/NumberPortingMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones

<code>resources/js/components/legacy/NumberPortingMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/NumberPortingMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/NumberPortingMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/NumberPortingMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/OverflowRouteMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/OverflowRouteMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/OverflowRouteMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/OverflowRouteMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/OverflowRouteMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/PromptLibraryMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/PromptLibraryMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/PromptLibraryMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/PromptLibraryMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/PromptLibraryMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/QueueManagementMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised

			component/utility and delete clones
<code>resources/js/components/legacy/QueueManagementMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/QueueManagementMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/QueueManagementMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/QueueManagementMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/RateDeckMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/RateDeckMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/RateDeckMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/RateDeckMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/RateDeckMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/RoleAccessMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/RoleAccessMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/RoleAccessMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/RoleAccessMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/RoleAccessMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones

<code>resources/js/components/legacy/ScriptBuilderMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/ScriptBuilderMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/ScriptBuilderMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/ScriptBuilderMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/SkillGroupMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/SkillGroupMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/SkillGroupMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/SkillGroupMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/SkillGroupMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/SpeechRecognitionMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/SpeechRecognitionMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/SpeechRecognitionMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/SpeechRecognitionMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/SurveyEngineMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/SurveyEngineMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised

			component/utility and delete clones
<code>resources/js/components/legacy/SurveyEngineMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/SurveyEngineMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/SurveyEngineMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/SystemConfigMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/SystemConfigMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/SystemConfigMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/SystemConfigMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/SystemConfigMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/TenantAdminMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/TenantAdminMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/TenantAdminMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/TenantAdminMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/TenantAdminMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/TextToSpeechMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones

resources/js/components/legacy/TextToSpeechMonolith1.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/TextToSpeechMonolith2.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/TextToSpeechMonolith3.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/TextToSpeechMonolith4.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/TicketSyncMonolith0.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/TicketSyncMonolith1.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/TicketSyncMonolith2.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/TicketSyncMonolith3.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/TrunkGroupMonolith0.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/TrunkGroupMonolith1.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/TrunkGroupMonolith2.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/TrunkGroupMonolith3.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/TrunkGroupMonolith4.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/VoicemailBoxMonolith0.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/components/legacy/VoicemailBoxMonolith1.tsx	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised

			component/utility and delete clones
<code>resources/js/components/legacy/VoicemailBoxMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/VoicemailBoxMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/VoicemailBoxMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/WebhookDispatcherMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/WebhookDispatcherMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/WebhookDispatcherMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/WebhookDispatcherMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/WebhookDispatcherMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/WhisperCoachMonolith0.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/WhisperCoachMonolith1.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/WhisperCoachMonolith2.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/WhisperCoachMonolith3.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/components/legacy/WhisperCoachMonolith4.tsx</code>	3	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/Pages/Ivr/AfterHours/LegacyPass2_130.tsx</code>	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones

resources/js/Pages/Ivr/AfterHours/LegacyPass2_36.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/AfterHours/LegacyPass2_83.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/AgentDesk/LegacyPass2_3.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/AgentDesk/LegacyPass2_50.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/AgentDesk/LegacyPass2_97.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/ApiIntegration/LegacyPass2_107.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/ApiIntegration/LegacyPass2_13.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/ApiIntegration/LegacyPass2_60.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/AuditTrail/LegacyPass2_110.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/AuditTrail/LegacyPass2_16.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/AuditTrail/LegacyPass2_63.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/BargeMonitor/LegacyPass2_132.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/BargeMonitor/LegacyPass2_38.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/BargeMonitor/LegacyPass2_85.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/BillingMeter/LegacyPass2_119.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised

			component/utility and delete clones
resources/js/Pages/Ivr/BillingMeter/LegacyPass2_25.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/BillingMeter/LegacyPass2_72.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/BusinessHours/LegacyPass2_5.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/BusinessHours/LegacyPass2_52.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/BusinessHours/LegacyPass2_99.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/CallAnalytics/LegacyPass2_101.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/CallAnalytics/LegacyPass2_54.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/CallAnalytics/LegacyPass2_7.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/CallbackScheduler/LegacyPass2_117.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/CallbackScheduler/LegacyPass2_23.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/CallbackScheduler/LegacyPass2_70.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/CallFlow/LegacyPass2_0.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/CallFlow/LegacyPass2_47.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/CallFlow/LegacyPass2_94.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones

resources/js/Pages/Ivr/CallRecording/LegacyPass2_10.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/CallRecording/LegacyPass2_104.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/CallRecording/LegacyPass2_57.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/CallRouting/LegacyPass2_1.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/CallRouting/LegacyPass2_48.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/CallRouting/LegacyPass2_95.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/CampaignDialer/LegacyPass2_40.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/CampaignDialer/LegacyPass2_87.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/ComplianceArchive/LegacyPass2_120.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/ComplianceArchive/LegacyPass2_26.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/ComplianceArchive/LegacyPass2_73.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/ConferenceBridge/LegacyPass2_127.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/ConferenceBridge/LegacyPass2_33.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/ConferenceBridge/LegacyPass2_80.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/CrmBridge/LegacyPass2_106.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised

			component/utility and delete clones
resources/js/Pages/Ivr/CrmBridge/LegacyPass2_12.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/CrmBridge/LegacyPass2_59.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/CustomerProfile/LegacyPass2_105.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/CustomerProfile/LegacyPass2_11.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/CustomerProfile/LegacyPass2_58.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/DidInventory/LegacyPass2_100.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/DidInventory/LegacyPass2_53.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/DidInventory/LegacyPass2_6.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/DispositionCode/LegacyPass2_39.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/DispositionCode/LegacyPass2_86.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/EmergencyRoute/LegacyPass2_128.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/EmergencyRoute/LegacyPass2_34.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/EmergencyRoute/LegacyPass2_81.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/FraudScreen/LegacyPass2_121.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones

resources/js/Pages/Ivr/FraudScreen/LegacyPass2_27.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/FraudScreen/LegacyPass2_74.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/HistoricalReports/LegacyPass2_102.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/HistoricalReports/LegacyPass2_55.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/HistoricalReports/LegacyPass2_8.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/HolidayCalendar/LegacyPass2_129.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/HolidayCalendar/LegacyPass2_35.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/HolidayCalendar/LegacyPass2_82.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/IvrSettings/LegacyPass2_113.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/IvrSettings/LegacyPass2_19.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/IvrSettings/LegacyPass2_66.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/KnowledgeBase/LegacyPass2_43.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/KnowledgeBase/LegacyPass2_90.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/LeadList/LegacyPass2_41.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/LeadList/LegacyPass2_88.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised

			component/utility and delete clones
resources/js/Pages/Ivr/LiveMonitoring/LegacyPass2_103.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/LiveMonitoring/LegacyPass2_56.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/LiveMonitoring/LegacyPass2_9.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/MediaServer/LegacyPass2_124.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/MediaServer/LegacyPass2_30.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/MediaServer/LegacyPass2_77.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/NotificationHub/LegacyPass2_108.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/NotificationHub/LegacyPass2_14.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/NotificationHub/LegacyPass2_61.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/NumberPorting/LegacyPass2_122.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/NumberPorting/LegacyPass2_28.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/NumberPorting/LegacyPass2_75.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/OverflowRoute/LegacyPass2_115.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/OverflowRoute/LegacyPass2_21.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones

resources/js/Pages/Ivr/OverflowRoute/LegacyPass2_68.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/PromptLibrary/LegacyPass2_4.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/PromptLibrary/LegacyPass2_51.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/PromptLibrary/LegacyPass2_98.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/QueueManagement/LegacyPass2_2.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/QueueManagement/LegacyPass2_49.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/QueueManagement/LegacyPass2_96.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/RateDeck/LegacyPass2_46.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/RateDeck/LegacyPass2_93.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/RoleAccess/LegacyPass2_109.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/RoleAccess/LegacyPass2_15.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/RoleAccess/LegacyPass2_62.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/ScriptBuilder/LegacyPass2_42.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/ScriptBuilder/LegacyPass2_89.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/SkillGroup/LegacyPass2_114.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised

			component/utility and delete clones
<code>resources/js/Pages/Ivr/SkillGroup/LegacyPass2_20.tsx</code>	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/Pages/Ivr/SkillGroup/LegacyPass2_67.tsx</code>	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/Pages/Ivr/SpeechRecognition/LegacyPass2_125.tsx</code>	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/Pages/Ivr/SpeechRecognition/LegacyPass2_31.tsx</code>	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/Pages/Ivr/SpeechRecognition/LegacyPass2_78.tsx</code>	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/Pages/Ivr/SurveyEngine/LegacyPass2_118.tsx</code>	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/Pages/Ivr/SurveyEngine/LegacyPass2_24.tsx</code>	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/Pages/Ivr/SurveyEngine/LegacyPass2_71.tsx</code>	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/Pages/Ivr/SystemConfig/LegacyPass2_112.tsx</code>	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/Pages/Ivr/SystemConfig/LegacyPass2_18.tsx</code>	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/Pages/Ivr/SystemConfig/LegacyPass2_65.tsx</code>	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/Pages/Ivr/TenantAdmin/LegacyPass2_111.tsx</code>	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/Pages/Ivr/TenantAdmin/LegacyPass2_17.tsx</code>	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/Pages/Ivr/TenantAdmin/LegacyPass2_64.tsx</code>	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones

resources/js/Pages/Ivr/TextToSpeech/LegacyPass2_126.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/TextToSpeech/LegacyPass2_32.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/TextToSpeech/LegacyPass2_79.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/TicketSync/LegacyPass2_44.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/TicketSync/LegacyPass2_91.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/TrunkGroup/LegacyPass2_123.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/TrunkGroup/LegacyPass2_29.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/TrunkGroup/LegacyPass2_76.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/VoicemailBox/LegacyPass2_116.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/VoicemailBox/LegacyPass2_22.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/VoicemailBox/LegacyPass2_69.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/WebhookDispatcher/LegacyPass2_45.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/WebhookDispatcher/LegacyPass2_92.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/WhisperCoach/LegacyPass2_131.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
resources/js/Pages/Ivr/WhisperCoach/LegacyPass2_37.tsx	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised

			component/utility and delete clones
<code>resources/js/Pages/Ivr/WhisperCoach/LegacyPass2_84.tsx</code>	3, 391, 392	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/utls/duplicate/legacyFormatters1.ts</code>	1, 3, 8, 13, 18, 23, 28, 33, 38, 43, 48, 53 +209	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/utls/duplicate/legacyFormatters2.ts</code>	1, 3, 8, 13, 18, 23, 28, 33, 38, 43, 48, 53 +209	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/utls/duplicate/legacyFormatters3.ts</code>	1, 3, 8, 13, 18, 23, 28, 33, 38, 43, 48, 53 +209	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/utls/duplicate/legacyFormatters4.ts</code>	1, 3, 8, 13, 18, 23, 28, 33, 38, 43, 48, 53 +209	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/utls/duplicate/legacyFormatters5.ts</code>	1, 3, 8, 13, 18, 23, 28, 33, 38, 43, 48, 53 +209	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/utls/duplicate/legacyFormatters6.ts</code>	1, 3, 8, 13, 18, 23, 28, 33, 38, 43, 48, 53 +209	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/utls/duplicate/legacyFormatters7.ts</code>	1, 3, 8, 13, 18, 23, 28, 33, 38, 43, 48, 53 +209	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones
<code>resources/js/utls/duplicate/legacyFormatters8.ts</code>	1, 3, 8, 13, 18, 23, 28, 33, 38, 43, 48, 53 +209	Near-identical duplicated component/utility clone	Consolidate into a single parameterised component/utility and delete clones

H2. Legacy Class-Based Components HIGH

Benchmark: modern (functional) adoption = **84.0%** (147 class `.jsx` of 916) → falls in the **Moderate** band (Good >90% · Moderate 70–90% · High Risk <70%).

Every file under `resources/js/legacy/class/` is a pre-hooks React class component that fetches on `componentDidMount` and holds local `state`.

`resources/js/legacy/class/FraudScreenClassWidget1.jsx:3-6` :

```
export default class FraudScreenClassWidget1 extends React.Component {
  state = { count: 0, rows: [] }
  componentDidMount() {
    fetch('/ivr-legacy/fraud-screen/index').then(r => r.json()).then(d =>
this.setState({ rows: d.data || [] }))
  }
}
```

This pattern repeats across 147 `*ClassWidget[0-4].jsx` files (5 per feature). Being `.jsx`, they also opt out of the strict TypeScript checking the rest of the codebase enforces.

Why it matters here: class components cannot share the polling/fetch logic that every widget re-implements, so the same `componentDidMount` fetch is copy-pasted 147 times; and because they are `.jsx` they escape the type safety guaranteeing prop shapes elsewhere. They are behind React 19 idioms and block adoption of concurrent-mode features.

Recommended approach: (1) convert each `*ClassWidget` to a function component; (2) lift the shared `componentDidMount` fetch into a single `useLegacyRows(endpoint)` hook; (3) rename to `.tsx` and type the props; (4) add `@typescript-eslint` rules banning new `.jsx` and `extends Component`.

147 files affected.

File	Line(s)	Issue	Action
<code>resources/js/legacy/class/AfterHoursClassWidget0.jsx</code>	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
<code>resources/js/legacy/class/AfterHoursClassWidget1.jsx</code>	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
<code>resources/js/legacy/class/AfterHoursClassWidget2.jsx</code>	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
<code>resources/js/legacy/class/AfterHoursClassWidget3.jsx</code>	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
<code>resources/js/legacy/class/AgentDeskClassWidget1.jsx</code>	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
<code>resources/js/legacy/class/AgentDeskClassWidget2.jsx</code>	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
<code>resources/js/legacy/class/AgentDeskClassWidget3.jsx</code>	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
<code>resources/js/legacy/class/ApiIntegrationClassWidget0.jsx</code>	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
<code>resources/js/legacy/class/ApiIntegrationClassWidget1.jsx</code>	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
<code>resources/js/legacy/class/ApiIntegrationClassWidget2.jsx</code>	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
<code>resources/js/legacy/class/ApiIntegrationClassWidget4.jsx</code>	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
<code>resources/js/legacy/class/AuditTrailClassWidget0.jsx</code>	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
<code>resources/js/legacy/class/AuditTrailClassWidget1.jsx</code>	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
<code>resources/js/legacy/class/AuditTrailClassWidget3.jsx</code>	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
<code>resources/js/legacy/class/BargeMonitorClassWidget0.jsx</code>	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
<code>resources/js/legacy/class/BargeMonitorClassWidget1.jsx</code>	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
<code>resources/js/legacy/class/BargeMonitorClassWidget3.jsx</code>	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
<code>resources/js/legacy/class/BillingMeterClassWidget1.jsx</code>	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
<code>resources/js/legacy/class/BillingMeterClassWidget3.jsx</code>	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
<code>resources/js/legacy/class/BusinessHoursClassWidget0.jsx</code>	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook

[illegible]

[illegible]

[illegible]

[illegible]

resources/js/legacy/class/SystemConfigClassWidget3.jsx	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
resources/js/legacy/class/SystemConfigClassWidget4.jsx	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
resources/js/legacy/class/TenantAdminClassWidget0.jsx	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
resources/js/legacy/class/TenantAdminClassWidget2.jsx	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
resources/js/legacy/class/TenantAdminClassWidget3.jsx	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
resources/js/legacy/class/TextToSpeechClassWidget0.jsx	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
resources/js/legacy/class/TextToSpeechClassWidget2.jsx	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
resources/js/legacy/class/TextToSpeechClassWidget3.jsx	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
resources/js/legacy/class/TextToSpeechClassWidget4.jsx	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
resources/js/legacy/class/TicketSyncClassWidget1.jsx	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
resources/js/legacy/class/TicketSyncClassWidget3.jsx	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
resources/js/legacy/class/TrunkGroupClassWidget1.jsx	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
resources/js/legacy/class/TrunkGroupClassWidget3.jsx	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
resources/js/legacy/class/TrunkGroupClassWidget4.jsx	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
resources/js/legacy/class/VoicemailBoxClassWidget0.jsx	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
resources/js/legacy/class/VoicemailBoxClassWidget1.jsx	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
resources/js/legacy/class/VoicemailBoxClassWidget2.jsx	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
resources/js/legacy/class/VoicemailBoxClassWidget4.jsx	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
resources/js/legacy/class/WebhookDispatcherClassWidget0.jsx	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
resources/js/legacy/class/WebhookDispatcherClassWidget2.jsx	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
resources/js/legacy/class/WebhookDispatcherClassWidget4.jsx	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
resources/js/legacy/class/WhisperCoachClassWidget0.jsx	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook
resources/js/legacy/class/WhisperCoachClassWidget2.jsx	3	Legacy class-based component (pre-hooks, untyped .jsx)	Convert to a typed function component with a shared data hook

H3. Massive Components MEDIUM

Benchmark: largest component = **479 LOC** (**Pages/Ivr/Hub/Index.tsx**); 134 files exceed 300 LOC → falls in the **Moderate** band (Good <200 · Moderate 200–500 · High Risk >500).

No single file crosses 500 LOC, but the `LegacyPass2_*` pages and monoliths sit at a uniform 392 LOC of markup+state+fetch+validation with no decomposition. The size comes from unrolled repetition (e.g. 35 hand-written `Legacy row mirror <div>` s, 40+ `Computed ... field` rows) rather than genuine logic, so the files are large *and* low-value.

`resources/js/components/legacy/CallAnalyticsMonolith0.tsx:5-18` mixes API call, validation and UI in one unit:

```
const save = async () => {
  const err = !draft.name ? 'required' : null
  if (err) return alert(err)
  await fetch('/ivr-legacy/call-analytics/store', { method: 'POST', body:
JSON.stringify({ ...draft, tenant_id: tenantId }), headers: { 'Content-Type':
'application/json' } })
}
```

Why it matters here: the useful logic (a `save` with one validation rule and a POST) is buried under ~380 lines of repeated presentational rows, so reviewers cannot see behaviour at a glance and cannot unit-test the `save` without mounting the whole tree.

Recommended approach: (1) replace the unrolled row lists with a single `.map()` over the data; (2) extract `save` /validation into a hook; (3) target <200 LOC per component; (4) add an ESLint `max-lines` rule for `resources/js/**`.

603 files affected.

File	Line(s)	Issue	Action
<code>resources/js/components/legacy/AfterHoursMonolith0.tsx</code>	20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31 +28	Oversized component built from unrolled repeated markup	Replace repeated markup with data-driven map and extract logic to hooks
<code>resources/js/components/legacy/AfterHoursMonolith1.tsx</code>	20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31 +28	Oversized component built from unrolled repeated markup	Replace repeated markup with data-driven map and extract logic to hooks
<code>resources/js/components/legacy/AfterHoursMonolith2.tsx</code>	20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31 +28	Oversized component built from unrolled repeated markup	Replace repeated markup with data-driven map and extract logic to hooks
<code>resources/js/components/legacy/AfterHoursMonolith3.tsx</code>	20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31 +28	Oversized component built from unrolled repeated markup	Replace repeated markup with data-driven map and extract logic to hooks
<code>resources/js/components/legacy/AfterHoursMonolith4.tsx</code>	20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31 +28	Oversized component built from unrolled repeated markup	Replace repeated markup with data-driven map and extract logic to hooks
<code>resources/js/components/legacy/AgentDeskMonolith0.tsx</code>	20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31 +28	Oversized component built from unrolled repeated markup	Replace repeated markup with data-driven map and extract logic to hooks
<code>resources/js/components/legacy/AgentDeskMonolith1.tsx</code>	20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31 +28	Oversized component built from unrolled repeated markup	Replace repeated markup with data-driven map and extract logic to hooks
<code>resources/js/components/legacy/AgentDeskMonolith2.tsx</code>	20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31 +28	Oversized component built from unrolled repeated markup	Replace repeated markup with data-driven map and extract logic to hooks
<code>resources/js/components/legacy/AgentDeskMonolith3.tsx</code>	20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31 +28	Oversized component built from unrolled repeated markup	Replace repeated markup with data-driven map and extract logic to hooks
<code>resources/js/components/legacy/AgentDeskMonolith4.tsx</code>	20, 21, 22, 23, 24, 25, 26, 27, 28, 29,	Oversized component built from unrolled	Replace repeated markup with data-driven map and

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

	46, 47	repeated markup	extract logic to hooks
<code>resources/js/Pages/Ivr/WhisperCoach/Monitor.tsx</code>	36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47	Oversized component built from unrolled repeated markup	Replace repeated markup with data-driven map and extract logic to hooks
<code>resources/js/Pages/Ivr/WhisperCoach/Store.tsx</code>	36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47	Oversized component built from unrolled repeated markup	Replace repeated markup with data-driven map and extract logic to hooks
<code>resources/js/Pages/Ivr/WhisperCoach/Sync.tsx</code>	36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47	Oversized component built from unrolled repeated markup	Replace repeated markup with data-driven map and extract logic to hooks
<code>resources/js/Pages/Ivr/WhisperCoach/Update.tsx</code>	36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47	Oversized component built from unrolled repeated markup	Replace repeated markup with data-driven map and extract logic to hooks

H6. Weak Frontend Architecture Pattern CRITICAL

Benchmark: feature modules with clean, non-circular boundaries $\approx$ $\leq 20\%$ → falls in the **High Risk** band (Good $>80\%$ · Moderate 50–80% · High Risk $<50\%$).

Business logic lives directly in view files. The monolith components self-describe the anti-pattern:

`resources/js/components/legacy/CallAnalyticsMonolith0.tsx:5` carries the comment `// monolith - API + validation + UI in one file`. There is no module public API — pages, data access, validation and presentation are fused, and there is no `services/` / `api/` boundary at all. Tenant identity is hard-coded rather than injected (`Pages/Ivr/AfterHours/Index.tsx:10` → `const [tenantId] = useState(1) // hard-coded tenant`).

Why it matters here: because each IVR screen owns its own fetch, validation and markup, no feature can be tested or shipped independently, and cross-cutting changes (auth header, error handling, tenant resolution) cannot be made in one place. The hard-coded `tenantId = 1` means the multi-tenant IVR data layer is effectively wired to a single tenant from the UI.

Recommended approach: (1) adopt a feature-folder structure with an explicit `index.ts` public API per IVR module; (2) move all `fetch` into a `services/ivr/*` layer; (3) resolve `tenantId` from the authenticated Inertia `usePage().props.auth` context, not a literal; (4) enforce module boundaries with `eslint-plugin-import no-restricted-paths`.

603 files affected.

File	Line(s)	Issue	Action
<code>resources/js/components/legacy/AfterHoursMonolith0.tsx</code>	6	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/components/legacy/AfterHoursMonolith1.tsx</code>	6	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/components/legacy/AfterHoursMonolith2.tsx</code>	6	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/components/legacy/AfterHoursMonolith3.tsx</code>	6	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/components/legacy/AfterHoursMonolith4.tsx</code>	6	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/components/legacy/AgentDeskMonolith0.tsx</code>	6	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

		layer	injected tenant
resources/js/components/legacy/VoicemailBoxMonolith1.tsx	6	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/components/legacy/VoicemailBoxMonolith2.tsx	6	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/components/legacy/VoicemailBoxMonolith3.tsx	6	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/components/legacy/VoicemailBoxMonolith4.tsx	6	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/components/legacy/WebhookDispatcherMonolith0.tsx	6	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/components/legacy/WebhookDispatcherMonolith1.tsx	6	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/components/legacy/WebhookDispatcherMonolith2.tsx	6	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/components/legacy/WebhookDispatcherMonolith3.tsx	6	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/components/legacy/WebhookDispatcherMonolith4.tsx	6	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/components/legacy/WhisperCoachMonolith0.tsx	6	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/components/legacy/WhisperCoachMonolith1.tsx	6	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/components/legacy/WhisperCoachMonolith2.tsx	6	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/components/legacy/WhisperCoachMonolith3.tsx	6	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/components/legacy/WhisperCoachMonolith4.tsx	6	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/AfterHours/Destroy.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/AfterHours/Export.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/AfterHours/Import.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/AfterHours/Index.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/AfterHours/Monitor.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant

		layer	injected tenant
resources/js/Pages/Ivr/AfterHours/Store.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/AfterHours/Sync.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/AfterHours/Update.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/AgentDesk/Destroy.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/AgentDesk/Export.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/AgentDesk/Import.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/AgentDesk/Index.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/AgentDesk/Monitor.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/AgentDesk/Store.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/AgentDesk/Sync.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/AgentDesk/Update.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ApiIntegration/Destroy.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ApiIntegration/Export.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ApiIntegration/Import.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ApiIntegration/Index.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ApiIntegration/Monitor.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ApiIntegration/Store.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ApiIntegration/Sync.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ApiIntegration/Update.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant

		layer	injected tenant
<code>resources/js/Pages/Ivr/AuditTrail/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/AuditTrail/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/AuditTrail/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/AuditTrail/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/AuditTrail/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/AuditTrail/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/AuditTrail/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/AuditTrail/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/BargeMonitor/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/BargeMonitor/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/BargeMonitor/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/BargeMonitor/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/BargeMonitor/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/BargeMonitor/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/BargeMonitor/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/BargeMonitor/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/BillingMeter/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/BillingMeter/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/BillingMeter/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant

		layer	injected tenant
<code>resources/js/Pages/Ivr/BillingMeter/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/BillingMeter/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/BillingMeter/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/BillingMeter/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/BusinessHours/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/BusinessHours/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/BusinessHours/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/BusinessHours/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/BusinessHours/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/BusinessHours/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/BusinessHours/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/BusinessHours/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallAnalytics/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallAnalytics/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallAnalytics/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallAnalytics/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallAnalytics/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallAnalytics/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallAnalytics/Sync.tsx</code>	10	Business logic, data access and UI fused in the view	Split into service layer + presentational component with

		layer	injected tenant
<code>resources/js/Pages/Ivr/CallAnalytics/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallbackScheduler/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallbackScheduler/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallbackScheduler/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallbackScheduler/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallbackScheduler/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallbackScheduler/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallbackScheduler/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallbackScheduler/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallFlow/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallFlow/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallFlow/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallFlow/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallFlow/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallFlow/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallFlow/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallFlow/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallRecording/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallRecording/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant

		layer	injected tenant
<code>resources/js/Pages/Ivr/CallRecording/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallRecording/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallRecording/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallRecording/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallRecording/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallRecording/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallRouting/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallRouting/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallRouting/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallRouting/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallRouting/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallRouting/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallRouting/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CallRouting/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CampaignDialer/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CampaignDialer/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CampaignDialer/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CampaignDialer/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CampaignDialer/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant

		layer	injected tenant
resources/js/Pages/Ivr/CampaignDialer/Store.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/CampaignDialer/Sync.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/CampaignDialer/Update.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ComplianceArchive/Destroy.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ComplianceArchive/Export.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ComplianceArchive/Import.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ComplianceArchive/Index.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ComplianceArchive/Monitor.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ComplianceArchive/Store.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ComplianceArchive/Sync.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ComplianceArchive/Update.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ConferenceBridge/Destroy.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ConferenceBridge/Export.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ConferenceBridge/Import.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ConferenceBridge/Index.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ConferenceBridge/Monitor.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ConferenceBridge/Store.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ConferenceBridge/Sync.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/ConferenceBridge/Update.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with

		layer	injected tenant
<code>resources/js/Pages/Ivr/CrmBridge/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CrmBridge/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CrmBridge/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CrmBridge/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CrmBridge/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CrmBridge/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CrmBridge/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CrmBridge/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CustomerProfile/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CustomerProfile/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CustomerProfile/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CustomerProfile/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CustomerProfile/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CustomerProfile/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CustomerProfile/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/CustomerProfile/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/DidInventory/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/DidInventory/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/DidInventory/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant

		layer	injected tenant
<code>resources/js/Pages/Ivr/DidInventory/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/DidInventory/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/DidInventory/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/DidInventory/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/DidInventory/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/DispositionCode/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/DispositionCode/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/DispositionCode/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/DispositionCode/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/DispositionCode/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/DispositionCode/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/DispositionCode/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/DispositionCode/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/EmergencyRoute/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/EmergencyRoute/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/EmergencyRoute/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/EmergencyRoute/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/EmergencyRoute/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/EmergencyRoute/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant

		layer	injected tenant
<code>resources/js/Pages/Ivr/EmergencyRoute/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/EmergencyRoute/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/FraudScreen/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/FraudScreen/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/FraudScreen/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/FraudScreen/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/FraudScreen/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/FraudScreen/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/FraudScreen/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/FraudScreen/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/HistoricalReports/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/HistoricalReports/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/HistoricalReports/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/HistoricalReports/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/HistoricalReports/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/HistoricalReports/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/HistoricalReports/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/HistoricalReports/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/HolidayCalendar/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view	Split into service layer + presentational component with

		layer	injected tenant
resources/js/Pages/Ivr/HolidayCalendar/Export.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/HolidayCalendar/Import.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/HolidayCalendar/Index.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/HolidayCalendar/Monitor.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/HolidayCalendar/Store.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/HolidayCalendar/Sync.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/HolidayCalendar/Update.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/IvrSettings/Destroy.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/IvrSettings/Export.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/IvrSettings/Import.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/IvrSettings/Index.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/IvrSettings/Monitor.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/IvrSettings/Store.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/IvrSettings/Sync.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/IvrSettings/Update.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/KnowledgeBase/Destroy.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/KnowledgeBase/Export.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/KnowledgeBase/Import.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/KnowledgeBase/Index.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with

		layer	injected tenant
<code>resources/js/Pages/Ivr/KnowledgeBase/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/KnowledgeBase/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/KnowledgeBase/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/KnowledgeBase/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/LeadList/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/LeadList/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/LeadList/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/LeadList/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/LeadList/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/LeadList/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/LeadList/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/LeadList/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/LiveMonitoring/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/LiveMonitoring/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/LiveMonitoring/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/LiveMonitoring/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/LiveMonitoring/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/LiveMonitoring/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/LiveMonitoring/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant

		layer	injected tenant
resources/js/Pages/Ivr/LiveMonitoring/Update.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/MediaServer/Destroy.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/MediaServer/Export.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/MediaServer/Import.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/MediaServer/Index.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/MediaServer/Monitor.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/MediaServer/Store.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/MediaServer/Sync.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/MediaServer/Update.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/NotificationHub/Destroy.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/NotificationHub/Export.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/NotificationHub/Import.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/NotificationHub/Index.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/NotificationHub/Monitor.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/NotificationHub/Sync.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/NotificationHub/Update.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/NumberPorting/Destroy.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/NumberPorting/Export.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/NumberPorting/Import.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant

[illegible]

		layer	injected tenant
<code>resources/js/Pages/Ivr/PromptLibrary/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/PromptLibrary/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/QueueManagement/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/QueueManagement/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/QueueManagement/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/QueueManagement/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/QueueManagement/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/QueueManagement/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/QueueManagement/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/QueueManagement/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/RateDeck/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/RateDeck/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/RateDeck/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/RateDeck/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/RateDeck/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/RateDeck/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/RateDeck/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/RateDeck/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/RoleAccess/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with

		layer	injected tenant
<code>resources/js/Pages/Ivr/RoleAccess/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/RoleAccess/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/RoleAccess/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/RoleAccess/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/RoleAccess/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/RoleAccess/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/RoleAccess/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/ScriptBuilder/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/ScriptBuilder/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/ScriptBuilder/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/ScriptBuilder/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/ScriptBuilder/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/ScriptBuilder/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/ScriptBuilder/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/ScriptBuilder/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/SkillGroup/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/SkillGroup/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/SkillGroup/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/SkillGroup/Index.tsx</code>	10	Business logic, data access and UI fused in the view	Split into service layer + presentational component with

		layer	injected tenant
<code>resources/js/Pages/Ivr/SkillGroup/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/SkillGroup/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/SkillGroup/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/SkillGroup/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/SpeechRecognition/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/SpeechRecognition/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/SpeechRecognition/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/SpeechRecognition/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/SpeechRecognition/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/SpeechRecognition/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/SpeechRecognition/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/SpeechRecognition/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/SurveyEngine/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/SurveyEngine/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/SurveyEngine/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/SurveyEngine/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/SurveyEngine/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/SurveyEngine/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/SurveyEngine/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant

		layer	injected tenant
resources/js/Pages/Ivr/SurveyEngine/Update.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/SystemConfig/Destroy.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/SystemConfig/Export.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/SystemConfig/Import.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/SystemConfig/Index.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/SystemConfig/Monitor.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/SystemConfig/Store.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/SystemConfig/Sync.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/SystemConfig/Update.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TenantAdmin/Destroy.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TenantAdmin/Export.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TenantAdmin/Import.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TenantAdmin/Index.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TenantAdmin/Monitor.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TenantAdmin/Store.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TenantAdmin/Sync.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TenantAdmin/Update.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TextToSpeech/Destroy.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TextToSpeech/Export.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant

		layer	injected tenant
resources/js/Pages/Ivr/TextToSpeech/Import.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TextToSpeech/Index.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TextToSpeech/Monitor.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TextToSpeech/Store.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TextToSpeech/Sync.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TextToSpeech/Update.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TicketSync/Destroy.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TicketSync/Export.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TicketSync/Import.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TicketSync/Index.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TicketSync/Monitor.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TicketSync/Store.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TicketSync/Sync.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TicketSync/Update.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TrunkGroup/Destroy.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TrunkGroup/Export.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TrunkGroup/Import.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TrunkGroup/Index.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
resources/js/Pages/Ivr/TrunkGroup/Monitor.tsx	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant

		layer	injected tenant
<code>resources/js/Pages/Ivr/TrunkGroup/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/TrunkGroup/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/TrunkGroup/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/VoicemailBox/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/VoicemailBox/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/VoicemailBox/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/VoicemailBox/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/VoicemailBox/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/VoicemailBox/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/VoicemailBox/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/VoicemailBox/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/WebhookDispatcher/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/WebhookDispatcher/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/WebhookDispatcher/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/WebhookDispatcher/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/WebhookDispatcher/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/WebhookDispatcher/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/WebhookDispatcher/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/WebhookDispatcher/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant

		layer	injected tenant
<code>resources/js/Pages/Ivr/WhisperCoach/Destroy.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/WhisperCoach/Export.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/WhisperCoach/Import.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/WhisperCoach/Index.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/WhisperCoach/Monitor.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/WhisperCoach/Store.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/WhisperCoach/Sync.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant
<code>resources/js/Pages/Ivr/WhisperCoach/Update.tsx</code>	10	Business logic, data access and UI fused in the view layer	Split into service layer + presentational component with injected tenant

H7. Missing Component Inventory HIGH

Benchmark: shared-component share = **1.5%** (14 files in `resources/js/Shared/` of 916) → falls in the **High Risk** band (Good >30% · Moderate 15–30% · High Risk <15%).

The genuine reusable library is the 14-file `resources/js/Shared/` set from upstream PingCRM (`TextInput` , `SelectInput` , `Dropdown` , `Pagination` , `LoadingButton` , `SearchFilter` , `Layout` , ...). None of the ~900 IVR components consume it — they hand-roll raw `<input>` / `<button>` elements instead. There is no Storybook, no component catalogue, and no `ui/` index.

Why it matters here: because existing inputs and buttons are undiscoverable to whoever generated the IVR screens, every screen re-invents form controls with inline styles, which is the root cause of both the duplication (H1) and the styling sprawl (H8). New joiners have no map of the 916-file UI surface.

Recommended approach: (1) publish the `Shared/` set as a documented `@/ui` library with a Storybook; (2) codemod IVR raw `<input>` / `<button>` usages to `TextInput` / `LoadingButton` ; (3) add a lint rule discouraging raw form controls outside `Shared/` ; (4) maintain a component inventory doc.

377 files affected.

File	Line(s)	Issue	Action
<code>resources/js/Pages/Ivr/AfterHours/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with <code>@/Shared</code> inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/AfterHours/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with <code>@/Shared</code> inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/AfterHours/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with <code>@/Shared</code> inputs/buttons and register in the inventory

resources/js/Pages/Ivr/AfterHours/Index.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/AfterHours/Monitor.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/AfterHours/Store.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/AfterHours/Sync.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/AfterHours/Update.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/AgentDesk/Destroy.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/AgentDesk/Export.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/AgentDesk/Import.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/AgentDesk/Index.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/AgentDesk/Monitor.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/AgentDesk/Store.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/AgentDesk/Sync.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/AgentDesk/Update.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/ApiIntegration/Destroy.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/ApiIntegration/Export.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/ApiIntegration/Import.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/ApiIntegration/Index.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/ApiIntegration/Monitor.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/ApiIntegration/Store.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory

resources/js/Pages/Ivr/ApiIntegration/Sync.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/ApiIntegration/Update.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/AuditTrail/Destroy.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/AuditTrail/Export.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/AuditTrail/Import.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/AuditTrail/Index.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/AuditTrail/Monitor.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/AuditTrail/Store.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/AuditTrail/Sync.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/AuditTrail/Update.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/BargeMonitor/Destroy.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/BargeMonitor/Export.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/BargeMonitor/Import.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/BargeMonitor/Index.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/BargeMonitor/Monitor.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/BargeMonitor/Store.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/BargeMonitor/Sync.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/BargeMonitor/Update.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/BillingMeter/Destroy.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory

<code>resources/js/Pages/Ivr/BillingMeter/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/BillingMeter/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/BillingMeter/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/BillingMeter/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/BillingMeter/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/BillingMeter/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/BusinessHours/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/BusinessHours/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/BusinessHours/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/BusinessHours/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/BusinessHours/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/BusinessHours/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/BusinessHours/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/BusinessHours/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CallAnalytics/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CallAnalytics/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CallAnalytics/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CallAnalytics/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CallAnalytics/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory

<code>resources/js/Pages/Ivr/CallAnalytics/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CallAnalytics/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CallAnalytics/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CallbackScheduler/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CallbackScheduler/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CallbackScheduler/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CallbackScheduler/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CallbackScheduler/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CallbackScheduler/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CallbackScheduler/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CallbackScheduler/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CallFlow/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CallFlow/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CallFlow/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CallFlow/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CallFlow/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CallFlow/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CallFlow/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CallFlow/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory

resources/js/Pages/Ivr/CallRecording/Destroy.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CallRecording/Export.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CallRecording/Import.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CallRecording/Index.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CallRecording/Monitor.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CallRecording/Store.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CallRecording/Sync.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CallRecording/Update.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CallRouting/Destroy.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CallRouting/Export.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CallRouting/Import.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CallRouting/Index.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CallRouting/Monitor.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CallRouting/Store.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CallRouting/Sync.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CallRouting/Update.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CampaignDialer/Destroy.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CampaignDialer/Export.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CampaignDialer/Import.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory

<code>resources/js/Pages/Ivr/CampaignDialer/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CampaignDialer/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CampaignDialer/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CampaignDialer/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/CampaignDialer/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/ComplianceArchive/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/ComplianceArchive/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/ComplianceArchive/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/ComplianceArchive/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/ComplianceArchive/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/ComplianceArchive/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/ComplianceArchive/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/ComplianceArchive/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/ConferenceBridge/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/ConferenceBridge/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/ConferenceBridge/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/ConferenceBridge/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/ConferenceBridge/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/ConferenceBridge/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory

resources/js/Pages/Ivr/ConferenceBridge/Sync.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/ConferenceBridge/Update.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CrmBridge/Destroy.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CrmBridge/Export.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CrmBridge/Import.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CrmBridge/Index.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CrmBridge/Monitor.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CrmBridge/Store.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CrmBridge/Sync.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CrmBridge/Update.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CustomerProfile/Destroy.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CustomerProfile/Export.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CustomerProfile/Import.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CustomerProfile/Index.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CustomerProfile/Monitor.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CustomerProfile/Store.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CustomerProfile/Sync.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/CustomerProfile/Update.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/DidInventory/Destroy.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory

<code>resources/js/Pages/Ivr/DidInventory/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/DidInventory/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/DidInventory/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/DidInventory/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/DidInventory/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/DidInventory/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/DidInventory/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/DispositionCode/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/DispositionCode/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/DispositionCode/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/DispositionCode/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/DispositionCode/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/DispositionCode/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/DispositionCode/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/DispositionCode/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/EmergencyRoute/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/EmergencyRoute/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/EmergencyRoute/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/EmergencyRoute/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory

resources/js/Pages/Ivr/EmergencyRoute/Monitor.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/EmergencyRoute/Store.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/EmergencyRoute/Sync.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/EmergencyRoute/Update.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/FraudScreen/Destroy.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/FraudScreen/Export.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/FraudScreen/Import.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/FraudScreen/Index.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/FraudScreen/Monitor.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/FraudScreen/Store.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/FraudScreen/Sync.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/FraudScreen/Update.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/HistoricalReports/Destroy.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/HistoricalReports/Export.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/HistoricalReports/Import.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/HistoricalReports/Index.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/HistoricalReports/Monitor.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/HistoricalReports/Store.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/HistoricalReports/Sync.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory

<code>resources/js/Pages/Ivr/HistoricalReports/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/HolidayCalendar/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/HolidayCalendar/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/HolidayCalendar/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/HolidayCalendar/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/HolidayCalendar/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/HolidayCalendar/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/HolidayCalendar/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/HolidayCalendar/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/Hub/Index.tsx</code>	211, 214, 223, 247, 262, 287	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/IvrSettings/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/IvrSettings/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/IvrSettings/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/IvrSettings/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/IvrSettings/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/IvrSettings/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/IvrSettings/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/IvrSettings/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/KnowledgeBase/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory

resources/js/Pages/Ivr/KnowledgeBase/Export.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/KnowledgeBase/Import.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/KnowledgeBase/Index.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/KnowledgeBase/Monitor.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/KnowledgeBase/Store.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/KnowledgeBase/Sync.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/KnowledgeBase/Update.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/LeadList/Destroy.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/LeadList/Export.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/LeadList/Import.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/LeadList/Index.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/LeadList/Monitor.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/LeadList/Store.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/LeadList/Sync.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/LeadList/Update.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/LiveMonitoring/Destroy.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/LiveMonitoring/Export.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/LiveMonitoring/Import.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/LiveMonitoring/Index.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory

<code>resources/js/Pages/Ivr/LiveMonitoring/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/LiveMonitoring/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/LiveMonitoring/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/LiveMonitoring/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/MediaServer/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/MediaServer/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/MediaServer/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/MediaServer/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/MediaServer/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/MediaServer/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/MediaServer/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/MediaServer/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/Module/Index.tsx</code>	123	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/Module/Show.tsx</code>	79	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/NotificationHub/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/NotificationHub/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/NotificationHub/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/NotificationHub/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/NotificationHub/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory

<code>resources/js/Pages/Ivr/NotificationHub/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/NotificationHub/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/NumberPorting/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/NumberPorting/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/NumberPorting/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/NumberPorting/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/NumberPorting/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/NumberPorting/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/NumberPorting/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/NumberPorting/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/OverflowRoute/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/OverflowRoute/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/OverflowRoute/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/OverflowRoute/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/OverflowRoute/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/OverflowRoute/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/OverflowRoute/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/OverflowRoute/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/PromptLibrary/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory

<code>resources/js/Pages/Ivr/PromptLibrary/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/PromptLibrary/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/PromptLibrary/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/PromptLibrary/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/PromptLibrary/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/PromptLibrary/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/PromptLibrary/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/QueueManagement/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/QueueManagement/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/QueueManagement/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/QueueManagement/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/QueueManagement/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/QueueManagement/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/QueueManagement/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/QueueManagement/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/RateDeck/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/RateDeck/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/RateDeck/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/RateDeck/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory

<code>resources/js/Pages/Ivr/RateDeck/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/RateDeck/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/RateDeck/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/RateDeck/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/RoleAccess/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/RoleAccess/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/RoleAccess/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/RoleAccess/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/RoleAccess/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/RoleAccess/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/RoleAccess/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/RoleAccess/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/ScriptBuilder/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/ScriptBuilder/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/ScriptBuilder/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/ScriptBuilder/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/ScriptBuilder/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/ScriptBuilder/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/ScriptBuilder/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory

resources/js/Pages/Ivr/ScriptBuilder/Update.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/SkillGroup/Destroy.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/SkillGroup/Export.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/SkillGroup/Import.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/SkillGroup/Index.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/SkillGroup/Monitor.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/SkillGroup/Store.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/SkillGroup/Sync.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/SkillGroup/Update.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/SpeechRecognition/Destroy.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/SpeechRecognition/Export.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/SpeechRecognition/Import.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/SpeechRecognition/Index.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/SpeechRecognition/Monitor.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/SpeechRecognition/Store.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/SpeechRecognition/Sync.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/SpeechRecognition/Update.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/SurveyEngine/Destroy.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/SurveyEngine/Export.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory

<code>resources/js/Pages/Ivr/SurveyEngine/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/SurveyEngine/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/SurveyEngine/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/SurveyEngine/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/SurveyEngine/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/SurveyEngine/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/SystemConfig/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/SystemConfig/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/SystemConfig/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/SystemConfig/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/SystemConfig/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/SystemConfig/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/SystemConfig/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/SystemConfig/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/TenantAdmin/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/TenantAdmin/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/TenantAdmin/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/TenantAdmin/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/TenantAdmin/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory

resources/js/Pages/Ivr/TenantAdmin/Store.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/TenantAdmin/Sync.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/TenantAdmin/Update.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/TextToSpeech/Destroy.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/TextToSpeech/Export.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/TextToSpeech/Import.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/TextToSpeech/Index.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/TextToSpeech/Monitor.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/TextToSpeech/Store.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/TextToSpeech/Sync.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/TextToSpeech/Update.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/TicketSync/Destroy.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/TicketSync/Export.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/TicketSync/Import.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/TicketSync/Index.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/TicketSync/Monitor.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/TicketSync/Store.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/TicketSync/Sync.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
resources/js/Pages/Ivr/TicketSync/Update.tsx	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory

<code>resources/js/Pages/Ivr/TrunkGroup/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/TrunkGroup/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/TrunkGroup/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/TrunkGroup/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/TrunkGroup/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/TrunkGroup/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/TrunkGroup/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/TrunkGroup/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/VoicemailBox/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/VoicemailBox/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/VoicemailBox/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/VoicemailBox/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/VoicemailBox/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/VoicemailBox/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/VoicemailBox/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/VoicemailBox/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/WebhookDispatcher/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/WebhookDispatcher/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/WebhookDispatcher/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with @/Shared inputs/buttons and register in the inventory

<code>resources/js/Pages/Ivr/WebhookDispatcher/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with <code>@/Shared</code> inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/WebhookDispatcher/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with <code>@/Shared</code> inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/WebhookDispatcher/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with <code>@/Shared</code> inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/WebhookDispatcher/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with <code>@/Shared</code> inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/WebhookDispatcher/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with <code>@/Shared</code> inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/WhisperCoach/Destroy.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with <code>@/Shared</code> inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/WhisperCoach/Export.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with <code>@/Shared</code> inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/WhisperCoach/Import.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with <code>@/Shared</code> inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/WhisperCoach/Index.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with <code>@/Shared</code> inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/WhisperCoach/Monitor.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with <code>@/Shared</code> inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/WhisperCoach/Store.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with <code>@/Shared</code> inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/WhisperCoach/Sync.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with <code>@/Shared</code> inputs/buttons and register in the inventory
<code>resources/js/Pages/Ivr/WhisperCoach/Update.tsx</code>	32, 33	Raw form control instead of the Shared component library	Replace with <code>@/Shared</code> inputs/buttons and register in the inventory

H8. No Design System / Styling Architecture HIGH

Benchmark: inline-style / magic-value occurrences = **13,701** `style={{...}}` across 739 files; **0** CSS custom properties in `resources/css/app.css` → falls in the **High Risk** band (Good 0–5 · Moderate 6–20 · High Risk >20).

Raw magic values are hardcoded directly in JSX rather than expressed as Tailwind classes or tokens.

`resources/js/components/legacy/CallAnalyticsMonolith0.tsx:12-17` :

```
<div style={{ border: '1px solid #ccc', marginBottom: 16 }}>
  <input style={{ border: '1px solid red' }} placeholder="Name" ... />
  <pre style={{ fontSize: 10 }}>{JSON.stringify(...)}</pre>
```

`Pages/Ivr/AfterHours/Index.tsx:29` opens with `<div style={{ padding: 12 }}>`. Tailwind is configured (`tailwind.config.js` extends an `indigo` palette) and used in the core pages, but the IVR surface bypasses it entirely with inline hex colours, pixel spacing and font sizes. `app.css` defines no design tokens (0 -- variables).

Why it matters here: there is no single source of truth for colour or spacing — a brand change means hunting 13,701 inline literals — and the same `#ccc` / `1px solid red` values drift per component, producing visual inconsistency across the app.

Recommended approach: (1) introduce design tokens as Tailwind theme entries / CSS variables in `app.css` ; (2) codemod inline `style={{...}}` literals to Tailwind utility classes; (3) forbid inline `style` in IVR components via `react/forbid-dom-props` ; (4) route all colour/spacing through the token layer.

739 files affected.

File	Line(s)	Issue	Action
<code>resources/js/components/ivr/IvrHubCharts.tsx</code>	23, 132	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/components/legacy/AfterHoursMonolith0.tsx</code>	13, 17, 19	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/components/legacy/AfterHoursMonolith1.tsx</code>	13, 17, 19	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/components/legacy/AfterHoursMonolith2.tsx</code>	13, 17, 19	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/components/legacy/AfterHoursMonolith3.tsx</code>	13, 17, 19	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/components/legacy/AfterHoursMonolith4.tsx</code>	13, 17, 19	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/components/legacy/AgentDeskMonolith0.tsx</code>	13, 17, 19	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/components/legacy/AgentDeskMonolith1.tsx</code>	13, 17, 19	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/components/legacy/AgentDeskMonolith2.tsx</code>	13, 17, 19	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/components/legacy/AgentDeskMonolith3.tsx</code>	13, 17, 19	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/components/legacy/AgentDeskMonolith4.tsx</code>	13, 17, 19	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/components/legacy/ApiIntegrationMonolith0.tsx</code>	13, 17, 19	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/components/legacy/ApiIntegrationMonolith1.tsx</code>	13, 17, 19	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/components/legacy/ApiIntegrationMonolith2.tsx</code>	13, 17, 19	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

resources/js/components/legacy/WebhookDispatcherMonolith3.tsx	13, 17, 19	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/components/legacy/WebhookDispatcherMonolith4.tsx	13, 17, 19	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/components/legacy/WhisperCoachMonolith0.tsx	13, 17, 19	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/components/legacy/WhisperCoachMonolith1.tsx	13, 17, 19	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/components/legacy/WhisperCoachMonolith2.tsx	13, 17, 19	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/components/legacy/WhisperCoachMonolith3.tsx	13, 17, 19	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/components/legacy/WhisperCoachMonolith4.tsx	13, 17, 19	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AfterHours/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AfterHours/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AfterHours/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AfterHours/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AfterHours/LegacyPass2_130.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AfterHours/LegacyPass2_36.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AfterHours/LegacyPass2_83.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AfterHours/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AfterHours/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AfterHours/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AfterHours/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AgentDesk/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

resources/js/Pages/Ivr/AgentDesk/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AgentDesk/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AgentDesk/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AgentDesk/LegacyPass2_3.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AgentDesk/LegacyPass2_50.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AgentDesk/LegacyPass2_97.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AgentDesk/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AgentDesk/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AgentDesk/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AgentDesk/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ApiIntegration/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ApiIntegration/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ApiIntegration/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ApiIntegration/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ApiIntegration/LegacyPass2_107.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ApiIntegration/LegacyPass2_13.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ApiIntegration/LegacyPass2_60.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ApiIntegration/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ApiIntegration/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

resources/js/Pages/Ivr/ApiIntegration/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ApiIntegration/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AuditTrail/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AuditTrail/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AuditTrail/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AuditTrail/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AuditTrail/LegacyPass2_110.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AuditTrail/LegacyPass2_16.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AuditTrail/LegacyPass2_63.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AuditTrail/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AuditTrail/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AuditTrail/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/AuditTrail/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/BargeMonitor/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/BargeMonitor/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/BargeMonitor/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/BargeMonitor/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/BargeMonitor/LegacyPass2_132.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/BargeMonitor/LegacyPass2_38.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

<code>resources/js/Pages/Ivr/BargeMonitor/LegacyPass2_85.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BargeMonitor/Monitor.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BargeMonitor/Store.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BargeMonitor/Sync.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BargeMonitor/Update.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BillingMeter/Destroy.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BillingMeter/Export.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BillingMeter/Import.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BillingMeter/Index.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BillingMeter/LegacyPass2_119.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BillingMeter/LegacyPass2_25.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BillingMeter/LegacyPass2_72.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BillingMeter/Monitor.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BillingMeter/Store.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BillingMeter/Sync.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BusinessHours/Destroy.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BusinessHours/Export.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BusinessHours/Import.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BusinessHours/Index.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

<code>resources/js/Pages/Ivr/BusinessHours/LegacyPass2_5.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BusinessHours/LegacyPass2_52.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BusinessHours/LegacyPass2_99.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BusinessHours/Monitor.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BusinessHours/Store.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BusinessHours/Sync.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/BusinessHours/Update.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallAnalytics/Destroy.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallAnalytics/Export.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallAnalytics/Import.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallAnalytics/Index.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallAnalytics/LegacyPass2_101.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallAnalytics/LegacyPass2_54.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallAnalytics/LegacyPass2_7.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallAnalytics/Monitor.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallAnalytics/Store.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallAnalytics/Sync.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallAnalytics/Update.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallbackScheduler/Destroy.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

<code>resources/js/Pages/Ivr/CallbackScheduler/Export.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallbackScheduler/Import.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallbackScheduler/Index.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallbackScheduler/LegacyPass2_117.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallbackScheduler/LegacyPass2_23.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallbackScheduler/LegacyPass2_70.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallbackScheduler/Monitor.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallbackScheduler/Store.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallbackScheduler/Sync.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallbackScheduler/Update.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallFlow/Destroy.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallFlow/Export.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallFlow/Import.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallFlow/Index.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallFlow/LegacyPass2_0.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallFlow/LegacyPass2_47.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallFlow/LegacyPass2_94.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallFlow/Monitor.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallFlow/Store.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

<code>resources/js/Pages/Ivr/CallFlow/Sync.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallFlow/Update.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallRecording/Destroy.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallRecording/Export.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallRecording/Import.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallRecording/Index.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallRecording/LegacyPass2_10.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallRecording/LegacyPass2_104.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallRecording/LegacyPass2_57.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallRecording/Monitor.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallRecording/Store.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallRecording/Sync.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallRecording/Update.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallRouting/Destroy.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallRouting/Export.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallRouting/Import.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallRouting/Index.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallRouting/LegacyPass2_1.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CallRouting/LegacyPass2_48.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

resources/js/Pages/Ivr/CallRouting/LegacyPass2_95.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CallRouting/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CallRouting/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CallRouting/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CallRouting/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CampaignDialer/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CampaignDialer/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CampaignDialer/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CampaignDialer/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CampaignDialer/LegacyPass2_40.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CampaignDialer/LegacyPass2_87.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CampaignDialer/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CampaignDialer/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CampaignDialer/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CampaignDialer/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ComplianceArchive/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ComplianceArchive/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ComplianceArchive/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ComplianceArchive/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

resources/js/Pages/Ivr/ComplianceArchive/LegacyPass2_120.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ComplianceArchive/LegacyPass2_26.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ComplianceArchive/LegacyPass2_73.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ComplianceArchive/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ComplianceArchive/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ComplianceArchive/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ComplianceArchive/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ConferenceBridge/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ConferenceBridge/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ConferenceBridge/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ConferenceBridge/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ConferenceBridge/LegacyPass2_127.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ConferenceBridge/LegacyPass2_33.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ConferenceBridge/LegacyPass2_80.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ConferenceBridge/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ConferenceBridge/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ConferenceBridge/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ConferenceBridge/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CrmBridge/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

resources/js/Pages/Ivr/CrmBridge/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CrmBridge/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CrmBridge/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CrmBridge/LegacyPass2_106.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CrmBridge/LegacyPass2_12.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CrmBridge/LegacyPass2_59.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CrmBridge/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CrmBridge/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CrmBridge/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CrmBridge/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CustomProfile/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CustomProfile/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CustomProfile/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CustomProfile/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CustomProfile/LegacyPass2_105.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CustomProfile/LegacyPass2_11.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CustomProfile/LegacyPass2_58.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CustomProfile/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/CustomProfile/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

<code>resources/js/Pages/Ivr/CustomerProfile/Sync.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/CustomerProfile/Update.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/DidInventory/Destroy.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/DidInventory/Export.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/DidInventory/Import.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/DidInventory/Index.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/DidInventory/LegacyPass2_100.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/DidInventory/LegacyPass2_53.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/DidInventory/LegacyPass2_6.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/DidInventory/Monitor.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/DidInventory/Store.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/DidInventory/Sync.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/DidInventory/Update.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/DispositionCode/Destroy.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/DispositionCode/Export.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/DispositionCode/Import.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/DispositionCode/Index.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/DispositionCode/LegacyPass2_39.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/DispositionCode/LegacyPass2_86.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

resources/js/Pages/Ivr/DispositionCode/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/DispositionCode/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/DispositionCode/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/DispositionCode/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/EmergencyRoute/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/EmergencyRoute/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/EmergencyRoute/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/EmergencyRoute/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/EmergencyRoute/LegacyPass2_128.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/EmergencyRoute/LegacyPass2_34.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/EmergencyRoute/LegacyPass2_81.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/EmergencyRoute/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/EmergencyRoute/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/EmergencyRoute/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/EmergencyRoute/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/FraudScreen/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/FraudScreen/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/FraudScreen/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/FraudScreen/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

resources/js/Pages/Ivr/FraudScreen/LegacyPass2_121.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/FraudScreen/LegacyPass2_27.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/FraudScreen/LegacyPass2_74.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/FraudScreen/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/FraudScreen/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/FraudScreen/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/FraudScreen/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/HistoricalReports/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/HistoricalReports/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/HistoricalReports/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/HistoricalReports/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/HistoricalReports/LegacyPass2_102.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/HistoricalReports/LegacyPass2_55.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/HistoricalReports/LegacyPass2_8.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/HistoricalReports/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/HistoricalReports/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/HistoricalReports/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/HistoricalReports/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/HolidayCalendar/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

<code>resources/js/Pages/Ivr/HolidayCalendar/Export.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/HolidayCalendar/Import.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/HolidayCalendar/Index.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/HolidayCalendar/LegacyPass2_129.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/HolidayCalendar/LegacyPass2_35.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/HolidayCalendar/LegacyPass2_82.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/HolidayCalendar/Monitor.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/HolidayCalendar/Store.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/HolidayCalendar/Sync.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/HolidayCalendar/Update.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/IvrSettings/Destroy.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/IvrSettings/Export.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/IvrSettings/Import.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/IvrSettings/Index.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/IvrSettings/LegacyPass2_113.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/IvrSettings/LegacyPass2_19.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/IvrSettings/LegacyPass2_66.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/IvrSettings/Monitor.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/IvrSettings/Store.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

resources/js/Pages/Ivr/IvrSettings/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/IvrSettings/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/KnowledgeBase/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/KnowledgeBase/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/KnowledgeBase/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/KnowledgeBase/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/KnowledgeBase/LegacyPass2_43.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/KnowledgeBase/LegacyPass2_90.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/KnowledgeBase/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/KnowledgeBase/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/KnowledgeBase/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/KnowledgeBase/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/LeadList/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/LeadList/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/LeadList/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/LeadList/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/LeadList/LegacyPass2_41.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/LeadList/LegacyPass2_88.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/LeadList/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

resources/js/Pages/Ivr/LeadList/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/LeadList/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/LeadList/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/LiveMonitoring/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/LiveMonitoring/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/LiveMonitoring/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/LiveMonitoring/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/LiveMonitoring/LegacyPass2_103.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/LiveMonitoring/LegacyPass2_56.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/LiveMonitoring/LegacyPass2_9.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/LiveMonitoring/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/LiveMonitoring/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/LiveMonitoring/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/LiveMonitoring/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/MediaServer/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/MediaServer/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/MediaServer/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/MediaServer/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/MediaServer/LegacyPass2_124.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

resources/js/Pages/Ivr/MediaServer/LegacyPass2_30.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/MediaServer/LegacyPass2_77.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/MediaServer/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/MediaServer/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/MediaServer/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/MediaServer/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/NotificationHub/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/NotificationHub/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/NotificationHub/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/NotificationHub/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/NotificationHub/LegacyPass2_108.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/NotificationHub/LegacyPass2_14.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/NotificationHub/LegacyPass2_61.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/NotificationHub/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/NotificationHub/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/NotificationHub/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/NumberPorting/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/NumberPorting/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/NumberPorting/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

resources/js/Pages/Ivr/NumberPorting/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/NumberPorting/LegacyPass2_122.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/NumberPorting/LegacyPass2_28.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/NumberPorting/LegacyPass2_75.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/NumberPorting/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/NumberPorting/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/NumberPorting/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/NumberPorting/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/OverflowRoute/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/OverflowRoute/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/OverflowRoute/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/OverflowRoute/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/OverflowRoute/LegacyPass2_115.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/OverflowRoute/LegacyPass2_21.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/OverflowRoute/LegacyPass2_68.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/OverflowRoute/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/OverflowRoute/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/OverflowRoute/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/OverflowRoute/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

<code>resources/js/Pages/Ivr/PromptLibrary/Destroy.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/PromptLibrary/Export.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/PromptLibrary/Import.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/PromptLibrary/Index.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/PromptLibrary/LegacyPass2_4.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/PromptLibrary/LegacyPass2_51.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/PromptLibrary/LegacyPass2_98.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/PromptLibrary/Monitor.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/PromptLibrary/Store.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/PromptLibrary/Sync.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/PromptLibrary/Update.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/QueueManagement/Destroy.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/QueueManagement/Export.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/QueueManagement/Import.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/QueueManagement/Index.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/QueueManagement/LegacyPass2_2.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/QueueManagement/LegacyPass2_49.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/QueueManagement/LegacyPass2_96.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/QueueManagement/Monitor.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

resources/js/Pages/Ivr/QueueManagement/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/QueueManagement/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/QueueManagement/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/RateDeck/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/RateDeck/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/RateDeck/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/RateDeck/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/RateDeck/LegacyPass2_46.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/RateDeck/LegacyPass2_93.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/RateDeck/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/RateDeck/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/RateDeck/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/RateDeck/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/RoleAccess/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/RoleAccess/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/RoleAccess/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/RoleAccess/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/RoleAccess/LegacyPass2_109.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/RoleAccess/LegacyPass2_15.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

resources/js/Pages/Ivr/RoleAccess/LegacyPass2_62.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/RoleAccess/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/RoleAccess/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/RoleAccess/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/RoleAccess/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ScriptBuilder/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ScriptBuilder/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ScriptBuilder/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ScriptBuilder/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ScriptBuilder/LegacyPass2_42.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ScriptBuilder/LegacyPass2_89.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ScriptBuilder/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ScriptBuilder/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ScriptBuilder/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/ScriptBuilder/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SkillGroup/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SkillGroup/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SkillGroup/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SkillGroup/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

resources/js/Pages/Ivr/SkillGroup/LegacyPass2_114.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SkillGroup/LegacyPass2_20.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SkillGroup/LegacyPass2_67.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SkillGroup/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SkillGroup/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SkillGroup/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SkillGroup/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SpeechRecognition/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SpeechRecognition/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SpeechRecognition/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SpeechRecognition/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SpeechRecognition/LegacyPass2_125.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SpeechRecognition/LegacyPass2_31.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SpeechRecognition/LegacyPass2_78.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SpeechRecognition/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SpeechRecognition/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SpeechRecognition/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SpeechRecognition/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SurveyEngine/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

resources/js/Pages/Ivr/SurveyEngine/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SurveyEngine/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SurveyEngine/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SurveyEngine/LegacyPass2_118.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SurveyEngine/LegacyPass2_24.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SurveyEngine/LegacyPass2_71.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SurveyEngine/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SurveyEngine/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SurveyEngine/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SurveyEngine/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SystemConfig/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SystemConfig/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SystemConfig/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SystemConfig/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SystemConfig/LegacyPass2_112.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SystemConfig/LegacyPass2_18.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SystemConfig/LegacyPass2_65.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SystemConfig/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/SystemConfig/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

<code>resources/js/Pages/Ivr/SystemConfig/Sync.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/SystemConfig/Update.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/TenantAdmin/Destroy.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/TenantAdmin/Export.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/TenantAdmin/Import.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/TenantAdmin/Index.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/TenantAdmin/LegacyPass2_111.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/TenantAdmin/LegacyPass2_17.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/TenantAdmin/LegacyPass2_64.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/TenantAdmin/Monitor.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/TenantAdmin/Store.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/TenantAdmin/Sync.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/TenantAdmin/Update.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/TextToSpeech/Destroy.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/TextToSpeech/Export.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/TextToSpeech/Import.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/TextToSpeech/Index.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/TextToSpeech/LegacyPass2_126.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Pages/Ivr/TextToSpeech/LegacyPass2_32.tsx</code>	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

resources/js/Pages/Ivr/TextToSpeech/LegacyPass2_79.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TextToSpeech/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TextToSpeech/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TextToSpeech/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TextToSpeech/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TicketSync/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TicketSync/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TicketSync/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TicketSync/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TicketSync/LegacyPass2_44.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TicketSync/LegacyPass2_91.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TicketSync/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TicketSync/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TicketSync/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TicketSync/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TrunkGroup/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TrunkGroup/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TrunkGroup/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TrunkGroup/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

resources/js/Pages/Ivr/TrunkGroup/LegacyPass2_123.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TrunkGroup/LegacyPass2_29.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TrunkGroup/LegacyPass2_76.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TrunkGroup/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TrunkGroup/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TrunkGroup/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/TrunkGroup/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/VoicemailBox/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/VoicemailBox/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/VoicemailBox/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/VoicemailBox/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/VoicemailBox/LegacyPass2_116.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/VoicemailBox/LegacyPass2_22.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/VoicemailBox/LegacyPass2_69.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/VoicemailBox/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/VoicemailBox/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/VoicemailBox/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/VoicemailBox/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/WebhookDispatcher/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

resources/js/Pages/Ivr/WebhookDispatcher/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/WebhookDispatcher/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/WebhookDispatcher/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/WebhookDispatcher/LegacyPass2_45.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/WebhookDispatcher/LegacyPass2_92.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/WebhookDispatcher/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/WebhookDispatcher/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/WebhookDispatcher/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/WebhookDispatcher/Update.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/WhisperCoach/Destroy.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/WhisperCoach/Export.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/WhisperCoach/Import.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/WhisperCoach/Index.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/WhisperCoach/LegacyPass2_131.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/WhisperCoach/LegacyPass2_37.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/WhisperCoach/LegacyPass2_84.tsx	8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52 +83	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/WhisperCoach/Monitor.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/WhisperCoach/Store.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
resources/js/Pages/Ivr/WhisperCoach/Sync.tsx	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

<code>resources/js/Pages/Ivr/WhisperCoach/Update.tsx</code>	29	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Shared/Dropdown.tsx</code>	64, 78	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens
<code>resources/js/Shared/SearchFilter.tsx</code>	27	Inline style with hardcoded magic color/spacing/font value	Replace with Tailwind utility classes backed by design tokens

H10. No API Integration Layer CRITICAL

Benchmark: API calls inside a service layer = **0%** (874 inline `fetch()` occurrences; no `services/` or `api/` directory) → falls in the **High Risk** band (Good >90% · Moderate 70–90% · High Risk <70%).

Every network call is a bare `fetch()` in a component render/effect, with the base path hardcoded, no auth header, and ad-hoc error handling. `Pages/Ivr/AfterHours/Index.tsx:15-19` :

```
const id = setInterval(() => {
  fetch('/ivr-legacy/after-hours/index?q=' + search)
    .then(r => r.json())
    .then(d => setLocalRows(d.data ?? localRows))
    .catch(() => {}) // errors swallowed silently
}, 5000)
```

The same shape repeats 874 times; `/ivr-legacy/.../index` alone appears in dozens of files. There is no interceptor, no typed response, and no single place to add a CSRF or auth token.

Why it matters here: an API base-URL change, an auth-header addition, or consistent error UX would require editing hundreds of files. Errors are `.catch(() => {})` -swallowed, so failures are invisible to the user, and the API layer cannot be mocked in tests.

Recommended approach: (1) create `resources/js/services/ivrClient.ts` wrapping `fetch` with base URL, `X-CSRF-TOKEN` /auth header injection, JSON parsing and typed errors; (2) expose one function per endpoint; (3) codemod component `fetch` calls to the service; (4) surface errors through the existing `FlashMessages` component.

874 files affected.

File	Line(s)	Issue	Action
<code>resources/js/components/legacy/AfterHoursMonolith0.tsx</code>	10	Direct <code>fetch()</code> in component, no service layer / auth header / error handling	Move into a typed <code>services/ivrClient</code> wrapper with interceptors
<code>resources/js/components/legacy/AfterHoursMonolith1.tsx</code>	10	Direct <code>fetch()</code> in component, no service layer / auth header / error handling	Move into a typed <code>services/ivrClient</code> wrapper with interceptors
<code>resources/js/components/legacy/AfterHoursMonolith2.tsx</code>	10	Direct <code>fetch()</code> in component, no service layer / auth header / error handling	Move into a typed <code>services/ivrClient</code> wrapper with interceptors
<code>resources/js/components/legacy/AfterHoursMonolith3.tsx</code>	10	Direct <code>fetch()</code> in component, no service layer / auth header / error handling	Move into a typed <code>services/ivrClient</code> wrapper with interceptors
<code>resources/js/components/legacy/AfterHoursMonolith4.tsx</code>	10	Direct <code>fetch()</code> in component, no service layer / auth header / error handling	Move into a typed <code>services/ivrClient</code> wrapper with interceptors

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

resources/js/hooks/legacy/useAgentDeskLegacy4.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useApiIntegrationLegacy0.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useApiIntegrationLegacy2.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useApiIntegrationLegacy4.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useAuditTrailLegacy1.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useAuditTrailLegacy2.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useAuditTrailLegacy4.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useBargeMonitorLegacy1.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useBargeMonitorLegacy3.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useBillingMeterLegacy0.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useBillingMeterLegacy1.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useBillingMeterLegacy2.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useBusinessHoursLegacy0.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useBusinessHoursLegacy2.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useBusinessHoursLegacy3.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useCallAnalyticsLegacy2.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useCallAnalyticsLegacy4.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useCallbackSchedulerLegacy1.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useCallbackSchedulerLegacy2.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

resources/js/hooks/legacy/useCallFlowLegacy0.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useCallFlowLegacy1.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useCallFlowLegacy2.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useCallRecordingLegacy1.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useCallRecordingLegacy3.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useCallRoutingLegacy0.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useCallRoutingLegacy1.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useCallRoutingLegacy4.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useCampaignDialerLegacy0.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useCampaignDialerLegacy3.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useComplianceArchiveLegacy0.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useComplianceArchiveLegacy1.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useComplianceArchiveLegacy3.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useConferenceBridgeLegacy0.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useConferenceBridgeLegacy2.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useConferenceBridgeLegacy3.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useCrmBridgeLegacy0.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useCrmBridgeLegacy2.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useCustomerProfileLegacy0.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

resources/js/hooks/legacy/useCustomerProfileLegacy1.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useCustomerProfileLegacy2.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useCustomerProfileLegacy3.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useDidInventoryLegacy0.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useDidInventoryLegacy3.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useDidInventoryLegacy4.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useDispositionCodeLegacy0.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useDispositionCodeLegacy1.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useDispositionCodeLegacy3.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useEmergencyRouteLegacy1.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useEmergencyRouteLegacy2.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useFraudScreenLegacy1.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useFraudScreenLegacy3.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useFraudScreenLegacy4.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useHistoricalReportsLegacy1.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useHistoricalReportsLegacy2.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useHistoricalReportsLegacy3.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useHistoricalReportsLegacy4.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/hooks/legacy/useHolidayCalendarLegacy0.ts	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

<code>resources/js/hooks/legacy/useHolidayCalendarLegacy2.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useHolidayCalendarLegacy4.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useIvrSettingsLegacy0.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useIvrSettingsLegacy1.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useIvrSettingsLegacy3.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useIvrSettingsLegacy4.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useKnowledgeBaseLegacy1.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useKnowledgeBaseLegacy4.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useLeadListLegacy0.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useLeadListLegacy2.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useLeadListLegacy3.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useLeadListLegacy4.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useLiveMonitoringLegacy2.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useLiveMonitoringLegacy3.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useMediaServerLegacy0.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useMediaServerLegacy2.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useMediaServerLegacy3.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useMediaServerLegacy4.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useNotificationHubLegacy0.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

<code>resources/js/hooks/legacy/useNotificationHubLegacy1.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useNotificationHubLegacy4.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useNumberPortingLegacy0.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useNumberPortingLegacy1.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useNumberPortingLegacy3.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useOverflowRouteLegacy1.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useOverflowRouteLegacy3.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/usePromptLibraryLegacy0.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/usePromptLibraryLegacy3.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useQueueManagementLegacy2.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useQueueManagementLegacy3.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useRateDeckLegacy0.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useRateDeckLegacy3.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useRoleAccessLegacy1.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useRoleAccessLegacy3.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useScriptBuilderLegacy0.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useScriptBuilderLegacy2.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useScriptBuilderLegacy4.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useSkillGroupLegacy2.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

<code>resources/js/hooks/legacy/useSkillGroupLegacy3.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useSpeechRecognitionLegacy2.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useSpeechRecognitionLegacy3.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useSurveyEngineLegacy0.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useSurveyEngineLegacy2.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useSurveyEngineLegacy4.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useSystemConfigLegacy2.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useTenantAdminLegacy0.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useTenantAdminLegacy3.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useTextToSpeechLegacy1.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useTextToSpeechLegacy3.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useTicketSyncLegacy1.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useTicketSyncLegacy2.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useTicketSyncLegacy3.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useTrunkGroupLegacy0.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useTrunkGroupLegacy2.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useVoicemailBoxLegacy0.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useVoicemailBoxLegacy1.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useVoicemailBoxLegacy2.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

<code>resources/js/hooks/legacy/useVoicemailBoxLegacy3.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useWebhookDispatcherLegacy1.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useWebhookDispatcherLegacy2.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useWhisperCoachLegacy0.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useWhisperCoachLegacy1.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/hooks/legacy/useWhisperCoachLegacy4.ts</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/AfterHoursClassWidget0.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/AfterHoursClassWidget1.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/AfterHoursClassWidget2.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/AfterHoursClassWidget3.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/AgentDeskClassWidget1.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/AgentDeskClassWidget2.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/AgentDeskClassWidget3.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/ApiIntegrationClassWidget0.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/ApiIntegrationClassWidget1.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/ApiIntegrationClassWidget2.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/ApiIntegrationClassWidget4.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/AuditTrailClassWidget0.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/AuditTrailClassWidget1.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

[illegible]

resources/js/legacy/class/CallFlowClassWidget2.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/CallFlowClassWidget4.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/CallRecordingClassWidget1.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/CallRecordingClassWidget2.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/CallRecordingClassWidget3.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/CallRoutingClassWidget1.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/CallRoutingClassWidget3.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/CampaignDialerClassWidget1.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/CampaignDialerClassWidget3.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/ComplianceArchiveClassWidget0.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/ComplianceArchiveClassWidget2.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/ComplianceArchiveClassWidget4.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/ConferenceBridgeClassWidget1.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/ConferenceBridgeClassWidget2.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/ConferenceBridgeClassWidget3.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/CrmBridgeClassWidget1.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/CrmBridgeClassWidget3.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/CustomerProfileClassWidget0.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/CustomerProfileClassWidget2.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

<code>resources/js/legacy/class/CustomerProfileClassWidget4.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/DidInventoryClassWidget0.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/DidInventoryClassWidget1.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/DidInventoryClassWidget2.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/DidInventoryClassWidget3.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/DispositionCodeClassWidget0.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/DispositionCodeClassWidget2.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/DispositionCodeClassWidget4.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/EmergencyRouteClassWidget0.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/EmergencyRouteClassWidget1.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/EmergencyRouteClassWidget3.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/EmergencyRouteClassWidget4.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/FraudScreenClassWidget0.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/FraudScreenClassWidget1.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/FraudScreenClassWidget3.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/HistoricalReportsClassWidget0.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/HistoricalReportsClassWidget1.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/HistoricalReportsClassWidget3.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/HolidayCalendarClassWidget1.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

[illegible]

resources/js/legacy/class/MediaServerClassWidget4.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/NotificationHubClassWidget1.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/NotificationHubClassWidget3.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/NumberPortingClassWidget0.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/NumberPortingClassWidget2.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/NumberPortingClassWidget4.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/OverflowRouteClassWidget0.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/OverflowRouteClassWidget2.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/OverflowRouteClassWidget3.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/PromptLibraryClassWidget1.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/PromptLibraryClassWidget2.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/PromptLibraryClassWidget4.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/QueueManagementClassWidget0.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/QueueManagementClassWidget1.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/QueueManagementClassWidget2.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/QueueManagementClassWidget3.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/QueueManagementClassWidget4.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/RateDeckClassWidget1.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/legacy/class/RateDeckClassWidget2.jsx	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

<code>resources/js/legacy/class/RateDeckClassWidget3.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/RoleAccessClassWidget0.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/RoleAccessClassWidget2.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/RoleAccessClassWidget4.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/ScriptBuilderClassWidget1.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/ScriptBuilderClassWidget3.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/SkillGroupClassWidget0.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/SkillGroupClassWidget1.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/SkillGroupClassWidget2.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/SpeechRecognitionClassWidget1.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/SpeechRecognitionClassWidget3.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/SurveyEngineClassWidget0.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/SurveyEngineClassWidget1.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/SurveyEngineClassWidget2.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/SurveyEngineClassWidget4.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/SystemConfigClassWidget1.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/SystemConfigClassWidget3.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/SystemConfigClassWidget4.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/TenantAdminClassWidget0.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

<code>resources/js/legacy/class/TenantAdminClassWidget2.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/TenantAdminClassWidget3.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/TextToSpeechClassWidget0.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/TextToSpeechClassWidget2.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/TextToSpeechClassWidget3.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/TextToSpeechClassWidget4.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/TicketSyncClassWidget1.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/TicketSyncClassWidget3.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/TrunkGroupClassWidget1.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/TrunkGroupClassWidget3.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/TrunkGroupClassWidget4.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/VoicemailBoxClassWidget0.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/VoicemailBoxClassWidget1.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/VoicemailBoxClassWidget2.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/VoicemailBoxClassWidget4.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/WebhookDispatcherClassWidget0.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/WebhookDispatcherClassWidget2.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/WebhookDispatcherClassWidget4.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/legacy/class/WhisperCoachClassWidget0.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

<code>resources/js/legacy/class/WhisperCoachClassWidget2.jsx</code>	6	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/AfterHours/Destroy.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/AfterHours/Export.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/AfterHours/Import.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/AfterHours/Index.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/AfterHours/Monitor.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/AfterHours/Store.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/AfterHours/Sync.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/AfterHours/Update.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/AgentDesk/Destroy.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/AgentDesk/Export.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/AgentDesk/Import.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/AgentDesk/Index.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/AgentDesk/Monitor.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/AgentDesk/Store.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/AgentDesk/Sync.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/AgentDesk/Update.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/ApiIntegration/Destroy.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/ApiIntegration/Export.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

resources/js/Pages/Ivr/ApiIntegration/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ApiIntegration/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ApiIntegration/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ApiIntegration/Store.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ApiIntegration/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ApiIntegration/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/AuditTrail/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/AuditTrail/Export.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/AuditTrail/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/AuditTrail/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/AuditTrail/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/AuditTrail/Store.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/AuditTrail/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/AuditTrail/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/BargeMonitor/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/BargeMonitor/Export.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/BargeMonitor/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/BargeMonitor/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/BargeMonitor/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

<code>resources/js/Pages/Ivr/BargeMonitor/Store.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/BargeMonitor/Sync.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/BargeMonitor/Update.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/BillingMeter/Destroy.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/BillingMeter/Export.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/BillingMeter/Import.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/BillingMeter/Index.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/BillingMeter/Monitor.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/BillingMeter/Store.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/BillingMeter/Sync.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/BusinessHours/Destroy.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/BusinessHours/Export.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/BusinessHours/Import.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/BusinessHours/Index.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/BusinessHours/Monitor.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/BusinessHours/Store.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/BusinessHours/Sync.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/BusinessHours/Update.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/CallAnalytics/Destroy.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

[illegible]

[illegible]

resources/js/Pages/Ivr/CallRouting/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/CampaignDialer/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/CampaignDialer/Export.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/CampaignDialer/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/CampaignDialer/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/CampaignDialer/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/CampaignDialer/Store.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/CampaignDialer/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/CampaignDialer/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ComplianceArchive/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ComplianceArchive/Export.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ComplianceArchive/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ComplianceArchive/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ComplianceArchive/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ComplianceArchive/Store.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ComplianceArchive/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ComplianceArchive/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ConferenceBridge/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ConferenceBridge/Export.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

resources/js/Pages/Ivr/ConferenceBridge/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ConferenceBridge/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ConferenceBridge/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ConferenceBridge/Store.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ConferenceBridge/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ConferenceBridge/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/CrmBridge/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/CrmBridge/Export.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/CrmBridge/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/CrmBridge/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/CrmBridge/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/CrmBridge/Store.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/CrmBridge/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/CrmBridge/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/CustomerProfile/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/CustomerProfile/Export.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/CustomerProfile/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/CustomerProfile/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/CustomerProfile/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

resources/js/Pages/Ivr/CustomerProfile/Store.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/CustomerProfile/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/CustomerProfile/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/DidInventory/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/DidInventory/Export.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/DidInventory/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/DidInventory/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/DidInventory/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/DidInventory/Store.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/DidInventory/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/DidInventory/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/DispositionCode/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/DispositionCode/Export.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/DispositionCode/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/DispositionCode/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/DispositionCode/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/DispositionCode/Store.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/DispositionCode/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/DispositionCode/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

<code>resources/js/Pages/Ivr/EmergencyRoute/Destroy.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/EmergencyRoute/Export.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/EmergencyRoute/Import.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/EmergencyRoute/Index.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/EmergencyRoute/Monitor.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/EmergencyRoute/Store.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/EmergencyRoute/Sync.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/EmergencyRoute/Update.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/FraudScreen/Destroy.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/FraudScreen/Export.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/FraudScreen/Import.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/FraudScreen/Index.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/FraudScreen/Monitor.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/FraudScreen/Store.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/FraudScreen/Sync.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/FraudScreen/Update.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/HistoricalReports/Destroy.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/HistoricalReports/Export.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/HistoricalReports/Import.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

<code>resources/js/Pages/Ivr/HistoricalReports/Index.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/HistoricalReports/Monitor.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/HistoricalReports/Store.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/HistoricalReports/Sync.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/HistoricalReports/Update.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/HolidayCalendar/Destroy.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/HolidayCalendar/Export.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/HolidayCalendar/Import.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/HolidayCalendar/Index.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/HolidayCalendar/Monitor.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/HolidayCalendar/Store.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/HolidayCalendar/Sync.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/HolidayCalendar/Update.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/IvrSettings/Destroy.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/IvrSettings/Export.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/IvrSettings/Import.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/IvrSettings/Index.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/IvrSettings/Monitor.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/IvrSettings/Store.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

resources/js/Pages/Ivr/IvrSettings/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/IvrSettings/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/KnowledgeBase/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/KnowledgeBase/Export.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/KnowledgeBase/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/KnowledgeBase/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/KnowledgeBase/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/KnowledgeBase/Store.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/KnowledgeBase/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/KnowledgeBase/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/LeadList/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/LeadList/Export.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/LeadList/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/LeadList/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/LeadList/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/LeadList/Store.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/LeadList/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/LeadList/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/LiveMonitoring/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

resources/js/Pages/Ivr/LiveMonitoring/Export.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/LiveMonitoring/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/LiveMonitoring/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/LiveMonitoring/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/LiveMonitoring/Store.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/LiveMonitoring/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/LiveMonitoring/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/MediaServer/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/MediaServer/Export.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/MediaServer/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/MediaServer/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/MediaServer/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/MediaServer/Store.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/MediaServer/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/MediaServer/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/NotificationHub/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/NotificationHub/Export.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/NotificationHub/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/NotificationHub/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

[illegible]

resources/js/Pages/Ivr/PromptLibrary/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/PromptLibrary/Export.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/PromptLibrary/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/PromptLibrary/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/PromptLibrary/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/PromptLibrary/Store.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/PromptLibrary/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/PromptLibrary/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/QueueManagement/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/QueueManagement/Export.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/QueueManagement/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/QueueManagement/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/QueueManagement/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/QueueManagement/Store.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/QueueManagement/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/QueueManagement/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/RateDeck/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/RateDeck/Export.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/RateDeck/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

resources/js/Pages/Ivr/RateDeck/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/RateDeck/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/RateDeck/Store.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/RateDeck/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/RateDeck/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/RoleAccess/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/RoleAccess/Export.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/RoleAccess/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/RoleAccess/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/RoleAccess/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/RoleAccess/Store.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/RoleAccess/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/RoleAccess/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ScriptBuilder/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ScriptBuilder/Export.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ScriptBuilder/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ScriptBuilder/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ScriptBuilder/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ScriptBuilder/Store.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

resources/js/Pages/Ivr/ScriptBuilder/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/ScriptBuilder/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/SkillGroup/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/SkillGroup/Export.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/SkillGroup/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/SkillGroup/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/SkillGroup/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/SkillGroup/Store.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/SkillGroup/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/SkillGroup/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/SpeechRecognition/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/SpeechRecognition/Export.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/SpeechRecognition/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/SpeechRecognition/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/SpeechRecognition/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/SpeechRecognition/Store.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/SpeechRecognition/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/SpeechRecognition/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/SurveyEngine/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

[illegible]

resources/js/Pages/Ivr/TenantAdmin/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/TenantAdmin/Store.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/TenantAdmin/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/TenantAdmin/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/TextToSpeech/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/TextToSpeech/Export.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/TextToSpeech/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/TextToSpeech/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/TextToSpeech/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/TextToSpeech/Store.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/TextToSpeech/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/TextToSpeech/Update.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/TicketSync/Destroy.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/TicketSync/Export.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/TicketSync/Import.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/TicketSync/Index.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/TicketSync/Monitor.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/TicketSync/Store.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
resources/js/Pages/Ivr/TicketSync/Sync.tsx	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

<code>resources/js/Pages/Ivr/TicketSync/Update.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/TrunkGroup/Destroy.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/TrunkGroup/Export.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/TrunkGroup/Import.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/TrunkGroup/Index.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/TrunkGroup/Monitor.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/TrunkGroup/Store.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/TrunkGroup/Sync.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/TrunkGroup/Update.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/VoicemailBox/Destroy.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/VoicemailBox/Export.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/VoicemailBox/Import.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/VoicemailBox/Index.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/VoicemailBox/Monitor.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/VoicemailBox/Store.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/VoicemailBox/Sync.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/VoicemailBox/Update.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/WebhookDispatcher/Destroy.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/WebhookDispatcher/Export.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

<code>resources/js/Pages/Ivr/WebhookDispatcher/Import.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/WebhookDispatcher/Index.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/WebhookDispatcher/Monitor.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/WebhookDispatcher/Store.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/WebhookDispatcher/Sync.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/WebhookDispatcher/Update.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/WhisperCoach/Destroy.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/WhisperCoach/Export.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/WhisperCoach/Import.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/WhisperCoach/Index.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/WhisperCoach/Monitor.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/WhisperCoach/Store.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/WhisperCoach/Sync.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors
<code>resources/js/Pages/Ivr/WhisperCoach/Update.tsx</code>	15	Direct fetch() in component, no service layer / auth header / error handling	Move into a typed services/ivrClient wrapper with interceptors

H11. Poor Data Caching & Integration HIGH

Benchmark: data-fetching points using a caching layer = **0%** (no React Query / SWR present) → falls in the **High Risk** band (Good >70% · Moderate 40–70% · High Risk <40%).

Data is re-fetched on every navigation and, worse, polled every 5 seconds via `setInterval` with no cache, no `staleTime`, and no de-duplication (`Pages/Ivr/AfterHours/Index.tsx:14-20`). There are no loading indicators (the effect swaps rows silently) and no optimistic updates after the `save` / `store` mutations in the monoliths. Client-side "search" filters already-fetched rows without refetching correctly, and mutations never invalidate the polled list.

Why it matters here: 375 screens each open a 5-second poll, generating continuous background traffic even when idle; users see stale data after saving (no invalidation) and no loading state, producing a janky UX and needless server load.

Recommended approach: (1) adopt React Query/SWR; (2) replace `setInterval` polls with `useQuery({ refetchInterval })` so requests de-duplicate and cache; (3) add `isLoading` / `isError` UI; (4) call `queryClient.invalidateQueries` after `store` / `update` / `destroy` mutations.

375 files affected.

File	Line(s)	Issue	Action
<code>resources/js/Pages/Ivr/AfterHours/Destroy.tsx</code>	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query <code>useQuery/useMutation</code> with caching and invalidation
<code>resources/js/Pages/Ivr/AfterHours/Export.tsx</code>	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query <code>useQuery/useMutation</code> with caching and invalidation
<code>resources/js/Pages/Ivr/AfterHours/Import.tsx</code>	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query <code>useQuery/useMutation</code> with caching and invalidation
<code>resources/js/Pages/Ivr/AfterHours/Index.tsx</code>	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query <code>useQuery/useMutation</code> with caching and invalidation
<code>resources/js/Pages/Ivr/AfterHours/Monitor.tsx</code>	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query <code>useQuery/useMutation</code> with caching and invalidation
<code>resources/js/Pages/Ivr/AfterHours/Store.tsx</code>	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query <code>useQuery/useMutation</code> with caching and invalidation
<code>resources/js/Pages/Ivr/AfterHours/Sync.tsx</code>	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query <code>useQuery/useMutation</code> with caching and invalidation
<code>resources/js/Pages/Ivr/AfterHours/Update.tsx</code>	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query <code>useQuery/useMutation</code> with caching and invalidation
<code>resources/js/Pages/Ivr/AgentDesk/Destroy.tsx</code>	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query <code>useQuery/useMutation</code> with caching and invalidation
<code>resources/js/Pages/Ivr/AgentDesk/Export.tsx</code>	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query <code>useQuery/useMutation</code> with caching and invalidation
<code>resources/js/Pages/Ivr/AgentDesk/Import.tsx</code>	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query <code>useQuery/useMutation</code> with caching and invalidation
<code>resources/js/Pages/Ivr/AgentDesk/Index.tsx</code>	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query <code>useQuery/useMutation</code> with caching and invalidation
<code>resources/js/Pages/Ivr/AgentDesk/Monitor.tsx</code>	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query <code>useQuery/useMutation</code> with caching and invalidation
<code>resources/js/Pages/Ivr/AgentDesk/Store.tsx</code>	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query <code>useQuery/useMutation</code> with caching and invalidation
<code>resources/js/Pages/Ivr/AgentDesk/Sync.tsx</code>	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query <code>useQuery/useMutation</code> with caching and invalidation
<code>resources/js/Pages/Ivr/AgentDesk/Update.tsx</code>	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query <code>useQuery/useMutation</code> with caching and invalidation
<code>resources/js/Pages/Ivr/ApiIntegration/Destroy.tsx</code>	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query <code>useQuery/useMutation</code> with caching and invalidation

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

			invalidation
resources/js/Pages/Ivr/DispositionCode/Update.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/EmergencyRoute/Destroy.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/EmergencyRoute/Export.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/EmergencyRoute/Import.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/EmergencyRoute/Index.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/EmergencyRoute/Monitor.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/EmergencyRoute/Store.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/EmergencyRoute/Sync.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/EmergencyRoute/Update.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/FraudScreen/Destroy.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/FraudScreen/Export.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/FraudScreen/Import.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/FraudScreen/Index.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/FraudScreen/Monitor.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/FraudScreen/Store.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/FraudScreen/Sync.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/FraudScreen/Update.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/HistoricalReports/Destroy.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/HistoricalReports/Export.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

			invalidation
resources/js/Pages/Ivr/WebhookDispatcher/Destroy.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/WebhookDispatcher/Export.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/WebhookDispatcher/Import.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/WebhookDispatcher/Index.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/WebhookDispatcher/Monitor.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/WebhookDispatcher/Store.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/WebhookDispatcher/Sync.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/WebhookDispatcher/Update.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/WhisperCoach/Destroy.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/WhisperCoach/Export.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/WhisperCoach/Import.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/WhisperCoach/Index.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/WhisperCoach/Monitor.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/WhisperCoach/Store.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/WhisperCoach/Sync.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation
resources/js/Pages/Ivr/WhisperCoach/Update.tsx	14, 15	Uncached polling/refetch with no loading state or invalidation	Replace with React Query useQuery/useMutation with caching and invalidation

H12. Weak Frontend Auth & Route Guards HIGH

Benchmark: token storage = httpOnly session cookie (0, 0 **localStorage** usages) but the fetched data API is **not** guarded → falls in the **Moderate** band (Good httpOnly + 100% guarded · Moderate one gap · High Risk both gaps).

The good news: auth uses Laravel's httpOnly session cookie via Inertia (no tokens in `localStorage`), and every page route in `routes/web.php` is wrapped in `->middleware('auth')`. The gap: the `ivr-legacy/*` data API that all the component `fetch()` calls hit is defined in `routes/generated/ivr_legacy_api.php:6` with no auth middleware:

```
Route::prefix("ivr-legacy")->group(function () {
    Route::match(['get','post'], 'call-analytics/store',
App\Http\Controllers\Ivr\CallAnalyticsStoreController::class);
    Route::match(['get','post'], 'call-analytics/destroy',
App\Http\Controllers\Ivr\CallAnalyticsDestroyController::class);
});
```

Every IVR read *and* write endpoint is reachable unauthenticated, and state-changing actions (`store` / `update` / `destroy`) accept `GET`.

Why it matters here: the entire IVR data surface — including deletes — is exposed to any unauthenticated caller, and `GET`-triggered mutations are CSRF-able via a simple link/image tag. The guarded page shell gives a false sense of protection while the data behind it is open.

Recommended approach: (1) wrap the `ivr-legacy` group in `->middleware('auth')`; (2) restrict mutating routes to `POST` / `PUT` / `DELETE` only; (3) rely on the httpOnly cookie already in place and add CSRF verification; (4) centralise any UI role checks in a single `useAuth` hook.

1 file affected.

File	Line(s)	Issue	Action
<code>routes/generated/ivr_legacy_api.php</code>	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17 +69	IVR data API route group has no auth middleware; GET performs mutations	Add auth middleware and restrict mutations to POST/PUT/DELETE

H13. Frontend Security Vulnerabilities CRITICAL

Benchmark: XSS-risk + hardcoded-secret patterns = **5+** → falls in the **High Risk** band (Good 0 each · Moderate 1–3 total · High Risk >3 total).

Four distinct patterns:

- `resources/js/Shared/Pagination.tsx:16,23` renders server labels via `dangerouslySetInnerHTML={{ __html: link.label }}` (×2) with no sanitisation.
- `resources/js/Pages/Auth/Login.tsx:9` ships a seeded credential in source: `password: 'secret'` as the form default.
- `resources/views/app.blade.php:9,12` load third-party polyfills from a CDN with no `integrity` /SRI:

```
<script src="https://cdnjs.cloudflare.com/polyfill/v3/polyfill.min.js?
features=smoothscroll,..." defer></script>
```

- The unauthenticated, GET-mutating `ivr-legacy/*` API (see H12) is itself a security defect.

Why it matters here: the CDN polyfill without SRI is a live supply-chain risk (the polyfill-service ecosystem has been hijacked before to serve malware) — a compromised script runs with full DOM/session access. The seeded `password: 'secret'` leaks the

demo login and, if the seeder runs in any deployed environment, a working credential. The `dangerouslySetInnerHTML` is lower-risk (labels are framework-generated) but still an unsanitised HTML sink.

Recommended approach: (1) add `integrity` + `crossorigin` SRI attributes to both CDN scripts, or self-host/bundle the polyfills; (2) remove the `password: 'secret'` default; (3) sanitise pagination labels with DOMPurify or render them as text; (4) close the unguarded API per H12.

5 files affected.

File	Line(s)	Issue	Action
<code>resources/js/Pages/Auth/Login.tsx</code>	9	XSS sink / seeded credential / CDN script without SRI	Sanitize HTML, remove seeded secret, add SRI or self-host scripts
<code>resources/js/Pages/Users/Create.tsx</code>	13	XSS sink / seeded credential / CDN script without SRI	Sanitize HTML, remove seeded secret, add SRI or self-host scripts
<code>resources/js/Pages/Users/Edit.tsx</code>	25	XSS sink / seeded credential / CDN script without SRI	Sanitize HTML, remove seeded secret, add SRI or self-host scripts
<code>resources/js/Shared/Pagination.tsx</code>	16, 23	XSS sink / seeded credential / CDN script without SRI	Sanitize HTML, remove seeded secret, add SRI or self-host scripts
<code>resources/views/app.blade.php</code>	9, 12	XSS sink / seeded credential / CDN script without SRI	Sanitize HTML, remove seeded secret, add SRI or self-host scripts

H14. Frontend Performance Gaps MEDIUM

Benchmark: render optimization — 0 `React.memo` / `useMemo` / `useCallback` in the whole tree, **375** files opening uncleaned `setInterval` polls → falls in the **Moderate** band (production bundle not measurable without a build; the leak/memoization signals drive the rating).

There is no memoization anywhere, and every IVR index mounts a 5-second poll that is never cleared (see H18), so timers and their fetches accumulate across navigation. Page-level code splitting is present — `app.tsx` uses

`import.meta.glob('./Pages/**/*.tsx')`, which Vite splits into per-page chunks — so initial load is not the primary concern; the runtime leak is.

Why it matters here: navigating through IVR modules leaves a growing pile of live intervals each re-fetching every 5s, degrading a long session's memory and network profile far more than initial bundle size does.

Recommended approach: (1) clear intervals in effect cleanup (H18) or move to React Query polling; (2) memoize the heavy mapped tables once decomposed; (3) after consolidating clones (H1), measure the gzipped bundle in CI with `rollup-plugin-visualizer` and set a budget.

375 files affected.

File	Line(s)	Issue	Action
<code>resources/js/Pages/Ivr/AfterHours/Destroy.tsx</code>	14	Uncleaned polling timer; no memoization on repeated renders	Add effect cleanup / React Query polling and memoize heavy lists
<code>resources/js/Pages/Ivr/AfterHours/Export.tsx</code>	14	Uncleaned polling timer; no memoization on repeated renders	Add effect cleanup / React Query polling and memoize heavy lists
<code>resources/js/Pages/Ivr/AfterHours/Import.tsx</code>	14	Uncleaned polling timer; no memoization on repeated renders	Add effect cleanup / React Query polling and memoize heavy lists
<code>resources/js/Pages/Ivr/AfterHours/Index.tsx</code>	14	Uncleaned polling timer; no memoization on repeated renders	Add effect cleanup / React Query polling and memoize heavy lists
<code>resources/js/Pages/Ivr/AfterHours/Monitor.tsx</code>	14	Uncleaned polling timer; no memoization on repeated renders	Add effect cleanup / React Query polling and memoize heavy lists
<code>resources/js/Pages/Ivr/AfterHours/Store.tsx</code>	14	Uncleaned polling timer; no memoization on repeated renders	Add effect cleanup / React Query polling and memoize heavy lists

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

<code>resources/js/Pages/Ivr/WhisperCoach/Index.tsx</code>	14	Uncleaned polling timer; no memoization on repeated renders	Add effect cleanup / React Query polling and memoize heavy lists
<code>resources/js/Pages/Ivr/WhisperCoach/Monitor.tsx</code>	14	Uncleaned polling timer; no memoization on repeated renders	Add effect cleanup / React Query polling and memoize heavy lists
<code>resources/js/Pages/Ivr/WhisperCoach/Store.tsx</code>	14	Uncleaned polling timer; no memoization on repeated renders	Add effect cleanup / React Query polling and memoize heavy lists
<code>resources/js/Pages/Ivr/WhisperCoach/Sync.tsx</code>	14	Uncleaned polling timer; no memoization on repeated renders	Add effect cleanup / React Query polling and memoize heavy lists
<code>resources/js/Pages/Ivr/WhisperCoach/Update.tsx</code>	14	Uncleaned polling timer; no memoization on repeated renders	Add effect cleanup / React Query polling and memoize heavy lists

H15. Browser & Runtime Compatibility Gaps MEDIUM

Benchmark: polyfills present (0, two CDN polyfill scripts in `app.blade.php`) but **no** `browserslist` / `.browserslistrc` and none in `package.json` → falls in the **Moderate** band (Good both · Moderate one missing · High Risk both).

Autoprefixer is configured in `postcss.config.js` , but with no `browserslist` target it falls back to defaults, so CSS prefixing and any Vite/esbuild transpile target are unpinned. Polyfills are loaded, but via un-SRI'd CDN (see H13) rather than bundled per target.

Why it matters here: without a declared browser matrix, Autoprefixer and the build target are undefined, so support for the audience's real browsers (older Safari, etc.) is accidental rather than guaranteed.

Recommended approach: (1) add a `.browserslistrc` matching the target audience; (2) let Autoprefixer and Vite read it; (3) bundle required polyfills locally instead of the CDN scripts.

2 files affected.

File	Line(s)	Issue	Action
<code>postcss.config.js</code>	6	No browserslist target; polyfills loaded via un-SRI'd CDN	Add <code>.browserslistrc</code> and bundle polyfills; wire Autoprefixer to it
<code>resources/views/app.blade.php</code>	9, 12	No browserslist target; polyfills loaded via un-SRI'd CDN	Add <code>.browserslistrc</code> and bundle polyfills; wire Autoprefixer to it

H16. Frontend Code Quality Issues MEDIUM

Benchmark: TypeScript `strict: true` (0 in `tsconfig.json` , plus `noUnusedLocals` / `noUnusedParameters`) but ESLint is **not** run in CI → falls in the **Moderate** band (Good both yes · Moderate one yes · High Risk both no).

ESLint is configured (`.eslintrc.cjs` with `@typescript-eslint` , `react` , `react-hooks`), but `package.json` only exposes it as a manual `fix:eslint` script, and the three `.github/workflows/*.yaml` jobs run **only** PHP tooling (Laravel Pint, PHPStan, PHPUnit) — no `npm run lint` step exists. `@typescript-eslint/no-explicit-any` is disabled, and the IVR components lean on `any` heavily (`{ rows, tenantId, legacyMeta } : any`). The `.jsx` legacy widgets sit outside the strict `tsconfig` `include` globs entirely.

Why it matters here: hook-rule and type violations (the missing-cleanup effects of H18 would be caught by `react-hooks/exhaustive-deps`) reach `master` undetected because nothing lints the frontend on push.

Recommended approach: (1) add an `npm run lint` (`eslint --ext .ts,.tsx,.jsx`) job to CI on push/PR; (2) re-enable `no-explicit-any` and type the IVR props; (3) bring `.jsx` files under the strict `tsconfig` ; (4) fail CI on lint errors.

229 files affected.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

resources/js/components/legacy/TicketSyncMonolith2.tsx	3	Untyped `any` props; ESLint not enforced in CI	Add ESLint CI job, re-enable no-explicit-any, type props
resources/js/components/legacy/TicketSyncMonolith3.tsx	3	Untyped `any` props; ESLint not enforced in CI	Add ESLint CI job, re-enable no-explicit-any, type props
resources/js/components/legacy/TrunkGroupMonolith0.tsx	3	Untyped `any` props; ESLint not enforced in CI	Add ESLint CI job, re-enable no-explicit-any, type props
resources/js/components/legacy/TrunkGroupMonolith1.tsx	3	Untyped `any` props; ESLint not enforced in CI	Add ESLint CI job, re-enable no-explicit-any, type props
resources/js/components/legacy/TrunkGroupMonolith2.tsx	3	Untyped `any` props; ESLint not enforced in CI	Add ESLint CI job, re-enable no-explicit-any, type props
resources/js/components/legacy/TrunkGroupMonolith3.tsx	3	Untyped `any` props; ESLint not enforced in CI	Add ESLint CI job, re-enable no-explicit-any, type props
resources/js/components/legacy/TrunkGroupMonolith4.tsx	3	Untyped `any` props; ESLint not enforced in CI	Add ESLint CI job, re-enable no-explicit-any, type props
resources/js/components/legacy/VoicemailBoxMonolith0.tsx	3	Untyped `any` props; ESLint not enforced in CI	Add ESLint CI job, re-enable no-explicit-any, type props
resources/js/components/legacy/VoicemailBoxMonolith1.tsx	3	Untyped `any` props; ESLint not enforced in CI	Add ESLint CI job, re-enable no-explicit-any, type props
resources/js/components/legacy/VoicemailBoxMonolith2.tsx	3	Untyped `any` props; ESLint not enforced in CI	Add ESLint CI job, re-enable no-explicit-any, type props
resources/js/components/legacy/VoicemailBoxMonolith3.tsx	3	Untyped `any` props; ESLint not enforced in CI	Add ESLint CI job, re-enable no-explicit-any, type props
resources/js/components/legacy/VoicemailBoxMonolith4.tsx	3	Untyped `any` props; ESLint not enforced in CI	Add ESLint CI job, re-enable no-explicit-any, type props
resources/js/components/legacy/WebhookDispatcherMonolith0.tsx	3	Untyped `any` props; ESLint not enforced in CI	Add ESLint CI job, re-enable no-explicit-any, type props
resources/js/components/legacy/WebhookDispatcherMonolith1.tsx	3	Untyped `any` props; ESLint not enforced in CI	Add ESLint CI job, re-enable no-explicit-any, type props
resources/js/components/legacy/WebhookDispatcherMonolith2.tsx	3	Untyped `any` props; ESLint not enforced in CI	Add ESLint CI job, re-enable no-explicit-any, type props
resources/js/components/legacy/WebhookDispatcherMonolith3.tsx	3	Untyped `any` props; ESLint not enforced in CI	Add ESLint CI job, re-enable no-explicit-any, type props
resources/js/components/legacy/WebhookDispatcherMonolith4.tsx	3	Untyped `any` props; ESLint not enforced in CI	Add ESLint CI job, re-enable no-explicit-any, type props
resources/js/components/legacy/WhisperCoachMonolith0.tsx	3	Untyped `any` props; ESLint not enforced in CI	Add ESLint CI job, re-enable no-explicit-any, type props
resources/js/components/legacy/WhisperCoachMonolith1.tsx	3	Untyped `any` props; ESLint not enforced in CI	Add ESLint CI job, re-enable no-explicit-any, type props
resources/js/components/legacy/WhisperCoachMonolith2.tsx	3	Untyped `any` props; ESLint not enforced in CI	Add ESLint CI job, re-enable no-explicit-any, type props
resources/js/components/legacy/WhisperCoachMonolith3.tsx	3	Untyped `any` props; ESLint not enforced in CI	Add ESLint CI job, re-enable no-explicit-any, type props
resources/js/components/legacy/WhisperCoachMonolith4.tsx	3	Untyped `any` props; ESLint not enforced in CI	Add ESLint CI job, re-enable no-explicit-any, type props

H17. Technical Debt & Outdated Dependencies MEDIUM

Benchmark: Critical/High CVEs = **1 High** (lodash) → falls in the **Moderate** band (Good 0 · Moderate 1–3 · High Risk >3).

npm audit reports one High-severity chain in **lodash** ([GHSA-r5fr-rjxr-66jc] code injection via `_.template`, plus prototype-pollution advisories) with *no fix available*. Notably, lodash is a **direct dependency the frontend never imports** (0 **from** `'lodash'` in `resources/js`) — dead weight carrying a live CVE. **react-router-dom@5.2.0** is likewise

installed but has 0 usages (routing is Inertia's) — it is four major versions behind and entirely dead. Tooling lags too:

`prettier@2.8.8` (v3 current), `eslint@8.57` (v9 current). No `TODO` / `FIXME` markers were found.

Why it matters here: the two dead dependencies (lodash, react-router-dom) add attack surface and audit noise for zero functional value; the lodash advisory means every `npm audit` in CI will flag High until it is removed.

Recommended approach: (1) remove the unused `lodash` and `react-router-dom` dependencies — clearing the High CVE outright; (2) upgrade `prettier` → 3 and `eslint` → 9; (3) add a scheduled `npm audit` / Dependabot check.

1 file affected.

File	Line(s)	Issue	Action
<code>package.json</code>	17, 20, 31, 39	Unused-but-vulnerable and outdated dependencies	Remove dead deps (lodash, react-router-dom); upgrade prettier/eslint

H18. useEffect Cleanup / Interval Leaks (additional) CRITICAL

Benchmark: timer effects lacking cleanup = 375 files → falls in the **High Risk** band (Good 0 · Moderate 1–10 · High Risk >10). KPI: a `useEffect` that starts `setInterval` / `setTimeout` / subscription must return a teardown; 374 of these even self-document the omission with a `// missing cleanup - interval leak pattern` comment.

`Pages/Ivr/AfterHours/Index.tsx:12-20` :

```
useEffect(() => {
  // missing cleanup - interval leak pattern
  const id = setInterval(() => { fetch('/ivr-legacy/after-hours/index?q=' +
search)... }, 5000)
}, [search]) // no return () => clearInterval(id)
```

The `id` is captured but never cleared, and the effect re-runs on every `search` keystroke, stacking a new 5-second poll each time.

Why it matters here: typing in the search box or navigating between the 375 IVR screens leaves an ever-growing set of live intervals, each re-fetching forever — a compounding memory and network leak that degrades any non-trivial session and can hammer the (unauthenticated) backend.

Recommended approach: (1) return `() => clearInterval(id)` from every such effect; (2) better, replace hand-rolled polling with React Query `refetchInterval` (H11); (3) enable `react-hooks/exhaustive-deps` and add the lint CI job (H16) to catch these mechanically.

375 files affected.

File	Line(s)	Issue	Action
<code>resources/js/Pages/Ivr/AfterHours/Destroy.tsx</code>	13, 14	useEffect starts a timer/poll with no cleanup return (leak)	Return clearInterval cleanup or migrate to React Query polling
<code>resources/js/Pages/Ivr/AfterHours/Export.tsx</code>	13, 14	useEffect starts a timer/poll with no cleanup return (leak)	Return clearInterval cleanup or migrate to React Query polling
<code>resources/js/Pages/Ivr/AfterHours/Import.tsx</code>	13, 14	useEffect starts a timer/poll with no cleanup return (leak)	Return clearInterval cleanup or migrate to React Query polling
<code>resources/js/Pages/Ivr/AfterHours/Index.tsx</code>	13, 14	useEffect starts a timer/poll with no cleanup return (leak)	Return clearInterval cleanup or migrate to React Query polling
<code>resources/js/Pages/Ivr/AfterHours/Monitor.tsx</code>	13, 14	useEffect starts a timer/poll with no cleanup return (leak)	Return clearInterval cleanup or migrate to React Query polling

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

<code>resources/js/Pages/Ivr/WhisperCoach/Import.tsx</code>	13, 14	useEffect starts a timer/poll with no cleanup return (leak)	Return clearInterval cleanup or migrate to React Query polling
<code>resources/js/Pages/Ivr/WhisperCoach/Index.tsx</code>	13, 14	useEffect starts a timer/poll with no cleanup return (leak)	Return clearInterval cleanup or migrate to React Query polling
<code>resources/js/Pages/Ivr/WhisperCoach/Monitor.tsx</code>	13, 14	useEffect starts a timer/poll with no cleanup return (leak)	Return clearInterval cleanup or migrate to React Query polling
<code>resources/js/Pages/Ivr/WhisperCoach/Store.tsx</code>	13, 14	useEffect starts a timer/poll with no cleanup return (leak)	Return clearInterval cleanup or migrate to React Query polling
<code>resources/js/Pages/Ivr/WhisperCoach/Sync.tsx</code>	13, 14	useEffect starts a timer/poll with no cleanup return (leak)	Return clearInterval cleanup or migrate to React Query polling
<code>resources/js/Pages/Ivr/WhisperCoach/Update.tsx</code>	13, 14	useEffect starts a timer/poll with no cleanup return (leak)	Return clearInterval cleanup or migrate to React Query polling

H19. Missing Error Boundaries (additional) HIGH

Benchmark: error boundaries present = 0 app-wide (0)

`componentDidCatch` / `getDerivedStateFromError` / `ErrorBoundary`) → falls in the **Moderate** band (Good ≥1 per area · Moderate 1 global · High Risk 0). Rated Moderate rather than High because Inertia isolates navigation, but any render throw still blanks the current page.

There is no error boundary anywhere in `resources/js`, while the IVR components freely index into optionally-undefined props (`rows?.[i]?.name`) and parse arbitrary JSON responses. A single throw during render unmounts the whole React root with no fallback UI.

Why it matters here: given 916 loosely-typed (`: any`) components fetching untyped API data, a malformed response or unexpected shape crashes the entire screen to a blank page instead of a recoverable error state.

Recommended approach: (1) add a top-level `ErrorBoundary` in `Shared/Layout.tsx` rendering a fallback + retry; (2) wrap each IVR feature area in its own boundary so one module's failure is contained; (3) log caught errors to the backend.


2 files affected.

File	Line(s)	Issue	Action
<code>resources/js/app.tsx</code>	2, 8	No error boundary; a render throw blanks the whole SPA	Add a global + per-feature ErrorBoundary with fallback UI
<code>resources/js/Shared/Layout.tsx</code>	1, 11	No error boundary; a render throw blanks the whole SPA	Add a global + per-feature ErrorBoundary with fallback UI


Not observed (rated Good): H4 — no global mutable store, `window` /singleton or Context writes; state is local `useState` or Inertia page props. H5 — prop-drilling depth ≤2 because Inertia injects props at the page boundary; no deep drill chains. H9 — all `routes/web.php` page routes carry `->middleware('auth')`, routes are centralized server-side, and pages are code-split via `import.meta.glob` (the data-API auth gap is captured under H12, not here).

3.3 Diagrams

Current UI data flow



Target component + state layout



Improvement roadmap



3.4 Actions Required

Hotspot	Action	Rating	Priority
H10 No API Integration Layer	Move 874 inline <code>fetch</code> calls into a typed <code>services/ivrClient</code> with auth-header/error interceptors	HIGH RISK	CRITICAL
H12 Weak Frontend Auth	Add <code>auth</code> middleware to the <code>ivr-legacy</code> route group; restrict mutations to POST/PUT/DELETE	MODERATE	CRITICAL

H13 Security Vulnerabilities	Add SRI to CDN scripts, remove seeded <code>password: 'secret'</code> , sanitize pagination HTML	HIGH RISK	CRITICAL
H18 Interval Leaks	Return <code>clearInterval</code> cleanup in 375 effects (or migrate to React Query polling)	HIGH RISK	CRITICAL
H1 Component Duplication	Consolidate <code>LegacyPass2_*</code> , <code>*Monolith*</code> and <code>legacyFormatters1-8</code> into parameterised units	HIGH RISK	HIGH
H6 Weak Architecture	Extract service layer + presentational components; inject <code>tenantId</code> from auth context	HIGH RISK	HIGH
H7 Missing Inventory	Publish <code>Shared/</code> as <code>@/ui</code> + Storybook; migrate IVR raw controls onto it	HIGH RISK	HIGH
H8 No Design System	Introduce design tokens; codemod 13,701 inline styles to Tailwind classes	HIGH RISK	HIGH
H11 Poor Data Caching	Adopt React Query with <code>staleTime</code> and post-mutation invalidation	HIGH RISK	HIGH
H2 Legacy Class Components	Convert 147 <code>*ClassWidget.jsx</code> to typed function components with a shared hook	MODERATE	HIGH
H19 Missing Error Boundaries	Add global + per-feature <code>ErrorBoundary</code> with fallback UI	MODERATE	HIGH
H16 Code Quality	Add ESLint CI job; re-enable <code>no-explicit-any</code> ; bring <code>.jsx</code> under strict tsconfig	MODERATE	MEDIUM
H17 Technical Debt	Remove unused vulnerable <code>lodash</code> + dead <code>react-router-dom</code> ; upgrade prettier/eslint	MODERATE	MEDIUM
H3 Massive Components	Replace unrolled markup with data maps; extract logic to hooks (<code>max-lines</code> rule)	MODERATE	MEDIUM
H14 Performance Gaps	Fix interval leaks, memoize heavy tables, add a CI bundle budget	MODERATE	MEDIUM
H15 Browser Compatibility	Add <code>.browserslistrc</code> ; bundle polyfills locally; wire Autoprefixer	MODERATE	LOW

3.5 Expected Outcomes

- A centralized `services/ivrClient` layer replaces 874 scattered `fetch` calls, giving one place for auth headers, CSRF, base URL, typed responses and consistent error UX — and making the API mockable in tests.
- Guarding the `ivr-legacy` route group and removing GET mutations closes an open, unauthenticated data-and-delete surface that currently sits behind an authenticated page shell.
- Fixing the 375 interval leaks (or moving to React Query polling) eliminates a compounding memory/network leak, stabilising long sessions and cutting idle backend traffic.
- Adopting React Query brings caching, loading/error states and post-mutation invalidation, ending stale-after-save UX and redundant refetching.
- Consolidating ~517 duplicated clones into parameterised components/utilities shrinks the tree, kills behaviour drift, and makes a single fix apply everywhere.

- A documented `@/ui` library + design tokens replaces 13,701 inline styles with a single source of truth for colour and spacing, restoring visual consistency and making rebrands one-line changes.
- Converting 147 class widgets to typed hooks and enforcing ESLint in CI with `strict` typing catches hook-rule and type errors (including the leaks) before they reach `master` .
- Removing the unused, CVE-carrying `lodash` and dead `react-router-dom` clears the one High-severity advisory and reduces attack surface and audit noise to zero.
- Adding error boundaries turns a full-page blank-out on any render throw into a contained, recoverable per-feature fallback.