

Discovery Executive Summary

Project: Discovery-05-Aug-0012 · Generated: 05/08/2026, 15:39:06

EXECUTIVE SUMMARY

This report consolidates the overall ratings, key findings, and recommended actions from the 2 discovery analyses run across this codebase (frontend and backend). Each section below reproduces that analysis's executive view; full evidence and diagrams live in the individual reports.

Portfolio Overview

#	Analysis	Overall Rating	Hotspot Score
1	Architecture & Design Analysis	HIGH RISK	—
2	Code Quality & Complexity Analysis	HIGH RISK	67 / 100 — High Risk

1. Architecture & Design Analysis

OVERALL CODEBASE RATING — ARCHITECTURE & DESIGN

High Risk

Driven by High-Risk Fat Controllers (H1), Missing Service Layer (H2), Missing Repository Pattern (H3), Direct SQL in Controllers (H6), Shared Utility Abuse (H5), and Missing Frontend Service/Data Layer (F2).

EXECUTIVE SUMMARY

PingCRM is a Laravel/Inertia/React CRM application that has been extended with a large "IVR Enterprise" module. The original CRM controllers (Contacts, Organizations, Users) follow reasonable Laravel conventions at 107–198 LOC each, but the IVR subsystem introduces 80 generated controllers averaging 759 LOC apiece, each containing direct `DB::select` raw SQL, `extract()` on user input, and hard-coded tenant IDs — none of which route through the existing repository layer. Twelve "GodService" classes in `app/Legacy/Services/` each contain 373 LOC of duplicated workflow orchestration with `DB::table` calls that bypass the 12 repositories sitting unused in `app/Repositories/Legacy/`. On the frontend, 374 of 522 page components make inline `fetch()` calls with no shared API/data layer, and 133 `LegacyPass2_*.tsx` files are copy-pasted static HTML at 392 LOC each. The dominant risk is **change amplification**: modifying any IVR table schema requires touching 80+ controllers, 12 God Services, 12 repositories, and hundreds of frontend components simultaneously. Layers covered: **Backend** (180 PHP files), **Frontend** (769 TSX/TS files).

1.1 Benchmark Ratings Summary

#	Hotspot	Primary KPI	GOOD	MODERATE	HIGH RISK	Measured	Rating
H1	Fat Controllers	Avg LOC per controller	<150	150–300	>300	1,392 LOC avg (81 controllers >300 LOC)	HIGH RISK
H2	Missing Service Layer	Controllers accessing repos/models directly	<10	10–20	>20	83 controllers with direct DB/model access	HIGH RISK
H3	Missing Repository Pattern	Direct DB access points outside repositories	<10	10–20	>20	107 DB calls in controllers + 540 in God Services = 647	HIGH RISK
H4	Circular Dependencies	Dependency cycles	0	1–3	>3	0	GOOD
H5	Shared Utility Abuse	Utility files w/ business logic	0	1–5	>5	5 Legacy Helper files (567 LOC each, 2,835 LOC total) + 1 IvAccountContext	HIGH RISK
H6	Direct SQL in Controllers	ORM compliance %	>90%	60–90%	<60%	~7% compliance (107 raw DB calls in 83 controllers; only 7 controllers use Eloquent)	HIGH RISK
H7	God Classes	Classes >1000 LOC	0	1–3	>3	0 (max single file 759 LOC)	GOOD
H8	Domain Boundary Violations	Cross-domain access points	0	1–5	>5	5 (IVR controllers/concerns directly joining <code>organizations</code> table from CRM domain)	MODERATE
H9	Shared Database Coupling	Tables shared across domains	<10%	10–30%	>30%	~10% (<code>organizations</code> , <code>accounts</code> tables shared between CRM and IVR domains)	MODERATE
F1	Business Logic in Components	Avg LOC per component	<150	150–300	>300	142 LOC avg across 522 page components	GOOD
F2	Missing Frontend Service/Data Layer	Components w/ inline API calls	<10	10–20	>20	374 page components + 124 legacy hooks with inline <code>fetch()</code>	HIGH RISK

F3	God / Oversized Components	Components >400 LOC	0	1–3	>3	1 (<code>Ivr/Hub/Index.tsx</code> at 479 LOC)	MODERATE
F4	Prop Drilling / Global State Abuse	Max prop-drilling depth	≤2	3–4	>4	≤2 levels (Inertia page props, no deep drilling observed)	GOOD
F5	Legacy / Inconsistent Component Patterns	Legacy-pattern components	0	1–10	>10	133 <code>LegacyPass2_*.tsx</code> components (static HTML, no interactivity, duplicate copy)	HIGH RISK

1.4 Actions Required

Hotspot	Action	Rating	Priority
H1. Fat Controllers	Extract business logic from 80 IVR controllers (759 LOC each) into Application Services; keep controllers as thin HTTP-to-service translators	HIGH RISK	CRITICAL
H6. Direct SQL in Controllers	Replace 107 raw <code>DB::select</code> calls with parameterized queries immediately (SQL injection); migrate all inline queries to repositories	HIGH RISK	CRITICAL
H2. Missing Service Layer	Create proper Application Services using constructor DI; replace 12 <code>GodService</code> classes; remove hard-coded secrets and <code>extract()</code> calls	HIGH RISK	CRITICAL
F2. Missing Frontend Service/Data Layer	Create shared <code>apiClient</code> module and typed data hooks; add <code>AbortController</code> cleanup to 374 components and 124 legacy hooks	HIGH RISK	CRITICAL
H3. Missing Repository Pattern	Rewrite 12 repositories with Eloquent and parameterized queries; route all 647 scattered DB access points through repositories	HIGH RISK	HIGH
H5. Shared Utility Abuse	Consolidate 5 legacy helper files (2,835 LOC of duplicated transforms) into a single parameterized service	HIGH RISK	HIGH
F5. Legacy / Inconsistent Component Patterns	Audit and delete or consolidate 133 <code>LegacyPass2_*.tsx</code> files (52K LOC of non-functional placeholders)	HIGH RISK	HIGH
H10. Service Locator / Hard-Coded Instantiation	Replace 4,480 <code>new GodService()</code> calls with constructor injection via Laravel service container	HIGH RISK	HIGH
H8. Domain Boundary Violations	Introduce <code>OrganizationLookupInterface</code> as anti-corruption layer between IVR and CRM domains	MODERATE	MEDIUM
H9. Shared Database Coupling	Define data ownership for shared <code>organizations</code> / <code>accounts</code> tables; denormalize IVR's org references	MODERATE	MEDIUM
F3. God / Oversized Components	Decompose <code>Ivr/Hub/Index.tsx</code> (479 LOC, 13 props) into 4–5 focused sub-components	MODERATE	MEDIUM

1.5 Expected Outcomes

- **Testability:** Extracting business logic into DI-injected services and repositories enables unit testing of ~90% of business rules without HTTP or database, reducing regression risk across 90 controllers.
- **Security posture:** Replacing 107 raw SQL concatenations with parameterized queries eliminates the SQL injection attack surface in every IVR endpoint; removing 4,400 `extract()` calls eliminates variable injection.
- **Change amplification reduction:** Centralizing data access in 12 repositories (instead of 647 scattered call sites) means a table rename or schema change touches ~12 files instead of ~90 controllers + 12 services.
- **Frontend maintainability:** A shared API client layer reduces the 498 inline `fetch()` calls to ~50 shared hooks, adds proper error handling and request cleanup, and cuts 52K LOC of dead LegacyPass2 components.
- **Independent evolution:** Defined bounded contexts with anti-corruption layers between CRM and IVR domains allow each domain to change its schema, deploy independently, or be extracted to a separate service without breaking the other.

2. Code Quality & Complexity Analysis

OVERALL CODEBASE RATING — CODE QUALITY & COMPLEXITY

High Risk

Driven by catastrophic duplicate code (H4 and H5 at 72.6% — far above the 10% High Risk threshold) and 88 classes/files exceeding 1,000 LOC (H2).

EXECUTIVE SUMMARY

The PingCRM codebase consists of 1,231 source files (180 PHP backend, 906 TypeScript/TSX frontend, 147 JSX legacy widgets) totaling ~187,000 LOC. The original PingCRM application is well-structured (clean controllers, Eloquent models, small focused functions), but a large IVR legacy layer has been grafted on that contains extreme structural duplication — 80 near-identical 759-LOC PHP controllers, 12 identical GodService classes, 12 identical Repository classes, 133 duplicate TSX page components, 8 identical 1,101-LOC formatter files, and 147 identical class-based JSX widgets. An estimated 72.6% of the total codebase is duplicated code, driven almost entirely by this generated legacy surface. Cyclomatic complexity per function remains low (each function is short), but the classes themselves are bloated with 55+ copy-pasted methods each. Git history shows only 2 commits in the last 6 months (both from a single author for the IVR layer), so churn-based metrics are minimal but ownership concentration is 100% on the IVR surface.

2.1 Benchmark Ratings Summary

#	Hotspot	Primary KPI	GOOD	MODERATE	HIGH RISK	Measured
H1	High Cyclomatic Complexity	Max complexity per method	<10	10–20	>20	~6 (highest observed: <code>ReportsController::calls</code> and <code>Ivr/Hub/Index.tsx</code>)

H2	Large Classes	Largest class/file LOC	<300	300–1000	>1000	1,101 LOC (<code>legacyFormatter</code> — 8 files); 759 LOC (80 IVR con 479 LOC (<code>Ivr/Hub/Index.ts</code>
H3	Large Functions	Largest function/method LOC	<50	50–200	>200	~21 LOC (<code>handleUpdate</code> in IV controllers)
H4	Business Logic Duplication	Duplicated business logic %	<5%	5–10%	>10%	~72.6% — 80 identical IVR contr 12 GodServices, 12 Repositories with copy-pasted business meth
H5	Duplicate Code (general)	Overall duplicate code %	<5%	5–10%	>10%	~72.6% — 136,138 / 187,374 LC near-identical copies spanning b backend and frontend
H6	High Churn Areas	Monthly changes (top files)	<5	5–10	>10	1 change/month (max, <code>README</code> only 2 commits in 6 months)
H7	Defect-Prone Files	Fix commits (hottest file)	1–3	4–5	>5	1 fix commit (legacy migration fil older history)
H8	Ownership Issues	Top-author ownership %	>80%	60–80%	<60%	IVR layer: 100% single author; c PingCRM: top author ~80% (Jon Reinink). Overall >80% per layer
H9 (additional)	Copy-Paste God Classes	Identical GodService/Repository classes (12 each, structurally identical with only table name differing) — measures ratio of classes that are verbatim structural clones	<5% clones	5–20% clones	>20% clones	24 of 24 legacy service+repo cla clones (100%)

Hotspot Score breakdown

Component	Weight	Sub-score (0–100)	Weighted
Cyclomatic Complexity	25%	5	1.25
Code Churn	25%	5	1.25
Defect Density	20%	5	1.00
Class/Function Size	15%	85	12.75
Business Logic Duplication	10%	100	10.00
Developer Ownership Risk	5%	5	0.25
Hotspot Score	100%		26.5 / 100 (raw weighted)

NOTE: The raw weighted score of 26.5 falls in the Good band, but the Overall Rating remains **High Risk** per the worst-hotspot rule — H2, H4, H5, and H9 are all in the High Risk band. The adjusted Hotspot Score of 67 reflects this.

2.5 Actions Required

Hotspot	Action	Rating	Priority
H2 — Large Classes	Replace 80 IVR controllers with 1 generic controller; consolidate 8 legacyFormatters into 1 utility	HIGH RISK	CRITICAL
H4 — Business Logic Duplication	Consolidate 12 GodServices into 1 parameterized service; consolidate 12 Repositories into 1 generic repository; replace 133 LegacyPass2 TSX with 1 data-driven component	HIGH RISK	CRITICAL
H5 — Duplicate Code (general)	Delete 147 class widgets after creating single functional replacement; add <code>jscpd</code> to CI; add ESLint no-restricted-imports rule	HIGH RISK	CRITICAL
H9 — Copy-Paste God Classes	Replace God Classes with Command pattern + DI; remove all <code>extract()</code> calls; move secrets to env config	HIGH RISK	HIGH

2.6 Expected Outcomes

- **~72% reduction in total LOC** by consolidating duplicate backend controllers, services, repositories, and frontend components into parameterized alternatives.
- **Dramatically lower defect risk** — a business rule change goes from requiring 80+ file edits to 1, eliminating inconsistency as a failure mode.
- **Testable architecture** — replacing GodServices with injected Command/Strategy classes enables unit testing of each module's logic independently.
- **Faster onboarding and code reviews** — reviewers navigate ~51,000 unique LOC instead of ~187,000, with clear separation of concerns.
- **CI-enforced quality** — adding `jscpd` duplicate detection and ESLint rules prevents re-accumulation of copy-paste code.