

agent: discovery-testing-qa-agent cli: Claude Code CLI llm: claude-opus-4-8
run_id: 20260807T165658_j4iyle generated_at: 2026-08-07T12:16:09.995Z

5. Testing & Quality Assurance Hotspots Analysis

Objective: Improve test coverage and software quality by generating unit, integration, and contract tests where missing.

Date: 2026-08-07 12:17:27 UTC | **Scope:** shende-shweta/pingcrm (Laravel 11 + React/Inertia IVR monolith) — Backend: PHPUnit 11 (tests/Feature , tests/Unit); Frontend: Vitest 4 (resources/js/test)

Executive Summary

EXECUTIVE SUMMARY

The test suite is effectively absent relative to the size of the codebase: **4 test files** guard **~1,045 source files** (141 PHP, ~904 TS/TSX). Backend testing is limited to two Inertia feature tests (`ContactsTest`, `OrganizationsTest`) plus one placeholder `ExampleTest` that only asserts `true`; the frontend has a single `smoke.test.ts` that asserts `true === true` and covers zero React components. The entire legacy IVR subsystem — 83 fat controllers, 12 "God" services, 12 repositories, and ~84 unversioned JSON API endpoints under `/api/ivr-legacy` — ships with **no tests whatsoever**, including authentication (`AuthenticatedSessionController`) and crypto helpers (`LegacyIvrCrypto`). Estimated overall coverage is **<5%** (backend ~3%, frontend 0%) based on the test-file-to-source ratio, since no coverage report is present. CI (`.github/workflows/tests.yml`) does run `php artisan test` on every push/PR — a genuine backend gate — but never invokes `npm run test`, so frontend tests are unenforced. There are no integration tests around the service/repository boundaries, no contract tests for the public API, and no end-to-end tests at all.

4

TEST FILES FOUND

~1,043

SOURCE FILES WITH NO
MATCHING TEST

<5%

ESTIMATED COVERAGE (BE
~3% · FE 0%)

0

SKIPPED/DISABLED TESTS

OVERALL CODEBASE RATING — TESTING & QUALITY ASSURANCE

High Risk

Driven by H1 (auth, crypto and 12 God services untested), H2 (<5% coverage), H3 (service/repository boundaries unverified) and H4 (~84 API endpoints with zero contract tests); H7 (no E2E) compounds it.

5.1 Benchmark Ratings Summary

One row per hotspot. "Measured" is the real value found; "Rating" is the band it falls into (worst KPI wins). This table is the source for the Overall Codebase Rating banner above. No coverage report (`coverage/` , `clover.xml` , `lcov.info` , `.coverage`) exists in the repo, so H2/H3/H4 percentages are **estimated from the test-file-to-source ratio**, not measured.

#	Hotspot	Primary KPI	GOOD	MODERATE	HIGH RISK	Measured	Rating
H1	Untested Critical Logic	Critical modules with zero tests	0	1–3	>3	Auth + 12 God services + 12 repos + Users/Reports/Images (>25 modules)	HIGH RISK
H2	Low Test Coverage	Overall coverage %	>80%	50–80%	<50%	~3% BE · 0% FE (est.)	HIGH RISK
H3	Missing Integration Tests	Boundaries covered %	>70%	30–70%	<30%	2 of 40 boundaries (5%)	HIGH RISK
H4	Missing Contract Tests	APIs with contract tests %	>80%	40–80%	<40%	0% of ~84 <code>/api/ivr-legacy</code> endpoints	HIGH RISK
H5	Flaky / Skipped Tests	Skipped/flaky test count	0	1–5	>5	0	GOOD
H6	No CI Test Gate	Tests enforced in CI	Required gate	Runs, not required	No CI test run	BE gated; FE vitest never runs	MODERATE
H7	No End-to-End Tests <i>(additional)</i>	E2E specs for critical journeys (target ≥1 suite)	≥1 suite	partial	none	0 (no Cypress/Playwright)	HIGH RISK
H8	Assertion-free Placeholder Tests <i>(additional)</i>	Tests with no meaningful assertion (target 0)	0	1–3	>3	2 (<code>ExampleTest</code> , <code>smoke.test.ts</code>)	MODERATE

Additional hotspots: Two additional testing/QA gaps beyond the standard six were observed and are recorded as **H7** (no end-to-end tests) and **H8** (assertion-free placeholder tests). KPIs and thresholds for each are defined inline in the rows above and evidenced in §5.2.

5.2 Hotspot-by-Hotspot Evidence

H1. Untested Critical Logic CRITICAL

Benchmark: `critical modules with zero tests = >25` → falls in the **High Risk** band (Good 0 · Moderate 1–3 · High Risk >3).

The two feature tests cover only the CRM `Contacts` and `Organizations` read paths. Every other business-critical module ships with zero tests:

- **Authentication** — `app/Http/Controllers/Auth/AuthenticatedSessionController.php` (login/logout, credential validation, session regeneration) has no test. A regression here can lock out every user or, worse, silently weaken auth.
- **12 "God" services** — `app/Legacy/Services/*GodService.php` (e.g. `AgentDeskGodService`, `CallRoutingGodService`, `QueueManagementGodService`), each ~373 LOC, orchestrate call-routing, queue, and analytics writes directly via `DB::table(...)->insertGetId()` using `extract($payload)` on unsanitized input and a hard-coded `$apiKey`. None are tested.
- **12 legacy repositories** — `app/Repositories/Legacy/*Repository.php` (~4,440 LOC total) carry the data-mutation logic for every IVR module with no unit tests.
- **Crypto & data helpers** — `app/Legacy/Helpers/LegacyIvrCrypto.php` plus `LegacyIvrString/Math/Date/Array` (2,835 LOC) transform values used across the app with no characterization tests.
- **Frontend critical flow** — `resources/js/Pages/Auth/Login.tsx` and the `Users` management pages have no component test.

Why it matters here: These modules mutate tenant call-routing, queue, and account data and gate access to the whole application. A silent regression in `AuthenticatedSessionController` or any `GodService` write path would reach production with no automated signal, corrupting IVR configuration for every tenant or breaking login entirely. Because the God services use `extract()` and raw `DB::table` inserts, an untested change can also change the persisted shape of data undetected.

Recommended approach:

1. Start with **PHPUnit feature tests** for `AuthenticatedSessionController` — assert a valid credential logs in and redirects, an invalid one returns 422/validation errors, and logout invalidates the session.
2. Add **unit tests** (PHPUnit + Mockery) for one `*GodService` and its paired `*Repository`, asserting the exact row written to the DB for a representative payload; use `RefreshDatabase` as the existing feature tests do.
3. Add **characterization tests** for `LegacyIvrCrypto` / `LegacyIvrString` pinning current outputs before any refactor.
4. Add a **Vitest + Testing Library** render/submit test for `Login.tsx`.

12 files affected.

File	Line(s)	Issue	Action
<code>app/Legacy/Services/AgentDeskGodService.php</code>	8, 11, 15, 23, 31, 39, 47, 55, 63, 71, 79, 87 +35	Business-critical legacy service/helper logic with zero automated tests	Add PHPUnit unit tests pinning current behavior and DB writes before any refactor
<code>app/Legacy/Services/BusinessHoursGodService.php</code>	8, 11, 15, 23, 31, 39, 47, 55, 63, 71, 79, 87 +35	Business-critical legacy service/helper logic with zero automated tests	Add PHPUnit unit tests pinning current behavior and DB writes before any refactor
<code>app/Legacy/Services/CallAnalyticsGodService.php</code>	8, 11, 15, 23, 31, 39, 47, 55, 63, 71, 79, 87 +35	Business-critical legacy service/helper logic with zero automated tests	Add PHPUnit unit tests pinning current behavior and DB writes before any refactor
<code>app/Legacy/Services/CallFlowGodService.php</code>	8, 11, 15, 23, 31, 39, 47, 55, 63, 71, 79, 87 +35	Business-critical legacy service/helper logic with zero automated tests	Add PHPUnit unit tests pinning current behavior and DB writes before any refactor

<code>app/Legacy/Services/CallRecordingGodService.php</code>	8, 11, 15, 23, 31, 39, 47, 55, 63, 71, 79, 87 +35	Business-critical legacy service/helper logic with zero automated tests	Add PHPUnit unit tests pinning current behavior and DB writes before any refactor
<code>app/Legacy/Services/CallRoutingGodService.php</code>	8, 11, 15, 23, 31, 39, 47, 55, 63, 71, 79, 87 +35	Business-critical legacy service/helper logic with zero automated tests	Add PHPUnit unit tests pinning current behavior and DB writes before any refactor
<code>app/Legacy/Services/CustomerProfileGodService.php</code>	8, 11, 15, 23, 31, 39, 47, 55, 63, 71, 79, 87 +35	Business-critical legacy service/helper logic with zero automated tests	Add PHPUnit unit tests pinning current behavior and DB writes before any refactor
<code>app/Legacy/Services/DidInventoryGodService.php</code>	8, 11, 15, 23, 31, 39, 47, 55, 63, 71, 79, 87 +35	Business-critical legacy service/helper logic with zero automated tests	Add PHPUnit unit tests pinning current behavior and DB writes before any refactor
<code>app/Legacy/Services/HistoricalReportsGodService.php</code>	8, 11, 15, 23, 31, 39, 47, 55, 63, 71, 79, 87 +35	Business-critical legacy service/helper logic with zero automated tests	Add PHPUnit unit tests pinning current behavior and DB writes before any refactor
<code>app/Legacy/Services/LiveMonitoringGodService.php</code>	8, 11, 15, 23, 31, 39, 47, 55, 63, 71, 79, 87 +35	Business-critical legacy service/helper logic with zero automated tests	Add PHPUnit unit tests pinning current behavior and DB writes before any refactor
<code>app/Legacy/Services/PromptLibraryGodService.php</code>	8, 11, 15, 23, 31, 39, 47, 55, 63, 71, 79, 87 +35	Business-critical legacy service/helper logic with zero automated tests	Add PHPUnit unit tests pinning current behavior and DB writes before any refactor
<code>app/Legacy/Services/QueueManagementGodService.php</code>	8, 11, 15, 23, 31, 39, 47, 55, 63, 71, 79, 87 +35	Business-critical legacy service/helper logic with zero automated tests	Add PHPUnit unit tests pinning current behavior and DB writes before any refactor

1 file affected.

File	Line(s)	Issue	Action
<code>app/Http/Controllers/Auth/AuthenticatedSessionController.php</code>	3, 6, 10, 14, 17, 21, 25, 27, 29, 37, 41	Authentication controller has no automated test	Add PHPUnit feature tests for login success/failure and logout session handling

1 file affected.

File	Line(s)	Issue	Action
<code>resources/js/Pages/Auth/Login.tsx</code>	—	Critical auth UI (login) has no component test	Add a Vitest + Testing Library render/submit test asserting validation and submit behavior

H2. Low Test Coverage **CRITICAL**

Benchmark: `overall coverage = ~3% BE / 0% FE (estimated)` → falls in the **High Risk** band (Good >80% · Moderate 50–80% · High Risk <50%).

No coverage report exists, so coverage is estimated from the test-file-to-source ratio:

- **Backend:** 3 PHP test files (2 meaningful) exercise ~2 of 141 app PHP files → ~2–3% of a 77,262-LOC backend. The 61,547-LOC IVR controller layer is entirely uncovered.
- **Frontend:** 1 Vitest file that asserts a constant → **0%** of ~904 TS/TSX files (769 `.tsx` components, 135 `.ts`), including all 510 `Pages/Ivr` files and 377 files.

Why it matters here: With coverage this low, essentially every code path — CRM writes, IVR orchestration, and the whole React UI — is unverified before any refactor or extraction. Modernization work (the stated purpose of this repo) cannot be done safely: there is no regression net to tell whether an extraction preserved behavior.

Recommended approach:

1. Enable coverage reporting first: `php artisan test --coverage` (PHPUnit source include is already configured in `phpunit.xml`) and add `coverage: ['provider': 'v8']` to `vitest.config.ts` so a real baseline replaces this estimate.
2. Drive backend coverage toward **75–80%** starting with the highest-traffic controllers (`ContactsController` , `OrganizationsController` , `UsersController` , `ReportsController`) and the God-service/repository pairs.
3. Stand up frontend component tests for the shared layout and CRM pages before touching the IVR page tree.

141 files affected.

File	Line(s)	Issue	Action
<code>app/Http/Controllers/Auth/AuthenticatedSessionController.php</code>	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable <code>php artisan test --coverage</code> to establish a real baseline
<code>app/Http/Controllers/ContactsController.php</code>	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable <code>php artisan test --coverage</code> to establish a real baseline
<code>app/Http/Controllers/Controller.php</code>	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable <code>php artisan test --coverage</code> to establish a real baseline
<code>app/Http/Controllers/DashboardController.php</code>	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable <code>php artisan test --coverage</code> to establish a real baseline
<code>app/Http/Controllers/ImagesController.php</code>	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable <code>php artisan test --coverage</code> to establish a real baseline
<code>app/Http/Controllers/Ivr/AgentDeskDestroyController.php</code>	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable <code>php artisan test --coverage</code> to establish a real baseline
<code>app/Http/Controllers/Ivr/AgentDeskExportController.php</code>	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable <code>php artisan test --coverage</code> to establish a real baseline
<code>app/Http/Controllers/Ivr/AgentDeskImportController.php</code>	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable <code>php artisan test --coverage</code> to establish a real baseline
<code>app/Http/Controllers/Ivr/AgentDeskIndexController.php</code>	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable <code>php artisan test --coverage</code> to establish a real baseline
<code>app/Http/Controllers/Ivr/AgentDeskStoreController.php</code>	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable <code>php artisan test --coverage</code> to establish a real baseline
<code>app/Http/Controllers/Ivr/AgentDeskSyncController.php</code>	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable <code>php artisan test --coverage</code> to establish a real baseline
<code>app/Http/Controllers/Ivr/AgentDeskUpdateController.php</code>	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable <code>php artisan test --coverage</code> to establish a real baseline
<code>app/Http/Controllers/Ivr/BusinessHoursDestroyController.php</code>	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable <code>php artisan test --coverage</code> to establish a real baseline
<code>app/Http/Controllers/Ivr/BusinessHoursExportController.php</code>	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable <code>php artisan test --coverage</code> to establish a real baseline

[illegible]

[illegible]

[illegible]

[illegible]

app/Http/Controllers/UsersController.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Http/Middleware/HandleInertiaRequests.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Http/Middleware/TrustProxies.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Http/Requests/Auth/LoginRequest.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Legacy/Helpers/LegacyIvrArray.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Legacy/Helpers/LegacyIvrCrypto.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Legacy/Helpers/LegacyIvrDate.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Legacy/Helpers/LegacyIvrMath.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Legacy/Helpers/LegacyIvrString.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Legacy/Services/AgentDeskGodService.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Legacy/Services/BusinessHoursGodService.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Legacy/Services/CallAnalyticsGodService.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Legacy/Services/CallFlowGodService.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Legacy/Services/CallRecordingGodService.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Legacy/Services/CallRoutingGodService.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Legacy/Services/CustomerProfileGodService.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Legacy/Services/DidInventoryGodService.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Legacy/Services/HistoricalReportsGodService.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Legacy/Services/LiveMonitoringGodService.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline

app/Legacy/Services/PromptLibraryGodService.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Legacy/Services/QueueManagementGodService.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Models/Account.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Models/Contact.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Models/Ivr/AgentDesk.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Models/Ivr/BusinessHours.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Models/Ivr/CallAnalytics.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Models/Ivr/CallFlow.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Models/Ivr/CallRecording.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Models/Ivr/CallRouting.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Models/Ivr/CustomerProfile.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Models/Ivr/DidInventory.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Models/Ivr/HistoricalReports.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Models/Ivr/LiveMonitoring.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Models/Ivr/PromptLibrary.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Models/Ivr/QueueManagement.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Models/Organization.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Models/User.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Providers/AppServiceProvider.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline

app/Repositories/Legacy/AgentDeskRepository.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Repositories/Legacy/BusinessHoursRepository.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Repositories/Legacy/CallAnalyticsRepository.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Repositories/Legacy/CallFlowRepository.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Repositories/Legacy/CallRecordingRepository.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Repositories/Legacy/CallRoutingRepository.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Repositories/Legacy/CustomerProfileRepository.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Repositories/Legacy/DidInventoryRepository.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Repositories/Legacy/HistoricalReportsRepository.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Repositories/Legacy/LiveMonitoringRepository.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Repositories/Legacy/PromptLibraryRepository.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Repositories/Legacy/QueueManagementRepository.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline
app/Support/IvrAccountContext.php	—	Backend source file with little or no test coverage (est. ~3% overall)	Add unit/feature tests and enable php artisan test --coverage to establish a real baseline

904 files affected.

File	Line(s)	Issue	Action
resources/js/app.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/components/ivr/IvrHubCharts.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/components/legacy/AfterHoursMonolith0.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/components/legacy/AfterHoursMonolith1.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/components/legacy/AfterHoursMonolith2.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

<code>resources/js/hooks/legacy/useMediaServerLegacy4.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>
<code>resources/js/hooks/legacy/useNotificationHubLegacy0.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>
<code>resources/js/hooks/legacy/useNotificationHubLegacy1.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>
<code>resources/js/hooks/legacy/useNotificationHubLegacy4.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>
<code>resources/js/hooks/legacy/useNumberPortingLegacy0.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>
<code>resources/js/hooks/legacy/useNumberPortingLegacy1.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>
<code>resources/js/hooks/legacy/useNumberPortingLegacy3.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>
<code>resources/js/hooks/legacy/useOverflowRouteLegacy1.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>
<code>resources/js/hooks/legacy/useOverflowRouteLegacy3.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>
<code>resources/js/hooks/legacy/usePromptLibraryLegacy0.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>
<code>resources/js/hooks/legacy/usePromptLibraryLegacy3.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>
<code>resources/js/hooks/legacy/useQueueManagementLegacy2.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>
<code>resources/js/hooks/legacy/useQueueManagementLegacy3.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>
<code>resources/js/hooks/legacy/useRateDeckLegacy0.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>
<code>resources/js/hooks/legacy/useRateDeckLegacy3.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>
<code>resources/js/hooks/legacy/useRoleAccessLegacy1.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>
<code>resources/js/hooks/legacy/useRoleAccessLegacy3.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>
<code>resources/js/hooks/legacy/useScriptBuilderLegacy0.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>
<code>resources/js/hooks/legacy/useScriptBuilderLegacy2.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>

resources/js/hooks/legacy/useScriptBuilderLegacy4.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useSkillGroupLegacy2.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useSkillGroupLegacy3.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useSpeechRecognitionLegacy2.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useSpeechRecognitionLegacy3.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useSurveyEngineLegacy0.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useSurveyEngineLegacy2.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useSurveyEngineLegacy4.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useSystemConfigLegacy2.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useTenantAdminLegacy0.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useTenantAdminLegacy3.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useTextToSpeechLegacy1.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useTextToSpeechLegacy3.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useTicketSyncLegacy1.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useTicketSyncLegacy2.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useTicketSyncLegacy3.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useTrunkGroupLegacy0.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useTrunkGroupLegacy2.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useVoicemailBoxLegacy0.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts

resources/js/hooks/legacy/useVoicemailBoxLegacy1.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useVoicemailBoxLegacy2.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useVoicemailBoxLegacy3.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useWebhookDispatcherLegacy1.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useWebhookDispatcherLegacy2.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useWhisperCoachLegacy0.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useWhisperCoachLegacy1.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/hooks/legacy/useWhisperCoachLegacy4.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/layouts/authenticatedLayout.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Auth/Login.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Contacts/Create.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Contacts/Edit.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Contacts/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Dashboard/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/AfterHours/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/AfterHours/Export.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/AfterHours/Import.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/AfterHours/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/AfterHours/LegacyPass2_130.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts

resources/js/Pages/Ivr/AfterHours/LegacyPass2_36.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/AfterHours/LegacyPass2_83.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/AfterHours/Monitor.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/AfterHours/Store.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/AfterHours/Sync.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/AfterHours/Update.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/AgentDesk/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/AgentDesk/Export.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/AgentDesk/Import.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/AgentDesk/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/AgentDesk/LegacyPass2_3.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/AgentDesk/LegacyPass2_50.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/AgentDesk/LegacyPass2_97.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/AgentDesk/Monitor.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/AgentDesk/Store.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/AgentDesk/Sync.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/AgentDesk/Update.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/ApiIntegration/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/ApiIntegration/Export.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

resources/js/Pages/Ivr/CampaignDialer/Store.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/CampaignDialer/Sync.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/CampaignDialer/Update.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/ComplianceArchive/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/ComplianceArchive/Export.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/ComplianceArchive/Import.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/ComplianceArchive/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/ComplianceArchive/LegacyPass2_120.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/ComplianceArchive/LegacyPass2_26.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/ComplianceArchive/LegacyPass2_73.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/ComplianceArchive/Monitor.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/ComplianceArchive/Store.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/ComplianceArchive/Sync.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/ComplianceArchive/Update.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/ConferenceBridge/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/ConferenceBridge/Export.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/ConferenceBridge/Import.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/ConferenceBridge/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/ConferenceBridge/LegacyPass2_127.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts

[illegible]

[illegible]

resources/js/Pages/Ivr/DidInventory/Update.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/DispositionCode/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/DispositionCode/Export.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/DispositionCode/Import.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/DispositionCode/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/DispositionCode/LegacyPass2_39.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/DispositionCode/LegacyPass2_86.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/DispositionCode/Monitor.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/DispositionCode/Store.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/DispositionCode/Sync.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/DispositionCode/Update.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/EmergencyRoute/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/EmergencyRoute/Export.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/EmergencyRoute/Import.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/EmergencyRoute/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/EmergencyRoute/LegacyPass2_128.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/EmergencyRoute/LegacyPass2_34.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/EmergencyRoute/LegacyPass2_81.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/EmergencyRoute/Monitor.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts

resources/js/Pages/Ivr/EmergencyRoute/Store.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/EmergencyRoute/Sync.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/EmergencyRoute/Update.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/FraudScreen/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/FraudScreen/Export.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/FraudScreen/Import.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/FraudScreen/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/FraudScreen/LegacyPass2_121.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/FraudScreen/LegacyPass2_27.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/FraudScreen/LegacyPass2_74.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/FraudScreen/Monitor.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/FraudScreen/Store.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/FraudScreen/Sync.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/FraudScreen/Update.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/HistoricalReports/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/HistoricalReports/Export.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/HistoricalReports/Import.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/HistoricalReports/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/HistoricalReports/LegacyPass2_102.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts

resources/js/Pages/Ivr/HistoricalReports/LegacyPass2_55.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/HistoricalReports/LegacyPass2_8.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/HistoricalReports/Monitor.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/HistoricalReports/Store.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/HistoricalReports/Sync.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/HistoricalReports/Update.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/HolidayCalendar/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/HolidayCalendar/Export.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/HolidayCalendar/Import.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/HolidayCalendar/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/HolidayCalendar/LegacyPass2_129.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/HolidayCalendar/LegacyPass2_35.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/HolidayCalendar/LegacyPass2_82.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/HolidayCalendar/Monitor.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/HolidayCalendar/Store.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/HolidayCalendar/Sync.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/HolidayCalendar/Update.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/Hub/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/IvrSettings/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts

[illegible]

resources/js/Pages/Ivr/KnowledgeBase/Update.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/LeadList/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/LeadList/Export.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/LeadList/Import.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/LeadList/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/LeadList/LegacyPass2_41.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/LeadList/LegacyPass2_88.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/LeadList/Monitor.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/LeadList/Store.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/LeadList/Sync.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/LeadList/Update.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/LiveMonitoring/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/LiveMonitoring/Export.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/LiveMonitoring/Import.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/LiveMonitoring/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/LiveMonitoring/LegacyPass2_103.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/LiveMonitoring/LegacyPass2_56.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/LiveMonitoring/LegacyPass2_9.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/LiveMonitoring/Monitor.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts

resources/js/Pages/Ivr/LiveMonitoring/Store.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/LiveMonitoring/Sync.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/LiveMonitoring/Update.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/MediaServer/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/MediaServer/Export.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/MediaServer/Import.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/MediaServer/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/MediaServer/LegacyPass2_124.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/MediaServer/LegacyPass2_30.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/MediaServer/LegacyPass2_77.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/MediaServer/Monitor.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/MediaServer/Store.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/MediaServer/Sync.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/MediaServer/Update.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/Module/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/Module/Show.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/NotificationHub/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/NotificationHub/Export.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/NotificationHub/Import.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts

resources/js/Pages/Ivr/NotificationHub/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/NotificationHub/LegacyPass2_108.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/NotificationHub/LegacyPass2_14.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/NotificationHub/LegacyPass2_61.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/NotificationHub/Monitor.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/NotificationHub/Sync.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/NotificationHub/Update.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/NumberPorting/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/NumberPorting/Export.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/NumberPorting/Import.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/NumberPorting/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/NumberPorting/LegacyPass2_122.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/NumberPorting/LegacyPass2_28.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/NumberPorting/LegacyPass2_75.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/NumberPorting/Monitor.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/NumberPorting/Store.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/NumberPorting/Sync.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/NumberPorting/Update.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/OverflowRoute/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts

[illegible]

resources/js/Pages/Ivr/PromptLibrary/Sync.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/PromptLibrary/Update.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/QueueManagement/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/QueueManagement/Export.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/QueueManagement/Import.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/QueueManagement/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/QueueManagement/LegacyPass2_2.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/QueueManagement/LegacyPass2_49.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/QueueManagement/LegacyPass2_96.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/QueueManagement/Monitor.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/QueueManagement/Store.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/QueueManagement/Sync.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/QueueManagement/Update.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/RateDeck/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/RateDeck/Export.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/RateDeck/Import.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/RateDeck/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/RateDeck/LegacyPass2_46.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/RateDeck/LegacyPass2_93.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts

<code>resources/js/Pages/Ivr/RateDeck/Monitor.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/RateDeck/Store.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/RateDeck/Sync.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/RateDeck/Update.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/RoleAccess/Destroy.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/RoleAccess/Export.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/RoleAccess/Import.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/RoleAccess/Index.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/RoleAccess/LegacyPass2_109.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/RoleAccess/LegacyPass2_15.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/RoleAccess/LegacyPass2_62.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/RoleAccess/Monitor.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/RoleAccess/Store.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/RoleAccess/Sync.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/RoleAccess/Update.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/ScriptBuilder/Destroy.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/ScriptBuilder/Export.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/ScriptBuilder/Import.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/ScriptBuilder/Index.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts

resources/js/Pages/Ivr/ScriptBuilder/LegacyPass2_42.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/ScriptBuilder/LegacyPass2_89.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/ScriptBuilder/Monitor.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/ScriptBuilder/Store.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/ScriptBuilder/Sync.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/ScriptBuilder/Update.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SkillGroup/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SkillGroup/Export.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SkillGroup/Import.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SkillGroup/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SkillGroup/LegacyPass2_114.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SkillGroup/LegacyPass2_20.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SkillGroup/LegacyPass2_67.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SkillGroup/Monitor.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SkillGroup/Store.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SkillGroup/Sync.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SkillGroup/Update.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SpeechRecognition/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SpeechRecognition/Export.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts

<code>resources/js/Pages/Ivr/SpeechRecognition/Import.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/SpeechRecognition/Index.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/SpeechRecognition/LegacyPass2_125.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/SpeechRecognition/LegacyPass2_31.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/SpeechRecognition/LegacyPass2_78.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/SpeechRecognition/Monitor.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/SpeechRecognition/Store.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/SpeechRecognition/Sync.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/SpeechRecognition/Update.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/SurveyEngine/Destroy.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/SurveyEngine/Export.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/SurveyEngine/Import.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/SurveyEngine/Index.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/SurveyEngine/LegacyPass2_118.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/SurveyEngine/LegacyPass2_24.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/SurveyEngine/LegacyPass2_71.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/SurveyEngine/Monitor.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/SurveyEngine/Store.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/SurveyEngine/Sync.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts

resources/js/Pages/Ivr/SurveyEngine/Update.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SystemConfig/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SystemConfig/Export.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SystemConfig/Import.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SystemConfig/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SystemConfig/LegacyPass2_112.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SystemConfig/LegacyPass2_18.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SystemConfig/LegacyPass2_65.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SystemConfig/Monitor.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SystemConfig/Store.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SystemConfig/Sync.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/SystemConfig/Update.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/TenantAdmin/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/TenantAdmin/Export.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/TenantAdmin/Import.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/TenantAdmin/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/TenantAdmin/LegacyPass2_111.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/TenantAdmin/LegacyPass2_17.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/TenantAdmin/LegacyPass2_64.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts

[illegible]

[illegible]

<code>resources/js/Pages/Ivr/VoicemailBox/Import.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/VoicemailBox/Index.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/VoicemailBox/LegacyPass2_116.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/VoicemailBox/LegacyPass2_22.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/VoicemailBox/LegacyPass2_69.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/VoicemailBox/Monitor.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/VoicemailBox/Store.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/VoicemailBox/Sync.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/VoicemailBox/Update.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/WebhookDispatcher/Destroy.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/WebhookDispatcher/Export.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/WebhookDispatcher/Import.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/WebhookDispatcher/Index.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/WebhookDispatcher/LegacyPass2_45.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/WebhookDispatcher/LegacyPass2_92.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/WebhookDispatcher/Monitor.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/WebhookDispatcher/Store.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/WebhookDispatcher/Sync.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
<code>resources/js/Pages/Ivr/WebhookDispatcher/Update.tsx</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts

resources/js/Pages/Ivr/WhisperCoach/Destroy.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/WhisperCoach/Export.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/WhisperCoach/Import.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/WhisperCoach/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/WhisperCoach/LegacyPass2_131.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/WhisperCoach/LegacyPass2_37.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/WhisperCoach/LegacyPass2_84.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/WhisperCoach/Monitor.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/WhisperCoach/Store.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/WhisperCoach/Sync.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Ivr/WhisperCoach/Update.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Organizations/Create.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Organizations/Edit.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Organizations/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Reports/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Users/Create.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Users/Edit.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Pages/Users/Index.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Shared/Dropdown.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts

resources/js/Shared/FileInput.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Shared/FlashMessages.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Shared/Icon.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Shared/Layout.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Shared/LoadingButton.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Shared/Logo.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Shared/MainMenu.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Shared/Pagination.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Shared/SearchFilter.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Shared/SelectInput.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Shared/TextareaInput.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Shared/TextInput.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/Shared/TrashedMessage.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/ssr.tsx	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/test/smoke.test.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/types/index.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/utils/duplicate/legacyFormatters1.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/utils/duplicate/legacyFormatters2.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts
resources/js/utils/duplicate/legacyFormatters3.ts	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in vitest.config.ts

<code>resources/js/utls/duplicate/legacyFormatters4.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>
<code>resources/js/utls/duplicate/legacyFormatters5.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>
<code>resources/js/utls/duplicate/legacyFormatters6.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>
<code>resources/js/utls/duplicate/legacyFormatters7.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>
<code>resources/js/utls/duplicate/legacyFormatters8.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>
<code>resources/js/vite-env.d.ts</code>	—	Frontend source file with zero component/unit test coverage (0%)	Add Vitest + Testing Library tests and enable v8 coverage in <code>vitest.config.ts</code>

H3. Missing Integration Tests HIGH

Benchmark: `key boundaries covered = ~5% (~2 of ~40)` → falls in the **High Risk** band (Good >70% · Moderate 30–70% · High Risk <30%).

The two feature tests do exercise a real DB boundary (via `RefreshDatabase`) for Contacts and Organizations list/search. But the IVR subsystem's boundaries are untested: 12 God services write through `DB::table(...)` (120 files across `app` use raw `DB::` calls), 12 repositories, import/export/sync flows, and the `/ivr/data` hub aggregation. No test exercises a controller → service → repository → DB path end to end.

Why it matters here: Components may pass individually while the wiring between controller, God service, repository, and database silently breaks — exactly the seams a modernization effort will disturb. Sync/import controllers (`*SyncController` , `*ImportController`) that call `sleep(1)` blocking remote syncs have no test proving the data actually lands correctly.

Recommended approach:

1. Add **PHPUnit feature/integration tests** (with `RefreshDatabase`, MySQL as in CI) for one full IVR module — e.g. `POST /api/ivr-legacy/agent-desk/store` → assert the row exists in `ivr_agent_desks`.
2. First assertion: the store endpoint persists the expected columns and returns the new id.
3. Extend to `sync` / `import` / `export` per module once the store path is green.

120 files affected.

File	Line(s)	Issue	Action
<code>app/Http/Controllers/Ivr/AgentDeskDestroyController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (<code>RefreshDatabase</code>) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/AgentDeskExportController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (<code>RefreshDatabase</code>) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/AgentDeskImportController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (<code>RefreshDatabase</code>) asserting the controller → service → repository → DB path

[illegible]

		in production, no integration test	controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/CallAnalyticsStoreController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/CallAnalyticsSyncController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/CallAnalyticsUpdateController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/CallFlowDestroyController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/CallFlowExportController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/CallFlowImportController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/CallFlowIndexController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/CallFlowStoreController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/CallFlowSyncController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/CallFlowUpdateController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/CallRecordingDestroyController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/CallRecordingExportController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/CallRecordingImportController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/CallRecordingIndexController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path

app/Http/Controllers/Ivr/CallRecordingStoreController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/CallRecordingSyncController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/CallRecordingUpdateController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/CallRoutingDestroyController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/CallRoutingExportController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/CallRoutingImportController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/CallRoutingIndexController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/CallRoutingStoreController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/CallRoutingSyncController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/CallRoutingUpdateController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/Concerns/LoadsIvrModuleData.php	82, 110, 140, 168, 185, 204	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/CustomerProfileIndexController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/CustomerProfileStoreController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/CustomerProfileUpdateController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path

app/Http/Controllers/Ivr/DidInventoryDestroyController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/DidInventoryExportController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/DidInventoryImportController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/DidInventoryIndexController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/DidInventoryStoreController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/DidInventorySyncController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/DidInventoryUpdateController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/HistoricalReportsDestroyController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/HistoricalReportsExportController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/HistoricalReportsImportController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/HistoricalReportsIndexController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/HistoricalReportsStoreController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/HistoricalReportsSyncController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/HistoricalReportsUpdateController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/IvrHubController.php	68, 77, 92, 132,	Component/service/DB boundary exercised only	Add PHPUnit integration tests (RefreshDatabase) asserting the

	148, 167, 204, 221, 227, 232, 240, 258 +4	in production, no integration test	controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/LiveMonitoringDestroyController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/LiveMonitoringExportController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/LiveMonitoringImportController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/LiveMonitoringIndexController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/LiveMonitoringStoreController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/LiveMonitoringSyncController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/LiveMonitoringUpdateController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/PromptLibraryDestroyController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/PromptLibraryExportController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/PromptLibraryImportController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/PromptLibraryIndexController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Http/Controllers/Ivr/PromptLibraryStoreController.php</code>	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path

app/Http/Controllers/Ivr/PromptLibrarySyncController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/PromptLibraryUpdateController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/QueueManagementDestroyController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/QueueManagementExportController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/QueueManagementImportController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/QueueManagementIndexController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/QueueManagementStoreController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/QueueManagementSyncController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/Ivr/QueueManagementUpdateController.php	28	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Http/Controllers/ReportsController.php	61, 77, 98, 115, 166	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Legacy/Services/AgentDeskGodService.php	18, 26, 34, 42, 50, 58, 66, 74, 82, 90, 98, 106 +33	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Legacy/Services/BusinessHoursGodService.php	18, 26, 34, 42, 50, 58, 66, 74, 82, 90, 98, 106 +33	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Legacy/Services/CallAnalyticsGodService.php	18, 26, 34, 42, 50, 58, 66, 74,	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path

	82, 90, 98, 106 +33		
app/Legacy/Services/CallFlowGodService.php	18, 26, 34, 42, 50, 58, 66, 74, 82, 90, 98, 106 +33	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Legacy/Services/CallRecordingGodService.php	18, 26, 34, 42, 50, 58, 66, 74, 82, 90, 98, 106 +33	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Legacy/Services/CallRoutingGodService.php	18, 26, 34, 42, 50, 58, 66, 74, 82, 90, 98, 106 +33	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Legacy/Services/CustomerProfileGodService.php	18, 26, 34, 42, 50, 58, 66, 74, 82, 90, 98, 106 +33	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Legacy/Services/DidInventoryGodService.php	18, 26, 34, 42, 50, 58, 66, 74, 82, 90, 98, 106 +33	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Legacy/Services/HistoricalReportsGodService.php	18, 26, 34, 42, 50, 58, 66, 74, 82, 90, 98, 106 +33	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Legacy/Services/LiveMonitoringGodService.php	18, 26, 34, 42, 50, 58, 66, 74, 82, 90, 98, 106 +33	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Legacy/Services/PromptLibraryGodService.php	18, 26, 34, 42,	Component/service/DB boundary exercised only	Add PHPUnit integration tests (RefreshDatabase) asserting the

	50, 58, 66, 74, 82, 90, 98, 106 +33	in production, no integration test	controller → service → repository → DB path
app/Legacy/Services/QueueManagementGodService.php	18, 26, 34, 42, 50, 58, 66, 74, 82, 90, 98, 106 +33	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Models/Ivr/AgentDesk.php	25, 31, 37, 43, 49, 55, 61, 67, 73, 79, 85, 91 +23	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Models/Ivr/BusinessHours.php	25, 31, 37, 43, 49, 55, 61, 67, 73, 79, 85, 91 +23	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Models/Ivr/CallAnalytics.php	25, 31, 37, 43, 49, 55, 61, 67, 73, 79, 85, 91 +23	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Models/Ivr/CallFlow.php	25, 31, 37, 43, 49, 55, 61, 67, 73, 79, 85, 91 +23	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Models/Ivr/CallRecording.php	25, 31, 37, 43, 49, 55, 61, 67, 73, 79, 85, 91 +23	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Models/Ivr/CallRouting.php	25, 31, 37, 43, 49, 55, 61, 67, 73, 79, 85, 91 +23	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Models/Ivr/CustomerProfile.php	25, 31, 37, 43, 49, 55, 61, 67, 73, 79,	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path

	85, 91 +23		
app/Models/Ivr/DidInventory.php	25, 31, 37, 43, 49, 55, 61, 67, 73, 79, 85, 91 +23	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Models/Ivr/HistoricalReports.php	25, 31, 37, 43, 49, 55, 61, 67, 73, 79, 85, 91 +23	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Models/Ivr/LiveMonitoring.php	25, 31, 37, 43, 49, 55, 61, 67, 73, 79, 85, 91 +23	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Models/Ivr/PromptLibrary.php	25, 31, 37, 43, 49, 55, 61, 67, 73, 79, 85, 91 +23	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Models/Ivr/QueueManagement.php	25, 31, 37, 43, 49, 55, 61, 67, 73, 79, 85, 91 +23	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Repositories/Legacy/AgentDeskRepository.php	9, 16, 25, 34, 43, 52, 61, 70, 79, 88, 97, 106 +29	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Repositories/Legacy/BusinessHoursRepository.php	9, 16, 25, 34, 43, 52, 61, 70, 79, 88, 97, 106 +29	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Repositories/Legacy/CallAnalyticsRepository.php	9, 16, 25, 34, 43, 52, 61, 70, 79, 88, 97, 106 +29	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path

app/Repositories/Legacy/CallFlowRepository.php	9, 16, 25, 34, 43, 52, 61, 70, 79, 88, 97, 106 +29	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Repositories/Legacy/CallRecordingRepository.php	9, 16, 25, 34, 43, 52, 61, 70, 79, 88, 97, 106 +29	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Repositories/Legacy/CallRoutingRepository.php	9, 16, 25, 34, 43, 52, 61, 70, 79, 88, 97, 106 +29	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Repositories/Legacy/CustomerProfileRepository.php	9, 16, 25, 34, 43, 52, 61, 70, 79, 88, 97, 106 +29	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Repositories/Legacy/DidInventoryRepository.php	9, 16, 25, 34, 43, 52, 61, 70, 79, 88, 97, 106 +29	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Repositories/Legacy/HistoricalReportsRepository.php	9, 16, 25, 34, 43, 52, 61, 70, 79, 88, 97, 106 +29	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Repositories/Legacy/LiveMonitoringRepository.php	9, 16, 25, 34, 43, 52, 61, 70, 79, 88, 97, 106 +29	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
app/Repositories/Legacy/PromptLibraryRepository.php	9, 16, 25, 34, 43, 52, 61, 70, 79, 88, 97,	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path

	106 +29		
<code>app/Repositories/Legacy/QueueManagementRepository.php</code>	9, 16, 25, 34, 43, 52, 61, 70, 79, 88, 97, 106 +29	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path
<code>app/Support/IvrAccountContext.php</code>	62	Component/service/DB boundary exercised only in production, no integration test	Add PHPUnit integration tests (RefreshDatabase) asserting the controller → service → repository → DB path

H4. Missing Contract Tests HIGH

Benchmark: `public APIs with contract tests = 0% of ~84 endpoints` → falls in the **High Risk** band
(Good >80% · Moderate 40–80% · High Risk <40%).

`routes/api.php` mounts `routes/generated/ivr_legacy_api.php`, which registers ~84 unversioned endpoints under the `ivr-legacy` prefix (`Route::match(['get', 'post'], ...)` to 80 invocable `App\Http\Controllers\Ivr\*Controller` classes), plus a `/ivr/health-legacy` JSON endpoint. None have a test verifying request/response shape, status codes, or auth.

Why it matters here: This is an unversioned public JSON API consumed by the React frontend and potentially external callers. A breaking change to any response schema (renamed field, changed status) ships with zero automated signal, silently breaking every consumer. The `match(['get', 'post'])` definitions also mean a contract test is the only place the accepted verbs/params would be pinned.

Recommended approach:

1. Add **PHPUnit contract tests** hitting representative endpoints (`index` , `store` , `export`) per module, asserting HTTP status and a JSON schema for the response body (`assertJsonStructure`).
2. First assertion: `GET /api/ivr-legacy/agent-desk/index` returns 200 with the documented top-level keys.
3. Consider consumer-driven contracts if the React client's expected shape is formalized in `resources/js/types` .

80 files affected.

File	Line(s)	Issue	Action
<code>app/Http/Controllers/Ivr/AgentDeskDestroyController.php</code>	17	Public <code>/api/ivr-legacy</code> endpoint with no contract/schema test	Add PHPUnit contract tests asserting HTTP status and <code>assertJsonStructure</code> for each endpoint
<code>app/Http/Controllers/Ivr/AgentDeskExportController.php</code>	17	Public <code>/api/ivr-legacy</code> endpoint with no contract/schema test	Add PHPUnit contract tests asserting HTTP status and <code>assertJsonStructure</code> for each endpoint
<code>app/Http/Controllers/Ivr/AgentDeskImportController.php</code>	17	Public <code>/api/ivr-legacy</code> endpoint with no contract/schema test	Add PHPUnit contract tests asserting HTTP status and <code>assertJsonStructure</code> for each endpoint
<code>app/Http/Controllers/Ivr/AgentDeskIndexController.php</code>	17	Public <code>/api/ivr-legacy</code> endpoint with no contract/schema test	Add PHPUnit contract tests asserting HTTP status and <code>assertJsonStructure</code> for each endpoint
<code>app/Http/Controllers/Ivr/AgentDeskStoreController.php</code>	17	Public <code>/api/ivr-legacy</code> endpoint with no contract/schema test	Add PHPUnit contract tests asserting HTTP status and <code>assertJsonStructure</code> for each endpoint

[illegible]

[illegible]

[illegible]

app/Http/Controllers/Ivr/LiveMonitoringIndexController.php	17	Public /api/ivr-legacy endpoint with no contract/schema test	Add PHPUnit contract tests asserting HTTP status and assertJsonStructure for each endpoint
app/Http/Controllers/Ivr/LiveMonitoringStoreController.php	17	Public /api/ivr-legacy endpoint with no contract/schema test	Add PHPUnit contract tests asserting HTTP status and assertJsonStructure for each endpoint
app/Http/Controllers/Ivr/LiveMonitoringSyncController.php	17	Public /api/ivr-legacy endpoint with no contract/schema test	Add PHPUnit contract tests asserting HTTP status and assertJsonStructure for each endpoint
app/Http/Controllers/Ivr/LiveMonitoringUpdateController.php	17	Public /api/ivr-legacy endpoint with no contract/schema test	Add PHPUnit contract tests asserting HTTP status and assertJsonStructure for each endpoint
app/Http/Controllers/Ivr/PromptLibraryDestroyController.php	17	Public /api/ivr-legacy endpoint with no contract/schema test	Add PHPUnit contract tests asserting HTTP status and assertJsonStructure for each endpoint
app/Http/Controllers/Ivr/PromptLibraryExportController.php	17	Public /api/ivr-legacy endpoint with no contract/schema test	Add PHPUnit contract tests asserting HTTP status and assertJsonStructure for each endpoint
app/Http/Controllers/Ivr/PromptLibraryImportController.php	17	Public /api/ivr-legacy endpoint with no contract/schema test	Add PHPUnit contract tests asserting HTTP status and assertJsonStructure for each endpoint
app/Http/Controllers/Ivr/PromptLibraryIndexController.php	17	Public /api/ivr-legacy endpoint with no contract/schema test	Add PHPUnit contract tests asserting HTTP status and assertJsonStructure for each endpoint
app/Http/Controllers/Ivr/PromptLibraryStoreController.php	17	Public /api/ivr-legacy endpoint with no contract/schema test	Add PHPUnit contract tests asserting HTTP status and assertJsonStructure for each endpoint
app/Http/Controllers/Ivr/PromptLibrarySyncController.php	17	Public /api/ivr-legacy endpoint with no contract/schema test	Add PHPUnit contract tests asserting HTTP status and assertJsonStructure for each endpoint
app/Http/Controllers/Ivr/PromptLibraryUpdateController.php	17	Public /api/ivr-legacy endpoint with no contract/schema test	Add PHPUnit contract tests asserting HTTP status and assertJsonStructure for each endpoint
app/Http/Controllers/Ivr/QueueManagementDestroyController.php	17	Public /api/ivr-legacy endpoint with no contract/schema test	Add PHPUnit contract tests asserting HTTP status and assertJsonStructure for each endpoint
app/Http/Controllers/Ivr/QueueManagementExportController.php	17	Public /api/ivr-legacy endpoint with no contract/schema test	Add PHPUnit contract tests asserting HTTP status and assertJsonStructure for each endpoint
app/Http/Controllers/Ivr/QueueManagementImportController.php	17	Public /api/ivr-legacy endpoint with no contract/schema test	Add PHPUnit contract tests asserting HTTP status and assertJsonStructure for each endpoint
app/Http/Controllers/Ivr/QueueManagementIndexController.php	17	Public /api/ivr-legacy endpoint with no contract/schema test	Add PHPUnit contract tests asserting HTTP status and assertJsonStructure for each endpoint
app/Http/Controllers/Ivr/QueueManagementStoreController.php	17	Public /api/ivr-legacy endpoint with no contract/schema test	Add PHPUnit contract tests asserting HTTP status and assertJsonStructure for each endpoint
app/Http/Controllers/Ivr/QueueManagementSyncController.php	17	Public /api/ivr-legacy endpoint with no contract/schema test	Add PHPUnit contract tests asserting HTTP status and assertJsonStructure for each endpoint
app/Http/Controllers/Ivr/QueueManagementUpdateController.php	17	Public /api/ivr-legacy endpoint with no contract/schema test	Add PHPUnit contract tests asserting HTTP status and assertJsonStructure for each endpoint

H6. No CI Test Gate (frontend) MEDIUM

Benchmark: `tests enforced in CI = backend gated, frontend never run` → falls in the **Moderate** band (Good = required gate · Moderate = runs, not required · High Risk = no CI test run).

`.github/workflows/tests.yml` runs `php artisan test` against a MySQL service on every push to `master`, on every PR, and nightly — a real backend gate. However, the same workflow runs `npm ci` and `npm run build` but **never runs** `npm run test` (Vitest). No workflow invokes the frontend suite.

Why it matters here: Any frontend test added today would not run on PRs, so it cannot prevent regressions — the value of new component/E2E tests is undercut until the gate exists. As the frontend is where 0% coverage lives, this is the layer most in need of a gate.

Recommended approach:

1. Add a `- name: Run frontend tests` step (`npm run test`) to `tests.yml` after `npm ci`, and mark the job a required status check.
2. Combine into a single required "lint + test + build" check so red tests block merge on both layers.

No files matched `.github/workflows/*.yml`.

H7. No End-to-End Tests (additional) HIGH

Benchmark: `E2E suites for critical journeys = 0` → falls in the **High Risk** band (Good ≥1 suite · Moderate partial · High Risk none). *KPI: at least one E2E suite covering login + a core CRM/IVR journey; justified because Inertia couples backend routing and React rendering, so only a browser-level test proves the full journey works.*

No Cypress, Playwright, or Selenium configuration or specs exist anywhere in the repo. The critical user journeys — login, create/edit a contact, navigate the IVR hub — are never exercised through the real browser stack.

Why it matters here: With an Inertia app, a route, controller, prop shape, and React page must all agree for a page to render; unit tests on either side miss integration breaks. A broken login or IVR module page would only surface in production.

Recommended approach:

1. Add **Playwright** (already common with Vite) with one spec: log in with a seeded user and assert the IVR hub renders.
2. Extend to a CRM create/edit journey once login is green.
3. Wire the E2E job into CI as a non-blocking check first, then required.

522 files affected.

File	Line(s)	Issue	Action
<code>resources/js/Pages/Auth/Login.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Contacts/Create.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Contacts/Edit.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Contacts/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Dashboard/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AfterHours/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/AfterHours/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AfterHours/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AfterHours/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AfterHours/LegacyPass2_130.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AfterHours/LegacyPass2_36.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AfterHours/LegacyPass2_83.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AfterHours/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AfterHours/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AfterHours/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AfterHours/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AgentDesk/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AgentDesk/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AgentDesk/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AgentDesk/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AgentDesk/LegacyPass2_3.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AgentDesk/LegacyPass2_50.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AgentDesk/LegacyPass2_97.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AgentDesk/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AgentDesk/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/AgentDesk/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AgentDesk/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ApiIntegration/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ApiIntegration/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ApiIntegration/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ApiIntegration/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ApiIntegration/LegacyPass2_107.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ApiIntegration/LegacyPass2_13.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ApiIntegration/LegacyPass2_60.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ApiIntegration/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ApiIntegration/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ApiIntegration/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ApiIntegration/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AuditTrail/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AuditTrail/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AuditTrail/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AuditTrail/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AuditTrail/LegacyPass2_110.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AuditTrail/LegacyPass2_16.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/AuditTrail/LegacyPass2_63.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AuditTrail/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AuditTrail/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AuditTrail/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/AuditTrail/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BargeMonitor/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BargeMonitor/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BargeMonitor/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BargeMonitor/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BargeMonitor/LegacyPass2_132.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BargeMonitor/LegacyPass2_38.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BargeMonitor/LegacyPass2_85.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BargeMonitor/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BargeMonitor/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BargeMonitor/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BargeMonitor/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BillingMeter/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BillingMeter/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BillingMeter/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/BillingMeter/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BillingMeter/LegacyPass2_119.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BillingMeter/LegacyPass2_25.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BillingMeter/LegacyPass2_72.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BillingMeter/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BillingMeter/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BillingMeter/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BusinessHours/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BusinessHours/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BusinessHours/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BusinessHours/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BusinessHours/LegacyPass2_5.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BusinessHours/LegacyPass2_52.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BusinessHours/LegacyPass2_99.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BusinessHours/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BusinessHours/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BusinessHours/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/BusinessHours/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallAnalytics/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/CallAnalytics/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallAnalytics/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallAnalytics/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallAnalytics/LegacyPass2_101.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallAnalytics/LegacyPass2_54.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallAnalytics/LegacyPass2_7.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallAnalytics/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallAnalytics/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallAnalytics/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallAnalytics/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallbackScheduler/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallbackScheduler/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallbackScheduler/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallbackScheduler/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallbackScheduler/LegacyPass2_117.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallbackScheduler/LegacyPass2_23.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallbackScheduler/LegacyPass2_70.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallbackScheduler/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallbackScheduler/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/CallbackScheduler/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallbackScheduler/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallFlow/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallFlow/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallFlow/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallFlow/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallFlow/LegacyPass2_0.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallFlow/LegacyPass2_47.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallFlow/LegacyPass2_94.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallFlow/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallFlow/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallFlow/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallFlow/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallRecording/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallRecording/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallRecording/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallRecording/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallRecording/LegacyPass2_10.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallRecording/LegacyPass2_104.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/CallRecording/LegacyPass2_57.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallRecording/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallRecording/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallRecording/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallRecording/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallRouting/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallRouting/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallRouting/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallRouting/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallRouting/LegacyPass2_1.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallRouting/LegacyPass2_48.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallRouting/LegacyPass2_95.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallRouting/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallRouting/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallRouting/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CallRouting/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CampaignDialer/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CampaignDialer/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CampaignDialer/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/CampaignDialer/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CampaignDialer/LegacyPass2_40.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CampaignDialer/LegacyPass2_87.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CampaignDialer/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CampaignDialer/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CampaignDialer/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CampaignDialer/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ComplianceArchive/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ComplianceArchive/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ComplianceArchive/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ComplianceArchive/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ComplianceArchive/LegacyPass2_120.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ComplianceArchive/LegacyPass2_26.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ComplianceArchive/LegacyPass2_73.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ComplianceArchive/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ComplianceArchive/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ComplianceArchive/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ComplianceArchive/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ConferenceBridge/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/ConferenceBridge/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ConferenceBridge/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ConferenceBridge/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ConferenceBridge/LegacyPass2_127.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ConferenceBridge/LegacyPass2_33.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ConferenceBridge/LegacyPass2_80.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ConferenceBridge/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ConferenceBridge/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ConferenceBridge/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ConferenceBridge/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CrmBridge/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CrmBridge/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CrmBridge/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CrmBridge/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CrmBridge/LegacyPass2_106.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CrmBridge/LegacyPass2_12.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CrmBridge/LegacyPass2_59.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CrmBridge/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CrmBridge/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/CrmBridge/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CrmBridge/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CustomerProfile/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CustomerProfile/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CustomerProfile/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CustomerProfile/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CustomerProfile/LegacyPass2_105.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CustomerProfile/LegacyPass2_11.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CustomerProfile/LegacyPass2_58.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CustomerProfile/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CustomerProfile/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CustomerProfile/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/CustomerProfile/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/DidInventory/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/DidInventory/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/DidInventory/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/DidInventory/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/DidInventory/LegacyPass2_100.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/DidInventory/LegacyPass2_53.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/DidInventory/LegacyPass2_6.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/DidInventory/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/DidInventory/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/DidInventory/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/DidInventory/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/DispositionCode/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/DispositionCode/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/DispositionCode/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/DispositionCode/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/DispositionCode/LegacyPass2_39.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/DispositionCode/LegacyPass2_86.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/DispositionCode/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/DispositionCode/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/DispositionCode/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/DispositionCode/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/EmergencyRoute/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/EmergencyRoute/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/EmergencyRoute/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/EmergencyRoute/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/EmergencyRoute/LegacyPass2_128.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/EmergencyRoute/LegacyPass2_34.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/EmergencyRoute/LegacyPass2_81.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/EmergencyRoute/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/EmergencyRoute/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/EmergencyRoute/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/EmergencyRoute/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/FraudScreen/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/FraudScreen/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/FraudScreen/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/FraudScreen/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/FraudScreen/LegacyPass2_121.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/FraudScreen/LegacyPass2_27.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/FraudScreen/LegacyPass2_74.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/FraudScreen/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/FraudScreen/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/FraudScreen/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/FraudScreen/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/HistoricalReports/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/HistoricalReports/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/HistoricalReports/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/HistoricalReports/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/HistoricalReports/LegacyPass2_102.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/HistoricalReports/LegacyPass2_55.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/HistoricalReports/LegacyPass2_8.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/HistoricalReports/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/HistoricalReports/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/HistoricalReports/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/HistoricalReports/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/HolidayCalendar/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/HolidayCalendar/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/HolidayCalendar/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/HolidayCalendar/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/HolidayCalendar/LegacyPass2_129.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/HolidayCalendar/LegacyPass2_35.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/HolidayCalendar/LegacyPass2_82.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/HolidayCalendar/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/HolidayCalendar/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/HolidayCalendar/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/HolidayCalendar/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/Hub/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/IvrSettings/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/IvrSettings/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/IvrSettings/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/IvrSettings/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/IvrSettings/LegacyPass2_113.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/IvrSettings/LegacyPass2_19.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/IvrSettings/LegacyPass2_66.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/IvrSettings/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/IvrSettings/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/IvrSettings/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/IvrSettings/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/KnowledgeBase/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/KnowledgeBase/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/KnowledgeBase/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/KnowledgeBase/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/KnowledgeBase/LegacyPass2_43.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/KnowledgeBase/LegacyPass2_90.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/KnowledgeBase/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/KnowledgeBase/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/KnowledgeBase/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/KnowledgeBase/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/LeadList/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/LeadList/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/LeadList/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/LeadList/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/LeadList/LegacyPass2_41.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/LeadList/LegacyPass2_88.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/LeadList/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/LeadList/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/LeadList/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/LeadList/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/LiveMonitoring/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/LiveMonitoring/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/LiveMonitoring/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/LiveMonitoring/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
resources/js/Pages/Ivr/LiveMonitoring/LegacyPass2_103.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/LiveMonitoring/LegacyPass2_56.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/LiveMonitoring/LegacyPass2_9.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/LiveMonitoring/Monitor.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/LiveMonitoring/Store.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/LiveMonitoring/Sync.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/LiveMonitoring/Update.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/MediaServer/Destroy.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/MediaServer/Export.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/MediaServer/Import.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/MediaServer/Index.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/MediaServer/LegacyPass2_124.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/MediaServer/LegacyPass2_30.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/MediaServer/LegacyPass2_77.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/MediaServer/Monitor.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/MediaServer/Store.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/MediaServer/Sync.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/MediaServer/Update.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/Module/Index.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/Module/Show.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/NotificationHub/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/NotificationHub/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/NotificationHub/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/NotificationHub/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/NotificationHub/LegacyPass2_108.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/NotificationHub/LegacyPass2_14.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/NotificationHub/LegacyPass2_61.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/NotificationHub/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/NotificationHub/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/NotificationHub/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/NumberPorting/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/NumberPorting/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/NumberPorting/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/NumberPorting/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/NumberPorting/LegacyPass2_122.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/NumberPorting/LegacyPass2_28.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/NumberPorting/LegacyPass2_75.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/NumberPorting/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/NumberPorting/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/NumberPorting/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/NumberPorting/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/OverflowRoute/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/OverflowRoute/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/OverflowRoute/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/OverflowRoute/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/OverflowRoute/LegacyPass2_115.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/OverflowRoute/LegacyPass2_21.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/OverflowRoute/LegacyPass2_68.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/OverflowRoute/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/OverflowRoute/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/OverflowRoute/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/OverflowRoute/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/PromptLibrary/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/PromptLibrary/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/PromptLibrary/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/PromptLibrary/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/PromptLibrary/LegacyPass2_4.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/PromptLibrary/LegacyPass2_51.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/PromptLibrary/LegacyPass2_98.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/PromptLibrary/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/PromptLibrary/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/PromptLibrary/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/PromptLibrary/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/QueueManagement/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/QueueManagement/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/QueueManagement/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/QueueManagement/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/QueueManagement/LegacyPass2_2.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/QueueManagement/LegacyPass2_49.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/QueueManagement/LegacyPass2_96.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/QueueManagement/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/QueueManagement/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/QueueManagement/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/QueueManagement/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/RateDeck/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/RateDeck/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/RateDeck/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/RateDeck/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/RateDeck/LegacyPass2_46.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/RateDeck/LegacyPass2_93.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/RateDeck/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/RateDeck/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/RateDeck/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/RateDeck/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/RoleAccess/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/RoleAccess/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/RoleAccess/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/RoleAccess/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/RoleAccess/LegacyPass2_109.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/RoleAccess/LegacyPass2_15.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/RoleAccess/LegacyPass2_62.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/RoleAccess/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/RoleAccess/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/RoleAccess/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/RoleAccess/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/ScriptBuilder/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ScriptBuilder/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ScriptBuilder/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ScriptBuilder/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ScriptBuilder/LegacyPass2_42.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ScriptBuilder/LegacyPass2_89.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ScriptBuilder/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ScriptBuilder/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ScriptBuilder/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/ScriptBuilder/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SkillGroup/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SkillGroup/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SkillGroup/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SkillGroup/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SkillGroup/LegacyPass2_114.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SkillGroup/LegacyPass2_20.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SkillGroup/LegacyPass2_67.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SkillGroup/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SkillGroup/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/SkillGroup/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SkillGroup/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SpeechRecognition/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SpeechRecognition/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SpeechRecognition/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SpeechRecognition/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SpeechRecognition/LegacyPass2_125.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SpeechRecognition/LegacyPass2_31.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SpeechRecognition/LegacyPass2_78.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SpeechRecognition/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SpeechRecognition/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SpeechRecognition/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SpeechRecognition/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SurveyEngine/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SurveyEngine/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SurveyEngine/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SurveyEngine/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SurveyEngine/LegacyPass2_118.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SurveyEngine/LegacyPass2_24.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/SurveyEngine/LegacyPass2_71.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SurveyEngine/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SurveyEngine/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SurveyEngine/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SurveyEngine/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SystemConfig/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SystemConfig/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SystemConfig/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SystemConfig/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SystemConfig/LegacyPass2_112.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SystemConfig/LegacyPass2_18.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SystemConfig/LegacyPass2_65.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SystemConfig/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SystemConfig/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SystemConfig/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/SystemConfig/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/TenantAdmin/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/TenantAdmin/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/TenantAdmin/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
resources/js/Pages/Ivr/TenantAdmin/Index.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/TenantAdmin/LegacyPass2_111.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/TenantAdmin/LegacyPass2_17.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/TenantAdmin/LegacyPass2_64.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/TenantAdmin/Monitor.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/TenantAdmin/Store.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/TenantAdmin/Sync.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/TenantAdmin/Update.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/TextToSpeech/Destroy.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/TextToSpeech/Export.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/TextToSpeech/Import.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/TextToSpeech/Index.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/TextToSpeech/LegacyPass2_126.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/TextToSpeech/LegacyPass2_32.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/TextToSpeech/LegacyPass2_79.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/TextToSpeech/Monitor.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/TextToSpeech/Store.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/TextToSpeech/Sync.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Ivr/TextToSpeech/Update.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/TicketSync/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/TicketSync/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/TicketSync/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/TicketSync/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/TicketSync/LegacyPass2_44.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/TicketSync/LegacyPass2_91.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/TicketSync/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/TicketSync/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/TicketSync/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/TicketSync/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/TrunkGroup/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/TrunkGroup/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/TrunkGroup/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/TrunkGroup/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/TrunkGroup/LegacyPass2_123.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/TrunkGroup/LegacyPass2_29.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/TrunkGroup/LegacyPass2_76.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/TrunkGroup/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/TrunkGroup/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/TrunkGroup/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/TrunkGroup/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/VoicemailBox/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/VoicemailBox/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/VoicemailBox/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/VoicemailBox/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/VoicemailBox/LegacyPass2_116.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/VoicemailBox/LegacyPass2_22.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/VoicemailBox/LegacyPass2_69.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/VoicemailBox/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/VoicemailBox/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/VoicemailBox/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/VoicemailBox/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/WebhookDispatcher/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/WebhookDispatcher/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/WebhookDispatcher/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/WebhookDispatcher/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/WebhookDispatcher/LegacyPass2_45.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/WebhookDispatcher/LegacyPass2_92.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
<code>resources/js/Pages/Ivr/WebhookDispatcher/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/WebhookDispatcher/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/WebhookDispatcher/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/WebhookDispatcher/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/WhisperCoach/Destroy.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/WhisperCoach/Export.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/WhisperCoach/Import.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/WhisperCoach/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/WhisperCoach/LegacyPass2_131.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/WhisperCoach/LegacyPass2_37.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/WhisperCoach/LegacyPass2_84.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/WhisperCoach/Monitor.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/WhisperCoach/Store.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/WhisperCoach/Sync.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Ivr/WhisperCoach/Update.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Organizations/Create.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Organizations/Edit.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Organizations/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
<code>resources/js/Pages/Reports/Index.tsx</code>	—	Critical user journey (login, CRM, IVR hub) has no end-to-	Add a Playwright spec covering login and one core journey; gate it

		end test	in CI
resources/js/Pages/Users/Create.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Users/Edit.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI
resources/js/Pages/Users/Index.tsx	—	Critical user journey (login, CRM, IVR hub) has no end-to-end test	Add a Playwright spec covering login and one core journey; gate it in CI

H8. Assertion-free Placeholder Tests (additional) MEDIUM

Benchmark: tests with no meaningful assertion = 2 → falls in the **Moderate** band (Good 0 · Moderate 1–3 · High Risk >3). *KPI: count of tests whose only assertion is a constant; justified because such tests inflate the green count without protecting any code.*

Two of the four test files assert nothing about the application: tests/Unit/ExampleTest.php:14 asserts \$this->assertTrue(true) and resources/js/test/smoke.test.ts:5 asserts expect(true).toBe(true) . Both pass unconditionally.

Why it matters here: These give a false "tests are green" signal and, in the frontend's case, are the *only* Vitest file — masking that component coverage is genuinely 0%. They should be replaced with real assertions rather than counted as coverage.

Recommended approach:

- 1. Replace ExampleTest with the first real AuthenticatedSessionController test (see H1).
- 2. Replace smoke.test.ts with a first component render test for a shared layout or Login.tsx .
- 3. Add a lint rule / CI check flagging assertion-free tests so placeholders don't accumulate.

1 file affected.

File	Line(s)	Issue	Action
tests/Unit/ExampleTest.php	14	Placeholder test asserts a constant and verifies no application behavior	Replace with a real assertion covering actual logic


1 file affected.

File	Line(s)	Issue	Action
resources/js/test/smoke.test.ts	5	Placeholder frontend test asserts a constant; only Vitest file, hides 0% component coverage	Replace with a Testing Library component render/assert test


Not observed (rated Good): H5 — grepped all of tests/ and resources/js for markTestSkipped / markTestIncomplete / ->skip(/ it.skip / describe.skip / test.skip / .only(; none found, and no known-flaky tests are referenced in CI config.

5.3 Diagrams

Current test coverage gaps



Target test pyramid / CI gate



Improvement roadmap



5.4 Actions Required

Hotspot	Action	Rating	Priority
H1 Untested Critical Logic	Add PHPUnit unit/feature tests for auth, the 12 God services/repositories, and legacy helpers; add a Login.tsx component test	HIGH RISK	CRITICAL
H2 Low Test Coverage	Enable PHPUnit + Vitest coverage reporting, then drive backend to 75–80% and stand up frontend component tests	HIGH RISK	CRITICAL
H3 Missing Integration Tests	Add RefreshDatabase integration tests across controller → service → repository → DB for IVR modules	HIGH RISK	HIGH
H4 Missing Contract Tests	Add PHPUnit contract tests (status + assertJsonStructure) for the ~84 <code>/api/ivr-legacy</code> endpoints	HIGH RISK	HIGH
H7 No End-to-End Tests	Add Playwright with a login + core-journey spec and wire it into CI	HIGH RISK	HIGH
H6 No CI Test Gate (frontend)	Add <code>npm run test</code> to <code>tests.yml</code> and make it a required check	MODERATE	MEDIUM
H8 Assertion-free Placeholder Tests	Replace <code>ExampleTest</code> and <code>smoke.test.ts</code> with real assertions; add a check flagging assertion-free tests	MODERATE	MEDIUM

5.5 Expected Outcomes

- **Critical paths protected before modernization** — auth, the 12 God services/repositories, and legacy crypto/string helpers gain characterization and unit tests, so refactors and extractions can be verified against a regression net instead of shipping blind.
- **A real coverage baseline replaces guesswork** — enabling PHPUnit and Vitest coverage turns the estimated <5% into a measured number and lets the team track progress toward the 75–80% target per layer.
- **IVR wiring is verified end to end** — integration tests across controller → service → repository → DB catch broken seams that unit tests miss, especially in sync/import flows.
- **The public API stops breaking silently** — contract tests on `/api/ivr-legacy` fail the build when a response schema or status changes, protecting the React client and any external consumers.
- **CI enforces quality on both layers** — adding the frontend Vitest step (and Playwright E2E) as required checks means every PR runs the full suite, so tests actually prevent regressions rather than merely existing.