NVIDIA NCA-AIIO

AI Infrastructure and Operations

50题中英双语原创模拟题库
50-Question Chinese-English Practice Bank

考试级别 / Level	Associate 入门级
模拟 / Simulation	50题 / 60分钟
领域 / Domains	AI知识38% · 基础设施40% · 运维22%
声明 / Notice	原创练习，非官方试题或泄题

使用说明 / Instructions

- 建议限时60分钟完成。 / Complete within 60 minutes.
- 每题1分，多选需全部选对。 / One point each; select all correct answers for multiple choice.
- 完成后再核对解析。 / Review explanations after completing the test.

第一部分：模拟试题 / Part I: Practice Questions

第一领域：基础AI知识（19题）
Domain 1: Essential AI Knowledge (19 questions)

1. 人工智能、机器学习和深度学习之间最准确的关系是什么？

1. Which statement best describes the relationship among AI, machine learning, and deep learning?

A. AI范围最广；机器学习是AI的一部分；深度学习是机器学习的一部分
A. AI is the broadest field; ML is a subset of AI; DL is a subset of ML
B. 三者完全相同
B. They are identical
C. AI只是深度学习的一部分
C. AI is only a subset of DL
D. 机器学习不属于AI
D. ML is unrelated to AI

作答 / Answer：_____

2. 训练与推理的主要差别是什么？

2. What is the primary difference between training and inference?

A. 训练更新模型参数；推理使用已训练模型产生结果
A. Training updates model parameters; inference uses a trained model to produce outputs
B. 推理一定需要更多数据
B. Inference always needs more data
C. 训练不需要计算资源
C. Training needs no compute resources
D. 两者没有差别
D. There is no difference

作答 / Answer：_____

3. GPU相较CPU更适合许多AI工作负载的主要原因是什么？

3. Why are GPUs better suited than CPUs for many AI workloads?

A. 具有大量并行计算核心和高内存带宽
A. They provide massive parallelism and high memory bandwidth
B. 只能执行单一指令
B. They can execute only one instruction
C. 不需要内存
C. They require no memory
D. 只用于显示画面
D. They are only for graphics

作答 / Answer：_____

4. 监督式学习需要什么类型的数据？

4. What type of data is required for supervised learning?

A. 带标签的训练数据
A. Labeled training data
B. 完全没有数据
B. No data
C. 只有硬件日志
C. Only hardware logs
D. 只能使用影像
D. Images only

作答 / Answer：_____

5. 非监督式学习的典型用途是什么?

5. What is a typical use of unsupervised learning?

A. 从无标签数据中发现结构或群组
A. Discovering patterns or clusters in unlabeled data
B. 验证身份证
B. Validating an ID card
C. 更新GPU固件
C. Updating GPU firmware
D. 配置BMC
D. Configuring a BMC

作答 / Answer：_____

6. 生成式AI的主要特点是什么?

6. What is the defining characteristic of generative AI?

A. 能够根据学习到的模式产生新内容
A. It creates new content from learned patterns
B. 只能复制文件
B. It only copies files
C. 只管理网络
C. It only manages networks
D. 不能处理文字
D. It cannot process text

作答 / Answer：_____

7. 模型参数通常代表什么?

7. What do model parameters generally represent?

A. 模型在训练中学习到的数值权重
A. Numerical weights learned during training
B. 数据中心的电源插座
B. Data-center power outlets
C. 网线长度
C. Cable length
D. 用户密码
D. User passwords

作答 / Answer：_____

8. 批次大小（batch size）表示什么?

8. What does batch size represent?

A. 一次训练或推理处理的样本数量
A. The number of samples processed in one training or inference step
B. GPU数量
B. The number of GPUs
C. 机柜高度
C. Rack height
D. 模型文件数量
D. The number of model files

作答 / Answer：_____

9. 准确率最适合描述什么?

9. What does accuracy measure?

A. 预测正确的比例
A. The proportion of correct predictions
B. GPU温度
B. GPU temperature
C. 网络带宽
C. Network bandwidth
D. 储存容量
D. Storage capacity

作答 / Answer：_____

10. 过拟合表示什么?

10. What does overfitting mean?

A. 模型在训练数据表现好，但对新数据泛化差
A. The model performs well on training data but poorly on unseen data

B. 模型没有参数
B. The model has no parameters

C. GPU未安装
C. No GPU is installed

D. 网络速度过快
D. The network is too fast

作答 / Answer：_____

11. CUDA的主要作用是什么?

11. What is the primary purpose of CUDA?

A. 让开发者利用NVIDIA GPU进行通用并行计算
A. Enable general-purpose parallel computing on NVIDIA GPUs

B. 管理电子邮件
B. Manage email

C. 取代Linux
C. Replace Linux

D. 配置机柜供电
D. Configure rack power

作答 / Answer：_____

12. cuDNN主要为哪类工作负载提供加速?

12. What type of workload is primarily accelerated by cuDNN?

A. 深度神经网络基础运算
A. Deep neural network primitives

B. DNS查询
B. DNS queries

C. 文件压缩
C. File compression

D. BMC管理
D. BMC management

作答 / Answer：_____

13. TensorRT主要用于什么?

13. What is TensorRT primarily used for?

A. 优化和加速深度学习推理
A. Optimizing and accelerating deep-learning inference

B. 训练网络工程师
B. Training network engineers

C. 更新BIOS
C. Updating the BIOS

D. 管理RAID
D. Managing RAID

作答 / Answer：_____

14. NGC Catalog提供什么?

14. What does the NGC Catalog provide?

A. 经过优化的容器、模型和AI资源
A. Optimized containers, models, and AI resources

B. 实体机柜
B. Physical racks

C. 电源线
C. Power cables

D. 政府证件
D. Government IDs

作答 / Answer：_____

15. RAPIDS主要加速哪一类工作?

15. What type of work does RAPIDS primarily accelerate?

A. 数据科学与数据处理流程
A. Data-science and data-processing workflows
B. 机柜布线
B. Rack cabling
C. 电源监控
C. Power monitoring
D. 网页排版
D. Webpage layout

作答 / Answer：_____

16. 并行计算对AI的重要性是什么?

16. Why is parallel computing important for AI?

A. 可同时执行大量相似数值运算
A. It executes many similar numerical operations concurrently
B. 会减少所有数据
B. It removes all data
C. 不需要软件
C. It requires no software
D. 只能使用一个核心
D. It uses only one core

作答 / Answer：_____

17. 哪一个是计算机视觉的典型用例?

17. Which is a typical computer-vision use case?

A. 影像分类与目标检测
A. Image classification and object detection
B. 电源分配
B. Power distribution
C. 磁盘分区
C. Disk partitioning
D. IP地址规划
D. IP addressing

作答 / Answer：_____

18. 自然语言处理（NLP）的典型任务是什么?

18. Which is a typical natural-language-processing task?

A. 翻译、摘要与文字分类
A. Translation, summarization, and text classification
B. 更换GPU
B. Replacing a GPU
C. 安装机柜
C. Installing a rack
D. 测量光功率
D. Measuring optical power

作答 / Answer：_____

19. AI生命周期通常包括哪些阶段?

19. Which stages are normally part of the AI lifecycle?

A. 资料准备、训练、评估、部署与监控
A. Data preparation, training, evaluation, deployment, and monitoring
B. 只有购买服务器
B. Only purchasing a server
C. 只有模型下载
C. Only downloading a model
D. 只有关机
D. Only shutting down

作答 / Answer：_____

第二领域：AI基础设施（20题）
Domain 2: AI Infrastructure (20 questions)

20. 选择训练GPU时最重要的资源考虑是什么?

20. What is a key resource consideration when selecting GPUs for training?

A. 计算能力、GPU内存容量和带宽
A. Compute capability, GPU memory capacity, and bandwidth
B. 机壳颜色
B. Chassis color
C. 键盘类型
C. Keyboard type
D. 浏览器主题
D. Browser theme

作答 / Answer：_____

21. 大型模型无法放进单张GPU内存时，可采用什么方式?

21. What can be used when a large model does not fit in one GPU’s memory?

A. 模型并行或多GPU分片
A. Model parallelism or multi-GPU sharding
B. 降低网线长度到零
B. Reduce cable length to zero
C. 移除所有储存
C. Remove all storage
D. 关闭散热
D. Disable cooling

作答 / Answer：_____

22. 数据并行的基本概念是什么?

22. What is the basic idea of data parallelism?

A. 各GPU处理不同数据批次并同步更新
A. Each GPU processes different data batches and synchronizes updates
B. 每张GPU运行不同操作系统
B. Each GPU runs a different OS
C. 只使用一张GPU
C. Use only one GPU
D. 复制机柜
D. Duplicate the rack

作答 / Answer：_____

23. AI服务器为什么需要高容量电源?

23. Why do AI servers require high-capacity power delivery?

A. GPU和CPU在满载时具有高功耗
A. GPUs and CPUs consume substantial power under load
B. 显示器需要充电
B. The monitor needs charging
C. DNS需要电力
C. DNS needs power
D. 模型会产生实体重量
D. Models create physical weight

作答 / Answer：_____

24. 数据中心冷却不足最可能导致什么？

24. What is a likely result of insufficient data-center cooling?

A. 温度升高、降频或设备关机
A. Higher temperatures, throttling, or shutdowns
B. GPU内存增加
B. More GPU memory
C. 网络自动升级
C. Automatic network upgrades
D. 模型准确率永久提高
D. Permanent accuracy improvement

作答 / Answer：_____

25. 热通道与冷通道的目的是什么？

25. What is the purpose of hot-aisle/cold-aisle design?

A. 减少冷热气流混合
A. Reduce mixing of hot and cold air
B. 增加网络跳数
B. Increase network hops
C. 移除风扇
C. Remove fans
D. 降低储存容量
D. Reduce storage capacity

作答 / Answer：_____

26. 本地部署（on-premises）的典型优势是什么？

26. What is a typical advantage of on-premises deployment?

A. 对硬件、数据和安全策略有更直接的控制
A. More direct control over hardware, data, and security policies
B. 完全没有前期成本
B. No upfront cost
C. 不需要维护
C. No maintenance
D. 无限扩展
D. Unlimited scaling

作答 / Answer：_____

27. 云端AI基础设施的典型优势是什么？

27. What is a typical advantage of cloud AI infrastructure?

A. 能较快取得资源并弹性扩缩
A. Rapid resource access and elastic scaling
B. 永远比本地便宜
B. Always cheaper than on-premises
C. 不需要网络
C. Requires no network
D. 数据永远不离开组织
D. Data never leaves the organization

作答 / Answer：_____

28. AI集群的主要组成包含什么？

28. What are major components of an AI cluster?

A. 计算节点、高速网络、储存和管理服务
A. Compute nodes, high-speed networking, storage, and management services
B. 只有键盘
B. Only keyboards
C. 只有防火墙
C. Only a firewall
D. 只有一张GPU
D. Only one GPU

作答 / Answer：_____

29. 训练资料管线为什么需要高吞吐储存?

29. Why does a training data pipeline need high-throughput storage?

A. 避免GPU因等待资料而闲置
A. Prevent GPUs from idling while waiting for data
B. 提高BMC亮度
B. Increase BMC brightness
C. 减少IP地址
C. Reduce IP addresses
D. 更换模型名称
D. Rename the model

作答 / Answer：_____

30. 东西向流量（east-west traffic）通常指什么?

30. What does east-west traffic usually mean?

A. 数据中心内部节点之间的流量
A. Traffic between nodes inside the data center
B. 用户到互联网的流量
B. User-to-Internet traffic
C. 电源线流量
C. Power-cable traffic
D. 显示输出
D. Display output

作答 / Answer：_____

31. InfiniBand常用于AI集群的原因是什么?

31. Why is InfiniBand commonly used in AI clusters?

A. 提供高带宽、低延迟与RDMA能力
A. It provides high bandwidth, low latency, and RDMA
B. 用于显示画面
B. It displays graphics
C. 提供交流电
C. It supplies AC power
D. 取代所有储存
D. It replaces all storage

作答 / Answer：_____

32. RDMA的主要优点是什么?

32. What is a primary benefit of RDMA?

A. 可低CPU负担地直接在远端内存间传输资料
A. Direct memory transfer with low CPU overhead
B. 增加硬盘容量
B. Increase disk capacity
C. 自动训练模型
C. Train models automatically
D. 更新BIOS
D. Update the BIOS

作答 / Answer：_____

33. 叶脊（leaf-spine）网络适合AI集群的原因是什么?

33. Why is a leaf-spine network suitable for AI clusters?

A. 提供可扩展且跳数一致的东西向路径
A. It provides scalable east-west paths with consistent hop count
B. 不需要交换机
B. It needs no switches
C. 只能连接两台服务器
C. It connects only two servers
D. 只处理管理流量
D. It handles management traffic only

作答 / Answer：_____

34. DPU在数据中心的主要作用是什么?

34. What is the primary purpose of a DPU in a data center?

A. 卸载网络、储存和安全基础设施任务
A. Offload networking, storage, and security infrastructure tasks
B. 取代所有CPU和GPU
B. Replace every CPU and GPU
C. 只作为显示卡
C. Act only as a graphics card
D. 控制室内灯光
D. Control room lighting

作答 / Answer：_____

35. NVLink主要解决什么需求?

35. What need is primarily addressed by NVLink?

A. 提供GPU之间的高速互连
A. Provide high-speed GPU-to-GPU interconnects
B. 连接BMC到互联网
B. Connect a BMC to the Internet
C. 提供机柜电源
C. Supply rack power
D. 安装操作系统
D. Install an operating system

作答 / Answer：_____

36. MIG的主要用途是什么?

36. What is the primary use of MIG?

A. 将支持的GPU分割成隔离的GPU实例
A. Partition a supported GPU into isolated GPU instances
B. 连接两座数据中心
B. Connect two data centers
C. 更新网络固件
C. Update network firmware
D. 复制储存资料
D. Copy storage data

作答 / Answer：_____

37. 高可用性的主要目标是什么?

37. What is the primary objective of high availability?

A. 减少单点故障造成的服务中断
A. Reduce service interruption from single points of failure
B. 提高画面分辨率
B. Increase display resolution
C. 减少模型参数
C. Reduce model parameters
D. 取消监控
D. Eliminate monitoring

作答 / Answer：_____

38. 管理网络与计算网络分离有什么好处?

38. What is a benefit of separating management and compute networks?

A. 隔离管理流量、提高安全与故障处理能力
A. Isolate management traffic and improve security and troubleshooting
B. 让所有流量互相干扰
B. Make all traffic interfere
C. 取消访问控制
C. Remove access controls
D. 不再需要IP地址
D. Eliminate IP addressing

作答 / Answer：_____

39. 机房规划除供电和冷却外还应考虑什么?

39. Besides power and cooling, what should facility planning consider?

A. 空间、承重、消防、接地和布线
A. Space, floor loading, fire protection, grounding, and cabling
B. 网页颜色
B. Website colors
C. 模型名称长度
C. Model-name length
D. 电子邮件签名
D. Email signatures

作答 / Answer：_____

第三领域：AI运维（11题）
Domain 3: AI Operations (11 questions)

40. GPU监控最重要的基本指标包含什么?

40. Which are essential basic GPU monitoring metrics?

A. 利用率、内存、温度、功耗和错误
A. Utilization, memory, temperature, power, and errors
B. 键盘语言
B. Keyboard language
C. 网页历史
C. Browser history
D. 文件名称颜色
D. Filename color

作答 / Answer：_____

41. nvidia-smi通常用于什么?

41. What is nvidia-smi commonly used for?

A. 查看和管理NVIDIA GPU状态
A. Viewing and managing NVIDIA GPU status
B. 建立数据库
B. Creating a database
C. 配置DNS区域
C. Configuring DNS zones
D. 编辑影像
D. Editing images

作答 / Answer：_____

42. DCGM的主要价值是什么?

42. What is the primary value of DCGM?

A. GPU健康监控、诊断与数据中心管理
A. GPU health monitoring, diagnostics, and data-center management
B. 取代所有调度器
B. Replace all schedulers
C. 提供电源插座
C. Provide power outlets
D. 建立网页
D. Build websites

作答 / Answer：_____

43. 作业调度器的主要作用是什么?

43. What is the primary role of a job scheduler?

A. 根据资源与策略安排工作负载执行
A. Schedule workloads according to resources and policies
B. 提高GPU温度
B. Increase GPU temperature
C. 替换网线
C. Replace cables
D. 制作模型资料
D. Create model data

作答 / Answer：_____

44. Slurm常用于哪一种环境?

44. In what environment is Slurm commonly used?

A. HPC与AI集群的作业调度和资源管理
A. Job scheduling and resource management in HPC and AI clusters
B. 个人电子邮件
B. Personal email
C. 网页设计
C. Web design
D. 机柜供电
D. Rack power

作答 / Answer：_____

45. Kubernetes在AI平台中的常见角色是什么?

45. What is a common role of Kubernetes in an AI platform?

A. 编排容器化应用与服务
A. Orchestrating containerized applications and services
B. 更换GPU风扇
B. Replacing GPU fans
C. 安装光纤
C. Installing fiber cables
D. 测量机柜重量
D. Measuring rack weight

作答 / Answer：_____

46. 容器的主要运维优势是什么?

46. What is a key operational advantage of containers?

A. 提供一致、可移植的软件执行环境
A. Provide a consistent and portable software environment
B. 自动增加GPU硬件
B. Automatically add GPU hardware
C. 不需要操作系统
C. Require no operating system
D. 取代所有储存
D. Replace all storage

作答 / Answer：_____

47. GPU虚拟化的主要目的是什么?

47. What is a primary purpose of GPU virtualization?

A. 让多个虚拟工作负载安全共享GPU资源
A. Allow multiple virtual workloads to share GPU resources securely
B. 提高机柜高度
B. Increase rack height
C. 取消驱动
C. Remove drivers
D. 降低网络安全
D. Reduce network security

作答 / Answer：_____

48. 监控系统为什么需要告警阈值?

48. Why does a monitoring system need alert thresholds?

A. 在指标异常时及时通知运维人员
A. Notify operators promptly when metrics become abnormal
B. 隐藏所有错误
B. Hide all errors
C. 自动删除日志
C. Delete logs automatically
D. 降低模型准确率
D. Reduce model accuracy

作答 / Answer：_____

49. 建立性能基线有什么用途?

49. What is the purpose of establishing a performance baseline?

A. 比较当前表现并发现退化或异常
A. Compare current performance and detect degradation or anomalies
B. 取消所有测试
B. Eliminate all testing
C. 增加用户数量
C. Increase user count
D. 改变GPU颜色
D. Change GPU color

作答 / Answer：_____

50. 发生AI集群故障时，良好的第一步是什么?

50. What is a good first step when an AI cluster incident occurs?

A. 确认影响范围并收集日志、指标和近期变更
A. Determine impact and collect logs, metrics, and recent changes
B. 立即删除全部资料
B. Delete all data immediately
C. 关闭所有监控
C. Disable all monitoring
D. 随机更换组件
D. Replace components randomly

作答 / Answer：_____

第二部分：答案与解析 / Part II: Answers and Explanations

第一领域：基础AI知识（19题）
Domain 1: Essential AI Knowledge (19 questions)

1. 答案：A 三者是由广到窄的包含关系。
Answer: A They form nested fields from broad to specific.

2. 答案：A 训练学习权重，推理应用权重。
Answer: A Training learns weights; inference applies them.

3. 答案：A 矩阵和张量运算可由大量核心并行处理。
Answer: A Matrix and tensor operations benefit from massive parallel execution.

4. 答案：A 监督学习利用输入与正确标签学习映射。
Answer: A Supervised learning learns from inputs paired with target labels.

5. 答案：A 聚类与降维是常见的非监督任务。
Answer: A Clustering and dimensionality reduction are common unsupervised tasks.

6. 答案：A 生成式模型可产生文字、图像、声音或代码。
Answer: A Generative models can create text, images, audio, or code.

7. 答案：A 参数决定模型如何转换输入并产生输出。
Answer: A Parameters determine how the model transforms inputs into outputs.

8. 答案：A 批次大小会影响吞吐量、内存需求和收敛行为。
Answer: A Batch size affects throughput, memory use, and convergence.

9. 答案：A 准确率是正确预测数除以全部预测数。
Answer: A Accuracy is correct predictions divided by all predictions.

10. 答案：A 过拟合代表模型记住训练细节而未学到可泛化规律。
Answer: A Overfitting means the model memorizes training details instead of general patterns.

11. 答案：A CUDA是NVIDIA的GPU并行计算平台与编程模型。
Answer: A CUDA is NVIDIA’s parallel computing platform and programming model.

12. 答案：A cuDNN提供卷积、激活和归一化等优化实现。
Answer: A cuDNN provides optimized implementations of convolutions, activations, and normalization.

13. 答案：A TensorRT会优化推理图、精度与执行引擎。
Answer: A TensorRT optimizes inference graphs, precision, and execution engines.

14. 答案：A NGC集中提供NVIDIA优化的软件与模型资产。
Answer: A NGC provides NVIDIA-optimized software and model assets.

15. 答案：A RAPIDS利用GPU加速DataFrame、机器学习和图分析。
Answer: A RAPIDS accelerates DataFrames, machine learning, and graph analytics on GPUs.

16. 答案：A AI含有大量可并行的矩阵与张量运算。
Answer: A AI contains many parallelizable matrix and tensor operations.

17. 答案：A 计算机视觉让系统理解图像与视频内容。
Answer: A Computer vision enables systems to interpret images and video.

18. 答案：A NLP处理和生成自然语言。
Answer: A NLP processes and generates human language.

19. 答案：A 生产AI需要从数据到部署后的持续监控。
Answer: A Production AI spans data preparation through post-deployment monitoring.

第二领域：AI基础设施（20题）
Domain 2: AI Infrastructure (20 questions)

20. 答案：A 模型大小与训练批次决定计算和内存需求。
Answer: A Model size and batch size drive compute and memory requirements.

21. 答案：A 模型可跨多张GPU划分参数或计算。
Answer: A Model parameters or computation can be partitioned across GPUs.

22. 答案：A 数据并行复制模型并分配不同样本。
Answer: A Data parallelism replicates the model and distributes samples.

23. 答案：A 高密度加速器会显著提高服务器和机柜功耗。
Answer: A Dense accelerators significantly increase server and rack power demand.

24. 答案：A 硬件会为保护自身而降频或关机。
Answer: A Hardware may throttle or shut down to protect itself.

25. 答案：A 气流分离可提高冷却效率并减少热点。
Answer: A Airflow separation improves cooling efficiency and reduces hot spots.

26. 答案：A 本地部署提高控制力，但通常需要资本与运维能力。
Answer: A On-premises deployment offers control but requires capital and operations expertise.

27. 答案：A 云端可按需取得资源，但需评估成本、数据与合规。
Answer: A Cloud resources are elastic, but cost, data, and compliance must be evaluated.

28. 答案：A 完整集群需要计算、网络、储存和控制管理层。
Answer: A A complete cluster needs compute, networking, storage, and management.

29. 答案：A 持续供给数据才能维持加速器利用率。
Answer: A A steady data supply is required to sustain accelerator utilization.

30. 答案：A 分布式AI训练会产生大量节点间通信。
Answer: A Distributed AI training generates substantial node-to-node communication.

31. 答案：A 分布式训练对低延迟高吞吐网络非常敏感。
Answer: A Distributed training is sensitive to network latency and throughput.

32. 答案：A RDMA减少资料复制与CPU参与，从而降低延迟。
Answer: A RDMA reduces copying and CPU involvement, lowering latency.

33. 答案：A 叶脊拓扑适合大量服务器间的高带宽通信。
Answer: A Leaf-spine topology supports high-bandwidth communication among many servers.

34. 答案：A DPU可释放主机CPU并增强基础设施隔离。
Answer: A A DPU frees host CPU resources and improves infrastructure isolation.

35. 答案：A NVLink提供比传统PCIe路径更高的GPU互连带宽。
Answer: A NVLink provides higher GPU interconnect bandwidth than traditional PCIe paths.

36. 答案：A MIG让多个工作负载共享GPU并维持硬件隔离。
Answer: A MIG allows workloads to share a GPU with hardware isolation.

37. 答案：A 冗余组件和故障转移能提高服务连续性。
Answer: A Redundancy and failover improve service continuity.

38. 答案：A 平面分离降低相互影响，并在业务网络异常时保留管理路径。
Answer: A Separation reduces interference and preserves management access during data-network failures.

39. 答案：A 高密度AI设备需要完整的设施与安全规划。
Answer: A Dense AI equipment requires comprehensive facility and safety planning.

第三领域：AI运维（11题）
Domain 3: AI Operations (11 questions)

40. 答案：A 这些指标反映负载、资源、热状态和硬件健康。
Answer: A These metrics reveal workload, resources, thermals, and hardware health.

41. 答案：A 它可显示驱动、GPU、内存、温度、功耗与进程。
Answer: A It reports driver, GPU, memory, temperature, power, and process information.

42. 答案：A DCGM提供标准化GPU遥测、健康与诊断能力。
Answer: A DCGM provides standardized GPU telemetry, health, and diagnostics.

43. 答案：A 调度器分配计算资源并管理队列和优先级。
Answer: A A scheduler allocates compute resources and manages queues and priorities.

44. 答案：A Slurm管理集群节点、分区、作业和资源。
Answer: A Slurm manages cluster nodes, partitions, jobs, and resources.

45. 答案：A Kubernetes负责部署、扩缩和维护容器工作负载。
Answer: A Kubernetes deploys, scales, and maintains container workloads.

46. 答案：A 容器封装应用与依赖，有助于重复部署。
Answer: A Containers package applications and dependencies for repeatable deployment.

47. 答案：A 虚拟化提高资源利用率并提供工作负载隔离。
Answer: A Virtualization improves utilization and workload isolation.

48. 答案：A 适当阈值能在服务受影响前发现风险。
Answer: A Appropriate thresholds help detect risks before service impact.

49. 答案：A 基线提供正常状态的可量化参考。
Answer: A A baseline provides a measurable reference for normal behavior.

50. 答案：A 先建立证据与影响范围，才能系统化定位根因。
Answer: A Establishing evidence and impact enables systematic root-cause analysis.

官方参考 / Official Reference

https://www.nvidia.com/en-us/learn/certification/ai-infrastructure-operations-associate/