

Assignment#3 Q3 ReadMe

Name: Wen Sheng
E-Mail: wen.sheng@yale.edu


Operating System: Mac OS 10.10.5

Browser: Firefox 40.0.3 / Chrome 45.0 / Safari 8.0.8

Q3 478/578 Anti-aliasing

- I. Input
 - Sphere Diameter:
 - Light Direction
 - Sphere Color
- II. Output (The color of the sphere looks softer and smoother than Q2 images)
 - Sample 1: => Diameter: 1.2, Color: (153, 102, 255), light direction:(1, 3, 3)

Q3 Anti-aliasing 4 ray cast, ws362



Sphere diameter

RGB value for Sphere: R: G: B:

Incident direction of light: x: y: z:


[draw :\)](#)

Q3 578 Anti-aliasing Adaptive

- I. Input
 - Sphere Diameter:
 - Light Direction
 - Sphere Color
- II. Output (The color of the sphere looks even softer and smoother than the Q3 non-adaptive one. And the edge of the sphere is less rough)
- Sample 1: => Diameter: 1.5, Color: (0, 0, 255), light direction:(1, 0, 2)
- III. Algorithm:

Use the recursive method calColor() to continue check the 4 corners of each pixel. If they don't equal, then calculate the unequal sub-square of the original pixel square by reducing its side length to half length. Keep checking the sub square until the four corners equal.

Q3 Anti-aliasing Adaptive, ws362



Sphere diameter

RGB value for Sphere: R: G: B:

Incident direction of light: x: y: z:

[draw :\)](#)

```
var calColor = function (depth, centerX, centerY, delta) {  
  color = [];
```

```

var xcomp = Vector.scale(vpRight, ((centerX + delta) * pixelWidth) - halfWidth),
    ycomp = Vector.scale(vpUp, ((height - (centerY + delta)) * pixelHeight) - halfHeight);
ray.vector = Vector.unitVector(Vector.add3(eyeVector, xcomp, ycomp));
color.push(trace(ray, scene, 0));

```

```

xcomp = Vector.scale(vpRight, ((centerX + delta) * pixelWidth) - halfWidth);
ycomp = Vector.scale(vpUp, ((height - (centerY - delta)) * pixelHeight) - halfHeight);
ray.vector = Vector.unitVector(Vector.add3(eyeVector, xcomp, ycomp));
color.push(trace(ray, scene, 0));

```

```

xcomp = Vector.scale(vpRight, ((centerX - delta) * pixelWidth) - halfWidth);
ycomp = Vector.scale(vpUp, ((height - (centerY + delta)) * pixelHeight) - halfHeight);
ray.vector = Vector.unitVector(Vector.add3(eyeVector, xcomp, ycomp));
color.push(trace(ray, scene, 0));

```

```

xcomp = Vector.scale(vpRight, ((centerX - delta) * pixelWidth) - halfWidth);
ycomp = Vector.scale(vpUp, ((height - (centerY - delta)) * pixelHeight) - halfHeight);
ray.vector = Vector.unitVector(Vector.add3(eyeVector, xcomp, ycomp));
color.push(trace(ray, scene, 0));

```

```

if (checkColor(color[0], color[1]) && checkColor(color[2], color[1])
    && checkColor(color[2], color[3])) {
    //if (color[0] == color[1] && color[1] == color[2] && color[2] == color[3]) {
    return color[0];
    } else if (depth == maxDepth) {
    var avg = {
        x: (color[0].x + color[1].x + color[2].x + color[3].x) / 4,
        y: (color[0].y + color[1].y + color[2].y + color[3].y) / 4,
        z: (color[0].z + color[1].z + color[2].z + color[3].z) / 4,
    }
    return avg;
    } else {

```

```

    delta *= 0.5;
    color = [];
    color.push(calColor(depth + 1,
        centerX + delta,
        centerY + delta, delta));

```

```

    color.push(calColor(depth + 1,
        centerX + delta,
        centerY - delta, delta));

```

```

    color.push(calColor(depth + 1,
        centerX - delta,
        centerY + delta, delta));
    color.push(calColor(depth + 1,
        centerX - delta,
        centerY - delta, delta));

```

```
var avg = {  
  x: (color[0].x + color[1].x + color[2].x + color[3].x) / 4,  
  y: (color[0].y + color[1].y + color[2].y + color[3].y) / 4,  
  z: (color[0].z + color[1].z + color[2].z + color[3].z) / 4,  
}  
return avg;  
}  
}
```