A	Block purging, 40
Ablation-style evaluation, 72	Bootstrapping, 14
Abstract properties, 16	
Alexa, 87	
Alias, 20	C
Analogy, 21, 61	Candidate entity, 16
Arguments, 6, 23	Candidate set, 44
Assertion, 2	reduction, 48
AUC-PR, 73	Canopies, 42
Automated ER solutions, 52	Capitalization feature, 16
Automatically generated discriminator phrases,	Case citations, 14
16	CBOW, 21
Automatic content extraction (ACE), 22	Character makeup, 17
Automation-scalability tradeoff, 54	Character n-gram, 17
	Chunk, 18
	Clerical review, 52
В	Clustering, 15
Background corpus, 17	COALA, 53
Background knowledge, 35	Common corpus, 21
Bags of words, 18	Common nouns, 19
Baseline statistical learning, 13	Commonsense reasoning, 1
Baseline system, 13	Conditional random fields, 10
Bayesian optimality, 52	Context, 20, 21, 61
BBN ACCENT, 37	Contextual clues, 14
Big Data, 1	Coreference resolution, 12, 20
Bi-grams, 18	Cortana, 87
Bilateral pairs, 38	Cosine similarity, 18
Blocking, 39	Cross-document coreference resolution, 33
key, 40	Cue words, 19
learning, 43	
quality, 43	
value, 40	D
method, 40	Data ecosystems, 36
without supervision, 56	Data skew, 36, 40, 43

DBpedia, 18, 78, 80	First-order entities, 6
Dedoop, 54	Fixed-size window, 15
Deduplication, 34	F-measure, 50
Deep neural networks, 16	Freebase, 3
DeepWalk, 62	Fuzzy matching, 19
Derivational suffixes, 19	
Diacritics, 19	
Dictionary, 18	G
Disambiguation, 19	Gazetteer, 18
rules, 13	General AI, 1
Discriminative features, 13	Generalization, 13, 14, 66
Disjunctive normal form, 43	capabilities, 16
Distributional similarity, 14	Genetic ER algorithms, 53
DKRL, 69	Geopolitical events, 37
Document-centric features, 19	GKV, 82
Document and Corpus Features, 19	Global data space, 76
Domain adaptation, 37	Global loss function, 63
Domain engineering, 45	Glove, 21
Domain-specific KGC, 10	Google Knowledge Graph, 1
Downstream NLP, 61	Google Knowledge Vault, 82
Dublin Core, 79	Google news corpus, 21
Duplicated coverage, 48	Graph-aware embedding models, 71
	Graph embeddings, 38
	Graph priors, 82
E	Greedy algorithms, 44
Edit-distance, 19	Ground-truth, 44
Energy-based embedding model, 63	
Entity classification, 73	
Entity Resolution (ER), 6, 33	Н
automation, 36	Hadoop, 41
heterogeneity, 36	Head entity, 2, 62
related work, 51	Heuristics, 45
scalability, 36	Hierarchical graphical models, 52
Entity typing, 18	HTML, 11
EUCLID, 53	Human in the loop, 14
Events, 6	Hungarian algorithm, 47
domain, 4	Hyperparameter tuning, 66
extraction, 11, 24	Hyponyms/hypernyms, 15
Evolution of ER, 45	
Exhaustive set, 49	
Expectation maximization, 52	I
Extending the two-step workflow, 51	I.i.d, 44
External lexicon, 18	In-KG applications, 72
	Inflectional, 19
	Infobox, 80
F	Information extraction, 9
Feature-based blocking, 42	Information retrieval, 15
Features, 16	Instance-based blocking, 42
engineering, 16, 20, 61	Internationalized resource identifiers (IRI), 5
function, 17	
library, 45	
vector, 45	J
Fellegi-Sunter method, 44, 52	Jaro-Winkler, 19
Finer-grained typing, 18	Joint IE, 25

Joint modeling, 24	Meta-ability, 37
Joint text-video extraction, 10	Metadata, 20
JSON-LD, 86	Meta-information, 19
	Metaphone, 19
	Metonymy, 20
K	Microformats, 86
Knowledge bases, 3, 4	Minimal supervision, 53
Knowledge graph	Monge-elkan, 47
adoption, 75	Morphological feature, 17
completion, 59	MUC-6 training, 13
ecosystems, 75	Multi-lingual, 17
identification, 59	Multi-pass sorted neighborhood, 42
Knowledge graph embeddings (KGEs), 60	Multi-relational graph, 62
applications, 72	Multi-word expression, 19
Knowledge panels, 1	Mutual bootstrapping, 14
Knowledge repository, 82	mataar bootstrapping, 11
Knowledge sub-model, 68	
Knowledge Vault, 82	N
Knowledge vaun, 62	Named entity detection, 18
	Named entity recognition (NER), 11, 12
L	N-ary, 22
	Natural languages, 9
Labeled training data, 10 Latent Dirichlet ellegation (LDA), 52, 61	NLP-centric IE, 11
Latent Dirichlet allocation (LDA), 52, 61	*
Lemmatized, 19	Nominal feature, 16
Less well-known entities, 19	Normalizing, 19
Lexical resources, 15	NTN, 68
Lexicon, 18	NYSIIS, 46
LIMES, 54	
Linguistic patterns, 14	0
Linked Data, 76	0
principles, 77	Ontological information, 67
technology stack, 78	Ontology matching, 56
Linking Open Data (LOD), 77	OOV, 21
Link prediction, 72	OpenCyc, 86
Link specification function, 38	Open IE, 10, 13
List, 18	Open Knowledge Network (OKN), 86
List-lookup features, 18	Out-of-KG, 69
Literal denotation, 20	Out-of-KG applications, 74
Literals, 9	
Locality sensitive hashing (LSH), 54	
Long short-term memory (LSTM), 16	P
Low-dimensional, 20	Pairs completeness, 49
	Pairs quality, 49
	Patient linking, 34
M	Pattern features, 18
Machine learning effectiveness, 20	Pattern generalization, 14
MapReduce, 41, 54	PC-RR tradeoff, 49
Markup, 9	PFM, 53
Mean rank, 73	Phonetic algorithm, 19
Mean reciprocal rank, 73	Phonetic code, 19
Measuring blocking performance, 48	PMI-IR, 15
Merge purge, 41	Pointwise mutual information, 15
Message Understanding Conferences (MUCs),	Post-processing steps, 51
10	Precision, 15, 50, 73

Probabilistic soft logic (PSL), 66	Sequence-labeling, 16
Product matching, 37	SILK, 54
Products and e-commerce, 5	Similarity, 44
Projection matrix, 65	of context, 15
Property heterogeneity, 37	Site generation, 28
Property matching, 51	Skip-gram, 21
Publication, 4, 39	SKOS, 79
	Sliding window, 41
	Slot fillers, 9
Q	Sorted neighborhood, 41
Quadratic complexity, 38	Soundex, 19
Quantitative feature, 16	SPARQL, 77
	Special character, 17
n	Spelling errors, 18
R	SSE, 67
Rare named entities, 15	Stable marriage, 53
RAVEN, 55	Stemmed, 19
RDF, 62	String similarities, 19
RDFS, 79	Structural homogeneity, 38
Real-world ER, 46	Structured data, 1
Recall, 50, 73	Supervised machine learning, 10, 13
Recall-friendly, 51	Swoosh, 54
Receiver operating characteristic (ROC), 50	Synonyms, 14
Red-blue set covering, 44	Synset, 15
Reduction ratio, 49	Syntactic units, 16
Reference, 19	
Relation-specific hyperplanes, 64	ar.
Relational features, 20	T
Relational information, 53	Tail entity, 2, 62
Relation Extraction (RE), 11, 22	Temporal information and KGEs, 70
Relation path, 71	Terrorist attack events, 24
Relationship, 2	Textual description incorporation into KGE
Representation learning, 16, 38, 61	model, 68
RoadRunner, 28	Tf-idf, 18, 20, 46, 52, 61
Robust, 16	Thresholded edit-distance, 19
Rule base, 45	Time-aware embedding, 70
Rules and KGEs, 69	TKRL, 67
	Token-based, 18
S	Trans* 64
Same semantic class, 14	Trans*, 64 TransE, 63
Schema.org, 84	TransE extensions, 64
Schema heterogeneity, 51	Transfer learning, 53
Second-order entities, 6	TransH, 64
Seed entity, 14	Translations, 63
Segmented noun phrases, 16	TransR, 64
Selecting the unlabeled data, 15	Tri-grams, 18
Semantic class, 21	Triple, 2
· · · · · · · · · · · · · · · · · · ·	Triple classification, 73
Semantic dependence, 61 Semantic regularity, 60	Triplify, 10
Semantic regularity, 60 Semantic relation, 22	Twitter, 14
Semantic relation, 22 Semantic tagging, 20	Two-layer similarity feature, 46
Semantic Web, 3, 33, 62, 76	Two-step framework, 38
Semi-supervised learning, 14	Type-specific projection matrix, 67
	/r F F

Type heterogeneity, 36	\mathbf{W}
Type hierarchy, 37	Weakly supervised, 14
Type matching, 51	Web IE, 11
Type signatures, 15	Web of data, 75
	Web of things, 76
U	Web queries, 15
Underlying ontology, 4	Wikidata, 3, 86
Unlabeled corpora, 38	Wikipedia, 3, 21
Unlabeled corpus, 15	Wikipedia anchors, 69
Unsupervised learning, 14	Word-level features, 17
Unsupervised machine learning, 15 URL, 77	Word2vec, 21, 61
	Word embeddings, 20
CKL, 77	WordNet, 15
	Word polysemy, 18
\mathbf{V}	
Vector space, 61	
Viable linking candidates, 35	Y
Vocabulary transfer, 13	YAGO, 18, 67