DBMS MINI PROJECT

Group Number: 1


Team Member Names & SRN: Shreya Patil - PES2UG24CS484

Shreya Shenoy - PES2UG24CS487


Problem Statement: Insurance Claims Processing System

Date: 28-08-2026


Deliverable 1: ER Diagram (generated on drawio)





Deliverable 2 : ER diagram to Relational Schema mapping




due to larger amount of content in one space the clarity and size of font may be smaller to see
hence individual screenshots of the relational schema in 4 parts:






ASSESSOR
assessor_id
name
contact
specialization
experience
status
CLAIM_ASSESSMENT
assessment_id
claim_id
assessor_id
assessment_date
assessed_amount
remarks
recommendation
CLAIM_SETTLEMENT
settlement_id
claim_id
settlement_date
settlement_amount
settlement_method
settlement_status


PAYMENT
payment_id
settlement_id
payment_date
payment_amount
payment_method
payment_status
payer
payee

Deliverable 3: Creating the Database and performing all the entity entries in MySQL CommandLine from relational schema

1)

```
mysql> CREATE DATABASE insurance_claims_db;
Query OK, 1 row affected (0.05 sec)

mysql> USE insurance_claims_db;
Database changed
mysql>
```

database created and being used

2) rechecking if the database we are using currently is the one we just made

```
mysql> SELECT DATABASE();
+----------------------+
| DATABASE()           |
+----------------------+
| insurance_claims_db  |
+----------------------+
1 row in set (0.00 sec)

mysql>
```

3) creating and populating tables for those entities which have no dependencies on other tables through foreign keys

i) CUSTOMER table created and populated

```
mysql> CREATE TABLE CUSTOMER (
    ->     customer_id INT PRIMARY KEY,
    ->     name VARCHAR(100) NOT NULL,
    ->     date_of_birth DATE,
    ->     gender VARCHAR(10),
    ->     phone VARCHAR(15),
    ->     email VARCHAR(100),
    ->     address VARCHAR(255)
    -> );
Query OK, 0 rows affected (0.17 sec)

mysql> DESC CUSTOMER;
+---------------+--------------+------+-----+---------+-------+
| Field         | Type         | Null | Key | Default | Extra |
+---------------+--------------+------+-----+---------+-------+
| customer_id   | int          | NO   | PRI | NULL    |       |
| name          | varchar(100) | NO   |     | NULL    |       |
| date_of_birth | date         | YES  |     | NULL    |       |
| gender        | varchar(10)  | YES  |     | NULL    |       |
| phone         | varchar(15)  | YES  |     | NULL    |       |
| email         | varchar(100) | YES  |     | NULL    |       |
| address       | varchar(255) | YES  |     | NULL    |       |
+---------------+--------------+------+-----+---------+-------+
7 rows in set (0.08 sec)
```

ii) POLICY_TYPE table created and populated

```
mysql> CREATE TABLE POLICY_TYPE (
    ->     policy_type_id INT PRIMARY KEY,
    ->     policy_name VARCHAR(100) NOT NULL,
    ->     description VARCHAR(255),
    ->     base_premium DECIMAL(12,2),
    ->     default_coverage_amount DECIMAL(15,2)
    -> );
Query OK, 0 rows affected (0.05 sec)

mysql> DESC POLICY_TYPE;
+-------------------------+---------------+------+-----+---------+-------+
| Field                   | Type          | Null | Key | Default | Extra |
+-------------------------+---------------+------+-----+---------+-------+
| policy_type_id          | int           | NO   | PRI | NULL    |       |
| policy_name             | varchar(100)  | NO   |     | NULL    |       |
| description             | varchar(255)  | YES  |     | NULL    |       |
| base_premium            | decimal(12,2) | YES  |     | NULL    |       |
| default_coverage_amount | decimal(15,2) | YES  |     | NULL    |       |
+-------------------------+---------------+------+-----+---------+-------+
5 rows in set (0.00 sec)

mysql>
```

iii)INCIDENT table created and populated

```
mysql> CREATE TABLE INCIDENT (
    ->     incident_id INT PRIMARY KEY,
    ->     incident_type VARCHAR(100) NOT NULL,
    ->     incident_date DATE NOT NULL,
    ->     incident_time TIME,
    ->     location VARCHAR(150),
    ->     description VARCHAR(500),
    ->     reported_date DATE
    -> );
Query OK, 0 rows affected (0.06 sec)

mysql> DESC INCIDENT;
+----------------+---------------+------+-----+---------+-------+
| Field          | Type          | Null | Key | Default | Extra |
+----------------+---------------+------+-----+---------+-------+
| incident_id    | int           | NO   | PRI | NULL    |       |
| incident_type  | varchar(100)  | NO   |     | NULL    |       |
| incident_date  | date          | NO   |     | NULL    |       |
| incident_time  | time          | YES  |     | NULL    |       |
| location       | varchar(150)  | YES  |     | NULL    |       |
| description    | varchar(500)  | YES  |     | NULL    |       |
| reported_date  | date          | YES  |     | NULL    |       |
+----------------+---------------+------+-----+---------+-------+
7 rows in set (0.00 sec)

mysql>
```

iv)ASSESSOR table created and populated

```
mysql> CREATE TABLE ASSESSOR (
    ->     assessor_id INT PRIMARY KEY,
    ->     name VARCHAR(100) NOT NULL,
    ->     contact VARCHAR(15),
    ->     specialization VARCHAR(100),
    ->     experience INT,
    ->     status VARCHAR(30)
    -> );
Query OK, 0 rows affected (0.08 sec)

mysql> DESC ASSESSOR;
+----------------+--------------+------+-----+---------+-------+
| Field          | Type         | Null | Key | Default | Extra |
+----------------+--------------+------+-----+---------+-------+
| assessor_id    | int          | NO   | PRI | NULL    |       |
| name           | varchar(100) | NO   |     | NULL    |       |
| contact        | varchar(15)  | YES  |     | NULL    |       |
| specialization | varchar(100) | YES  |     | NULL    |       |
| experience     | int          | YES  |     | NULL    |       |
| status         | varchar(30)  | YES  |     | NULL    |       |
+----------------+--------------+------+-----+---------+-------+
6 rows in set (0.01 sec)

mysql>
```

confirming all the tables we have made so far

```
mysql> SHOW TABLES;
+-----------------------------------+
| Tables_in_insurance_claims_db     |
+-----------------------------------+
| assessor                          |
| customer                          |
| incident                          |
| policy_type                       |
+-----------------------------------+
4 rows in set (0.03 sec)

mysql>
```

4) creating and making entries for all the dependent tables with foreign keys

i)INSURANCE_POLICY table created and populated

```
mysql> CREATE TABLE INSURANCE_POLICY (
    ->     policy_id INT PRIMARY KEY,
    ->     customer_id INT NOT NULL,
    ->     policy_type_id INT NOT NULL,
    ->     start_date DATE NOT NULL,
    ->     end_date DATE NOT NULL,
    ->     premium_amount DECIMAL(12,2) NOT NULL,
    ->     coverage_amount DECIMAL(15,2) NOT NULL,
    ->     policy_status VARCHAR(30) NOT NULL,
    ->
    ->     FOREIGN KEY (customer_id)
    ->         REFERENCES CUSTOMER(customer_id),
    ->
    ->     FOREIGN KEY (policy_type_id)
    ->         REFERENCES POLICY_TYPE(policy_type_id)
    -> );
Query OK, 0 rows affected (0.17 sec)

mysql> DESC INSURANCE_POLICY;
+-----------------+---------------+------+-----+---------+-------+
| Field           | Type          | Null | Key | Default | Extra |
+-----------------+---------------+------+-----+---------+-------+
| policy_id       | int           | NO   | PRI | NULL    |       |
| customer_id     | int           | NO   | MUL | NULL    |       |
| policy_type_id  | int           | NO   | MUL | NULL    |       |
| start_date      | date          | NO   |     | NULL    |       |
| end_date        | date          | NO   |     | NULL    |       |
| premium_amount  | decimal(12,2) | NO   |     | NULL    |       |
| coverage_amount | decimal(15,2) | NO   |     | NULL    |       |
| policy_status   | varchar(30)   | NO   |     | NULL    |       |
+-----------------+---------------+------+-----+---------+-------+
8 rows in set (0.00 sec)

mysql>
```

ii)INSURED_ASSET table is created and populated

```
mysql> CREATE TABLE INSURED_ASSET (
    ->     asset_id INT PRIMARY KEY,
    ->     policy_id INT NOT NULL,
    ->     asset_type VARCHAR(50) NOT NULL,
    ->     asset_description VARCHAR(255),
    ->     asset_value DECIMAL(15,2),
    ->     registration_or_reference_no VARCHAR(100),
    ->     location VARCHAR(150),
    ->
    ->     FOREIGN KEY (policy_id)
    ->         REFERENCES INSURANCE_POLICY(policy_id),
    ->
    ->     UNIQUE (policy_id)
    -> );
Query OK, 0 rows affected (0.15 sec)

mysql> DESC INSURED_ASSET;
+-----------------------------+---------------+------+-----+---------+-------+
| Field                       | Type          | Null | Key | Default | Extra |
+-----------------------------+---------------+------+-----+---------+-------+
| asset_id                    | int           | NO   | PRI | NULL    |       |
| policy_id                   | int           | NO   | UNI | NULL    |       |
| asset_type                  | varchar(50)   | NO   |     | NULL    |       |
| asset_description           | varchar(255)  | YES  |     | NULL    |       |
| asset_value                 | decimal(15,2) | YES  |     | NULL    |       |
| registration_or_reference_no | varchar(100)  | YES  |     | NULL    |       |
| location                    | varchar(150)  | YES  |     | NULL    |       |
+-----------------------------+---------------+------+-----+---------+-------+
7 rows in set (0.01 sec)

mysql>
```

unique keyword is being used here since the relationship is 1:1 and not 1:n

iii) CLAIM table is created and populated

```
mysql> CREATE TABLE CLAIM (
    ->     claim_id INT PRIMARY KEY,
    ->     policy_id INT NOT NULL,
    ->     incident_id INT NOT NULL,
    ->     claim_date DATE NOT NULL,
    ->     claimed_amount DECIMAL(15,2) NOT NULL,
    ->     claim_status VARCHAR(30) NOT NULL,
    ->     claim_description VARCHAR(500),
    ->
    ->     FOREIGN KEY (policy_id)
    ->         REFERENCES INSURANCE_POLICY(policy_id),
    ->
    ->     FOREIGN KEY (incident_id)
    ->         REFERENCES INCIDENT(incident_id),
    ->
    ->     UNIQUE (incident_id)
    -> );
Query OK, 0 rows affected (0.14 sec)

mysql> DESC CLAIM;
+-------------------+---------------+------+-----+---------+-------+
| Field             | Type          | Null | Key | Default | Extra |
+-------------------+---------------+------+-----+---------+-------+
| claim_id          | int           | NO   | PRI | NULL    |       |
| policy_id         | int           | NO   | MUL | NULL    |       |
| incident_id       | int           | NO   | UNI | NULL    |       |
| claim_date        | date          | NO   |     | NULL    |       |
| claimed_amount    | decimal(15,2) | NO   |     | NULL    |       |
| claim_status      | varchar(30)   | NO   |     | NULL    |       |
| claim_description | varchar(500)  | YES  |     | NULL    |       |
+-------------------+---------------+------+-----+---------+-------+
7 rows in set (0.01 sec)
```

iv) CLAIM_ASSESSMENT is created and populated

```
mysql> CREATE TABLE CLAIM_ASSESSMENT (
    ->     assessment_id INT PRIMARY KEY,
    ->     claim_id INT NOT NULL,
    ->     assessor_id INT NOT NULL,
    ->     assessment_date DATE NOT NULL,
    ->     assessed_amount DECIMAL(15,2) NOT NULL,
    ->     remarks VARCHAR(500),
    ->     recommendation VARCHAR(100),
    ->
    ->     FOREIGN KEY (claim_id)
    ->         REFERENCES CLAIM(claim_id),
    ->
    ->     FOREIGN KEY (assessor_id)
    ->         REFERENCES ASSESSOR(assessor_id),
    ->
    ->     UNIQUE (claim_id)
    -> );
Query OK, 0 rows affected (0.13 sec)

mysql> DESC CLAIM_ASSESSMENT;
+-----------------+---------------+------+-----+---------+-------+
| Field           | Type          | Null | Key | Default | Extra |
+-----------------+---------------+------+-----+---------+-------+
| assessment_id   | int           | NO   | PRI | NULL    |       |
| claim_id        | int           | NO   | UNI | NULL    |       |
| assessor_id     | int           | NO   | MUL | NULL    |       |
| assessment_date | date          | NO   |     | NULL    |       |
| assessed_amount | decimal(15,2) | NO   |     | NULL    |       |
| remarks         | varchar(500)  | YES  |     | NULL    |       |
| recommendation  | varchar(100)  | YES  |     | NULL    |       |
+-----------------+---------------+------+-----+---------+-------+
7 rows in set (0.01 sec)
```

once again UNIQUE is being used because of the 1:1 relationship

v)CLAIM_SETTLEMENT table is created and populated with attributes

```
mysql> CREATE TABLE CLAIM_SETTLEMENT (
    ->     settlement_id INT PRIMARY KEY,
    ->     claim_id INT NOT NULL,
    ->     settlement_date DATE,
    ->     settlement_amount DECIMAL(15,2) NOT NULL,
    ->     settlement_method VARCHAR(50),
    ->     settlement_status VARCHAR(30),
    ->
    ->     FOREIGN KEY (claim_id)
    ->         REFERENCES CLAIM(claim_id),
    ->
    ->     UNIQUE (claim_id)
    -> );
Query OK, 0 rows affected (0.11 sec)

mysql> DESC CLAIM_SETTLEMENT;
+-------------------+---------------+------+-----+---------+-------+
| Field             | Type          | Null | Key | Default | Extra |
+-------------------+---------------+------+-----+---------+-------+
| settlement_id     | int           | NO   | PRI | NULL    |       |
| claim_id          | int           | NO   | UNI | NULL    |       |
| settlement_date   | date          | YES  |     | NULL    |       |
| settlement_amount | decimal(15,2) | NO   |     | NULL    |       |
| settlement_method | varchar(50)   | YES  |     | NULL    |       |
| settlement_status | varchar(30)   | YES  |     | NULL    |       |
+-------------------+---------------+------+-----+---------+-------+
6 rows in set (0.00 sec)
```

vi)PAYMENT is created and attributes are added to it

```
mysql> CREATE TABLE PAYMENT (
    ->     payment_id INT PRIMARY KEY,
    ->     settlement_id INT NOT NULL,
    ->     payment_date DATE,
    ->     payment_amount DECIMAL(15,2) NOT NULL,
    ->     payment_method VARCHAR(50),
    ->     payment_status VARCHAR(30),
    ->     payer VARCHAR(100),
    ->     payee VARCHAR(100),
    ->
    ->     FOREIGN KEY (settlement_id)
    ->         REFERENCES CLAIM_SETTLEMENT(settlement_id),
    ->
    ->     UNIQUE (settlement_id)
    -> );
Query OK, 0 rows affected (0.11 sec)

mysql> DESC PAYMENT;
+----------------+---------------+------+-----+---------+-------+
| Field          | Type          | Null | Key | Default | Extra |
+----------------+---------------+------+-----+---------+-------+
| payment_id     | int           | NO   | PRI | NULL    |       |
| settlement_id  | int           | NO   | UNI | NULL    |       |
| payment_date   | date          | YES  |     | NULL    |       |
| payment_amount | decimal(15,2) | NO   |     | NULL    |       |
| payment_method | varchar(50)   | YES  |     | NULL    |       |
| payment_status | varchar(30)   | YES  |     | NULL    |       |
| payer          | varchar(100)  | YES  |     | NULL    |       |
| payee          | varchar(100)  | YES  |     | NULL    |       |
+----------------+---------------+------+-----+---------+-------+
8 rows in set (0.01 sec)
```

confirming all 10 tables

```
mysql> SHOW TABLES;
+-----------------------------------+
| Tables_in_insurance_claims_db     |
+-----------------------------------+
| assessor                          |
| claim                             |
| claim_assessment                  |
| claim_settlement                  |
| customer                          |
| incident                          |
| insurance_policy                  |
| insured_asset                     |
| payment                           |
| policy_type                       |
+-----------------------------------+
10 rows in set (0.00 sec)

mysql>
```

5) adding sample data to the database and performing SELECT queries

i) adding sample data to all 10 tables

```
mysql> INSERT INTO CUSTOMER
    -> (customer_id, name, date_of_birth, gender, phone, email, address)
    -> VALUES
    -> (1, 'Shreya Shenoy', '2004-06-15', 'Female', '9876543210', 'shreya@gmail.com', 'Bangalore'),
    -> (2, 'Shreya Patil', '1998-11-22', 'female', '9876501234', 'patil@gmail.com', 'Mumbai'),
    -> (3, 'Shreya Mattimadu', '1995-03-10', 'Female', '9988776655', 'boss@gmail.com', 'Chennai'),
    -> (4, 'Shreelakshmi Bhat', '1989-08-25', 'Female', '9123456789', 'shili@gmail.com', 'Hyderabad'),
    -> (5, 'Lilas Ikuta', '1992-12-05', 'Female', '9012345678', 'yoasobi@gmail.com', 'Kochi');
Query OK, 5 rows affected (0.04 sec)
Records: 5  Duplicates: 0  Warnings: 0

mysql> INSERT INTO POLICY_TYPE
    -> (policy_type_id, policy_name, description, base_premium, default_coverage_amount)
    -> VALUES
    -> (101, 'Car Insurance', 'Insurance coverage for vehicles', 15000.00, 1000000.00),
    -> (102, 'Health Insurance', 'Medical and hospitalization coverage', 20000.00, 5000000.00),
    -> (103, 'Home Insurance', 'Protection against property damage', 12000.00, 8000000.00),
    -> (104, 'Travel Insurance', 'Coverage for travel related risks', 5000.00, 1000000.00),
    -> (105, 'Life Insurance', 'Financial protection for policyholder', 30000.00, 10000000.00);
Query OK, 5 rows affected (0.01 sec)
Records: 5  Duplicates: 0  Warnings: 0

mysql> INSERT INTO INCIDENT
    -> (incident_id, incident_type, incident_date, incident_time, location, description, reported_date)
    -> VALUES
    -> (201, 'Car Accident', '2026-08-20', '18:30:00', 'Bangalore', 'Collision with another vehicle', '2026-08-21'),
    -> (202, 'Hospitalization', '2026-07-15', '10:00:00', 'Chennai', 'Hospitalization due to illness', '2026-07-16'),
    -> (203, 'Property Damage', '2026-06-10', '14:30:00', 'Mumbai', 'Damage to house due to heavy rainfall', '2026-06-11'),
    -> (204, 'Car Theft', '2026-08-05', '22:15:00', 'Hyderabad', 'Vehicle reported stolen from parking area', '2026-08-06'),
    -> (205, 'Medical Emergency', '2026-05-18', '09:45:00', 'Kochi', 'Emergency medical treatment required', '2026-05-18'),
    -> (206, 'Travel Cancellation', '2026-07-28', '06:30:00', 'Delhi', 'Flight cancelled due to operational issues', '2026-07-29');
Query OK, 6 rows affected (0.01 sec)
Records: 6  Duplicates: 0  Warnings: 0
```

```
mysql> INSERT INTO ASSESSOR
    ->
    -> (assessor_id, name, contact, specialization, experience, status)
    ->
    -> VALUES
    ->
    -> (301, 'Chinaswamy', '9877001122', 'Motor Claims', 8, 'Active'),
    ->
    -> (302, 'Muthuswamy', '9877002233', 'Health Claims', 6, 'Active'),
    ->
    -> (303, 'Bahubali', '9877003344', 'Property Claims', 10, 'Active'),
    ->
    -> (304, 'Preeti', '9877004455', 'Travel Claims', 5, 'Active');
Query OK, 4 rows affected (0.02 sec)
Records: 4  Duplicates: 0  Warnings: 0

mysql> INSERT INTO INSURANCE_POLICY
    -> (policy_id, customer_id, policy_type_id, start_date, end_date,
    ->  premium_amount, coverage_amount, policy_status)
    -> VALUES
    -> (1001, 1, 101, '2026-01-01', '2026-12-31', 18000.00, 1000000.00, 'Active'),
    -> (1002, 1, 102, '2026-01-01', '2026-12-31', 22000.00, 5000000.00, 'Active'),
    -> (1003, 2, 103, '2026-02-01', '2027-01-31', 14000.00, 8000000.00, 'Active'),
    -> (1004, 3, 102, '2026-01-15', '2027-01-14', 25000.00, 5000000.00, 'Active'),
    -> (1005, 4, 101, '2026-03-01', '2027-02-28', 17000.00, 1200000.00, 'Active'),
    -> (1006, 5, 104, '2026-04-01', '2027-03-31', 6000.00, 1000000.00, 'Active');
Query OK, 6 rows affected (0.02 sec)
Records: 6  Duplicates: 0  Warnings: 0
```

```
mysql> INSERT INTO INSURED_ASSET
    -> (asset_id, policy_id, asset_type, asset_description,
    ->  asset_value, registration_or_reference_no, location)
    -> VALUES
    -> (401, 1001, 'Car', 'Hyundai Creta', 1500000.00, 'KA01AB1234', 'Bangalore'),
    -> (402, 1003, 'House', 'Residential Apartment', 7500000.00, 'PROP-MUM-003', 'Mumbai'),
    -> (403, 1005, 'Car', 'Honda City', 1300000.00, 'TS09CD5678', 'Hyderabad'),
    -> (404, 1002, 'Health', 'Health Insurance Coverage', 0.00, 'HEALTH-1002', 'Bangalore'),
    -> (405, 1004, 'Health', 'Health Insurance Coverage', 0.00, 'HEALTH-1004', 'Chennai'),
    -> (406, 1006, 'Travel', 'International Travel Coverage', 0.00, 'TRAVEL-1006', 'Kochi');
Query OK, 6 rows affected (0.02 sec)
Records: 6  Duplicates: 0  Warnings: 0

mysql> INSERT INTO CLAIM
    -> (claim_id, policy_id, incident_id, claim_date,
    ->  claimed_amount, claim_status, claim_description)
    -> VALUES
    -> (501, 1001, 201, '2026-08-21', 200000.00, 'Settled', 'Claim for vehicle accident damage'),
    -> (502, 1004, 202, '2026-07-16', 350000.00, 'Settled', 'Hospitalization expenses'),
    -> (503, 1003, 203, '2026-06-11', 500000.00, 'Settled', 'House damage due to rainfall'),
    -> (504, 1005, 204, '2026-08-06', 900000.00, 'Under Assessment', 'Vehicle theft claim'),
    -> (505, 1002, 205, '2026-05-18', 150000.00, 'Approved', 'Emergency medical treatment'),
    -> (506, 1006, 206, '2026-07-29', 80000.00, 'Under Review', 'Travel cancellation claim');
Query OK, 6 rows affected (0.02 sec)
Records: 6  Duplicates: 0  Warnings: 0

mysql> INSERT INTO CLAIM_ASSESSMENT
    -> (assessment_id, claim_id, assessor_id, assessment_date,
    ->  assessed_amount, remarks, recommendation)
    -> VALUES
    -> (601, 501, 301, '2026-08-23', 160000.00, 'Vehicle damage verified', 'Approve partially'),
    -> (602, 502, 302, '2026-07-20', 300000.00, 'Hospital bills verified', 'Approve'),
    -> (603, 503, 303, '2026-06-15', 420000.00, 'Property damage inspected', 'Approve partially'),
    -> (604, 504, 301, '2026-08-10', 850000.00, 'Theft documents under verification', 'Pending');
Query OK, 4 rows affected (0.02 sec)
Records: 4  Duplicates: 0  Warnings: 0
```

```
mysql> INSERT INTO CLAIM_SETTLEMENT
    -> (settlement_id, claim_id, settlement_date,
    ->  settlement_amount, settlement_method, settlement_status)
    -> VALUES
    -> (701, 501, '2026-08-25', 150000.00, 'Bank Transfer', 'Completed'),
    -> (702, 502, '2026-07-23', 290000.00, 'Bank Transfer', 'Completed'),
    -> (703, 503, '2026-06-20', 400000.00, 'Cheque', 'Completed');INSERT INTO PAYMENT
Query OK, 3 rows affected (0.01 sec)
Records: 3  Duplicates: 0  Warnings: 0

    -> (payment_id, settlement_id, payment_date,
    ->  payment_amount, payment_method, payment_status, payer, payee)
    -> VALUES
    -> (801, 701, '2026-08-26', 150000.00, 'Bank Transfer', 'Completed', 'ABC Insurance', 'Shreya Shenoy'),
    -> (802, 702, '2026-07-24', 290000.00, 'Bank Transfer', 'Completed', 'ABC Insurance', 'Ananya Iyer'),
    -> (803, 703, '2026-06-22', 400000.00, 'Cheque', 'Completed', 'ABC Insurance', 'Rahul Sharma');
Query OK, 3 rows affected (0.02 sec)
Records: 3  Duplicates: 0  Warnings: 0
```

ALL THE POPULATED VALUES ARE :

```
mysql> SELECT * FROM CUSTOMER;
+-------------+---------------+---------------+--------+------------+-------------------+------------+
| customer_id | name          | date_of_birth | gender | phone      | email             | address    |
+-------------+---------------+---------------+--------+------------+-------------------+------------+
|           1 | Shreya Shenoy | 2004-06-15    | Female | 9876543210 | shreya@gmail.com  | Bangalore  |
|           2 | Shreya Patil  | 1998-11-22    | female | 9876501234 | patil@gmail.com   | Mumbai     |
|           3 | Shreya Mattimadu | 1995-03-10 | Female | 9988776655 | boss@gmail.com    | Chennai    |
|           4 | Shreelakshmi Bhat | 1989-08-25 | Female | 9123456789 | shili@gmail.com   | Hyderabad  |
|           5 | Lilas Ikuta   | 1992-12-05    | Female | 9012345678 | yoasobi@gmail.com | Kochi      |
+-------------+---------------+---------------+--------+------------+-------------------+------------+
5 rows in set (0.00 sec)

mysql>
mysql> SELECT * FROM POLICY_TYPE;
+----------------+----------------+-----------------------------------+--------------+-----------------------+
| policy_type_id | policy_name    | description                       | base_premium | default_coverage_amount |
+----------------+----------------+-----------------------------------+--------------+-----------------------+
|            101 | Car Insurance  | Insurance coverage for vehicles   |     15000.00 |            1000000.00 |
|            102 | Health Insurance | Medical and hospitalization coverage | 20000.00 |            5000000.00 |
|            103 | Home Insurance | Protection against property damage |     12000.00 |            8000000.00 |
|            104 | Travel Insurance | Coverage for travel related risks |      5000.00 |            1000000.00 |
|            105 | Life Insurance | Financial protection for policyholder | 30000.00 |           10000000.00 |
+----------------+----------------+-----------------------------------+--------------+-----------------------+
5 rows in set (0.00 sec)

mysql>
mysql> SELECT * FROM INSURANCE_POLICY;
+-----------+-------------+----------------+------------+------------+----------------+-----------------+---------------+
| policy_id | customer_id | policy_type_id | start_date | end_date   | premium_amount | coverage_amount | policy_status |
+-----------+-------------+----------------+------------+------------+----------------+-----------------+---------------+
|      1001 |           1 |            101 | 2026-01-01 | 2026-12-31 |       18000.00 |      1000000.00 | Active        |
|      1002 |           1 |            102 | 2026-01-01 | 2026-12-31 |       22000.00 |      5000000.00 | Active        |
|      1003 |           2 |            103 | 2026-02-01 | 2027-01-31 |       14000.00 |      8000000.00 | Active        |
|      1004 |           3 |            102 | 2026-01-15 | 2027-01-14 |       25000.00 |      5000000.00 | Active        |
|      1005 |           4 |            101 | 2026-03-01 | 2027-02-28 |       17000.00 |      1200000.00 | Active        |
|      1006 |           5 |            104 | 2026-04-01 | 2027-03-31 |        6000.00 |      1000000.00 | Active        |
+-----------+-------------+----------------+------------+------------+----------------+-----------------+---------------+
6 rows in set (0.00 sec)

mysql>
mysql> SELECT * FROM INSURED_ASSET;
+----------+-----------+------------+-----------------------------+-------------+-----------------------------+-----------+
| asset_id | policy_id | asset_type | asset_description           | asset_value | registration_or_reference_no | location  |
+----------+-----------+------------+-----------------------------+-------------+-----------------------------+-----------+
|      401 |      1001 | Car        | Hyundai Creta               |  1500000.00 | KA01AB1234                  | Bangalore |
|      402 |      1003 | House      | Residential Apartment       |  7500000.00 | PROP-MUM-003                | Mumbai    |
|      403 |      1005 | Car        | Honda City                  |  1300000.00 | TS09CD5678                  | Hyderabad |
|      404 |      1002 | Health     | Health Insurance Coverage   |        0.00 | HEALTH-1002                 | Bangalore |
|      405 |      1004 | Health     | Health Insurance Coverage   |        0.00 | HEALTH-1004                 | Chennai   |
|      406 |      1006 | Travel     | International Travel Coverage |      0.00 | TRAVEL-1006                 | Kochi     |
+----------+-----------+------------+-----------------------------+-------------+-----------------------------+-----------+
6 rows in set (0.00 sec)

mysql>
mysql> SELECT * FROM INCIDENT;
+-------------+---------------------+---------------+---------------+-----------+-----------------------------------------------+---------------+
| incident_id | incident_type       | incident_date | incident_time | location  | description                                   | reported_date |
+-------------+---------------------+---------------+---------------+-----------+-----------------------------------------------+---------------+
|         201 | Car Accident        | 2026-08-20    | 18:30:00      | Bangalore | Collision with another vehicle                | 2026-08-21    |
|         202 | Hospitalization     | 2026-07-15    | 10:00:00      | Chennai   | Hospitalization due to illness                | 2026-07-16    |
|         203 | Property Damage     | 2026-06-10    | 14:30:00      | Mumbai    | Damage to house due to heavy rainfall         | 2026-06-11    |
|         204 | Car Theft           | 2026-08-05    | 22:15:00      | Hyderabad | Vehicle reported stolen from parking area     | 2026-08-06    |
|         205 | Medical Emergency   | 2026-05-18    | 09:45:00      | Kochi     | Emergency medical treatment required          | 2026-05-18    |
|         206 | Travel Cancellation | 2026-07-28    | 06:30:00      | Delhi     | Flight cancelled due to operational issues    | 2026-07-29    |
+-------------+---------------------+---------------+---------------+-----------+-----------------------------------------------+---------------+
6 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM CLAIM;
+----------+-----------+-------------+-------------+----------------+------------------+-----------------------------------+
| claim_id | policy_id | incident_id | claim_date  | claimed_amount | claim_status     | claim_description                 |
+----------+-----------+-------------+-------------+----------------+------------------+-----------------------------------+
|      501 |      1001 |         201 | 2026-08-21  |      200000.00 | Settled          | Claim for vehicle accident damage |
|      502 |      1004 |         202 | 2026-07-16  |      350000.00 | Settled          | Hospitalization expenses          |
|      503 |      1003 |         203 | 2026-06-11  |      500000.00 | Settled          | House damage due to rainfall      |
|      504 |      1005 |         204 | 2026-08-06  |      900000.00 | Under Assessment | Vehicle theft claim               |
|      505 |      1002 |         205 | 2026-05-18  |      150000.00 | Approved         | Emergency medical treatment       |
|      506 |      1006 |         206 | 2026-07-29  |       80000.00 | Under Review     | Travel cancellation claim         |
+----------+-----------+-------------+-------------+----------------+------------------+-----------------------------------+
6 rows in set (0.00 sec)

mysql>
mysql> SELECT * FROM ASSESSOR;
+-------------+------------+------------+-----------------+------------+--------+
| assessor_id | name       | contact    | specialization  | experience | status |
+-------------+------------+------------+-----------------+------------+--------+
|         301 | Chinaswamy | 9877001122 | Motor Claims    |          8 | Active |
|         302 | Muthuswamy | 9877002233 | Health Claims   |          6 | Active |
|         303 | Bahubali   | 9877003344 | Property Claims |         10 | Active |
|         304 | Preeti     | 9877004455 | Travel Claims   |          5 | Active |
+-------------+------------+------------+-----------------+------------+--------+
4 rows in set (0.00 sec)

mysql>
mysql> SELECT * FROM CLAIM_ASSESSMENT;
+---------------+----------+-------------+-----------------+-----------------+-----------------------------------+--------------------+
| assessment_id | claim_id | assessor_id | assessment_date | assessed_amount | remarks                           | recommendation     |
+---------------+----------+-------------+-----------------+-----------------+-----------------------------------+--------------------+
|           601 |      501 |         301 | 2026-08-23      |       160000.00 | Vehicle damage verified           | Approve partially  |
|           602 |      502 |         302 | 2026-07-20      |       300000.00 | Hospital bills verified           | Approve            |
|           603 |      503 |         303 | 2026-06-15      |       420000.00 | Property damage inspected         | Approve partially  |
|           604 |      504 |         301 | 2026-08-10      |       850000.00 | Theft documents under verification | Pending            |
+---------------+----------+-------------+-----------------+-----------------+-----------------------------------+--------------------+
4 rows in set (0.00 sec)

mysql>
mysql> SELECT * FROM CLAIM_SETTLEMENT;
+---------------+----------+-----------------+-------------------+-------------------+-------------------+
| settlement_id | claim_id | settlement_date | settlement_amount | settlement_method | settlement_status |
+---------------+----------+-----------------+-------------------+-------------------+-------------------+
|           701 |      501 | 2026-08-25      |         150000.00 | Bank Transfer     | Completed         |
|           702 |      502 | 2026-07-23      |         290000.00 | Bank Transfer     | Completed         |
|           703 |      503 | 2026-06-20      |         400000.00 | Cheque            | Completed         |
+---------------+----------+-----------------+-------------------+-------------------+-------------------+
3 rows in set (0.00 sec)

mysql>
mysql> SELECT * FROM PAYMENT;
+------------+---------------+--------------+----------------+----------------+----------------+---------------+---------------+
| payment_id | settlement_id | payment_date | payment_amount | payment_method | payment_status | payer         | payee         |
+------------+---------------+--------------+----------------+----------------+----------------+---------------+---------------+
|        801 |           701 | 2026-08-26   |      150000.00 | Bank Transfer  | Completed      | ABC Insurance | Shreya Shenoy |
|        802 |           702 | 2026-07-24   |      290000.00 | Bank Transfer  | Completed      | ABC Insurance | Ananya Iyer   |
|        803 |           703 | 2026-06-22   |      400000.00 | Cheque         | Completed      | ABC Insurance | Rahul Sharma  |
+------------+---------------+--------------+----------------+----------------+----------------+---------------+---------------+
3 rows in set (0.00 sec)
```