

Artilody Tracker – User Manual

Version 1.0.3 · Dansk version

Artilody Tracker is a pattern-based music tracker. Music is written as notes in vertical columns that are played line by line from top to bottom. Unlike most trackers, every track has its own **channel strip** directly below it, with instrument, effects, EQ, compressor, reverb, panning and volume.

Contents

1. Installation and first start
2. Basic concepts
3. Window layout
4. Top bar and transport
5. Tracks
6. The pattern editor
7. Effect commands
8. Sequence and patterns
9. The mixer and channel strips
10. Instruments
11. Plug-ins (VST3, AU, CLAP)
12. Built-in effects
13. Projects, export and settings
14. Menus
15. Keyboard shortcuts
16. Limits and troubleshooting - Appendix A – The `.artixml` file format

1. Installation and first start

Download the latest version from *Releases* on GitHub:

Platform	File
Windows 10/11 (64-bit)	`ArtilodyTracker-*-Windows-x64-Setup.exe` or `*-portable.zip`
macOS 11+ (Apple Silicon and Intel)	`ArtilodyTracker-*-macOS-universal.dmg`
Debian 12 / Ubuntu 22.04 / 24.04	`artilody-tracker_*_<distro>_amd64.deb`

- **macOS:** Drag the app to *Applications*. The app is not notarised, so the first time you must right-click it and choose *Open* (or run `xattr -dr com.apple.quarantine "/Applications/Artilody Tracker.app"`).
- **Windows:** SmartScreen may warn about an unknown publisher – choose *More info* → *Run anyway*.
- **Debian/Ubuntu:** `sudo apt install ./artilody-tracker_*_amd64.deb`

On first start, the demo song *Sunrise Circuits* is loaded. Press **Space** to hear it.

The bundled *GeneralUser GS* SoundFont provides the built-in instruments. If it is missing, choose another `.sf2` file under *Options* → *Default SoundFont…*.


Choose your audio device under *Options* → *Audio & MIDI Settings…* (or click *Main Out* on the master strip). If the sound crackles or stutters, increase the **buffer size** (for example 512 or 1024 samples).

2. Basic concepts

Term	Meaning
Track	A vertical strip in the editor. Every track has its own channel strip and its own instrument.
Note column	A track can have 1–8 note columns, so it can play chords. Each column plays one note at a time.
Line (row)	A horizontal row. Lines are played one at a time from top to bottom.
Pattern	A block of music of 1–512 lines covering all tracks.
Sequence	The order of patterns in the song (order list). The same pattern can be used several times.
BPM	Tempo in beats per minute.
LPB	*Lines per beat* – how many lines make up one beat. At LPB 4, each line is a 1/16 note.
Edit mode	With edit mode on, keys are written into the pattern. Otherwise they only play the note.

All numbers in patterns (instrument, volume and effect values) are shown in **hexadecimal** (00–FF), as is customary in trackers.

3. Window layout



- **Top bar** (top): transport, tempo, octave, edit step, master meter, CPU, undo/redo and project name.
- **Toolbar**:
  - **+ Add Track**
  - **Columns – / +**: number of note columns on the selected track
  - an info box with the pattern's number and name, plus the cursor's track and line
  - **Collapse FX lists** and **Hide Mixer / Show Mixer**
- **Left column**: the sequence list (*Seq*), line numbers (hex) and, at the bottom, the **master strip**.
- **Centre**: track tabs, the pattern grid and one channel strip below each track. The area scrolls horizontally when there are many tracks.
- **Right panel**: the pattern list, pattern properties and a short keyboard help.

When **edit mode** is on, the grid gets a red frame and the cursor turns red.

4. Top bar and transport

Button / field	Function
Rewind	Goes to the start of the song (sequence slot 0, line 0) without starting playback.
Play	Plays the song from the selected sequence slot (**Space**).
Loop	Loops the current pattern (**Shift+Space**).
Stop	Stops and silences all notes.
Record	Toggles edit mode (**Esc**).
BPM	Tempo, 20–999. Shows the current tempo during playback, including changes made by `Txx` effects.
LPB	Lines per beat, 1–32.
Oct	Base octave for the keyboard, 0–9 (default 4).
Step	Edit step, 0–16: how many lines the cursor moves after you enter a value. 0 = it stays put.
Follow	When on, the grid follows playback.
MASTER / CPU	Level meter for the master output, and the audio engine's CPU load.
Undo / Redo	Undo / redo (**Ctrl+Z / Ctrl+Y**).
Project	The song title. It shows *(modified)* when there are unsaved changes.

The **number fields** (BPM, LPB, Oct, Step) can be changed in four ways:

- **Drag** up or down with the mouse.
- **Scroll** with the mouse wheel (±1).
- **Click** once to pick a preset value from a menu.
- **Double-click** to type an exact value.

Playback from the keyboard:

- **Space**: play / stop.
- **Shift+Space**: loop pattern.
- **Enter**: play from the line the cursor is on.

5. Tracks

Create a track with any of these:

- **+ Add Track**
- **+** to the right of the last tab
- **Ctrl+T**
- *Song → Add Track*

The new track gets the instrument *Pop / Grand Piano*. You can have up to 64 tracks.

Tab:

- **Click** selects the track.
- **Double-click** renames it (up to 24 characters).
- **Right-click** or the **…** button opens the track menu.

Track menu:

Item	Function
Rename…	Rename the track.
Colour	Choose one of 10 colours.
Note columns	1–8 note columns (also via **Columns – / +** in the toolbar).
Choose instrument…	Opens the instrument menu (see section 10).
Add plug-in effect…	Add a plug-in effect.
Move left / Move right	Move the track. Ins numbers in all patterns are updated automatically.
Insert track after	Insert an empty track (no instrument) after this one.
Delete track	Delete the track and its channel strip (asks for confirmation).

> Moving, inserting and deleting tracks clears the undo history.

6. The pattern editor

The columns

Each note column has four fields:

```
C-4 01 7F D80
|   |  |  └─ FX:   effect command (letter) + value (hex)
|   |  └──── Vol:  volume/velocity 00–7F
|   └─────── Ins:  instrument (track number, hex)
└──────────── Note: note, OFF (note off) or --- (empty)
```

- **Note** is shown as name and octave, for example `C-4`, `F#5`. Note 60 (MIDI middle C) is shown as `C-5`.
- **Ins** selects which track's instrument plays the note: `01` = track 1, `0A` = track 10.
  - If the field is empty (or `00`/invalid), the note plays on the track's own instrument.
  - The sound goes through the chosen instrument's channel strip.
  - When you enter a note into an empty Ins field, it is filled in with the track's own number.
- **Vol** is the velocity. `7F` is full velocity; an empty field equals about `66` (80 %).
- **FX** is an effect command (see section 7).

Lines that start a beat (every LPB-th line) have a lighter background and a bold line number.

Entering notes

1. Press **Esc** to turn on edit mode (red frame).
2. Play on the computer keyboard, which is laid out like a piano:

```
Upper row (octave +1):   2 3   5 6 7   9 0
                        Q W E R T Y U I O P
Lower row (base octave):  S D   G H J   L
                        Z X C V B N M , .
```

- **Z** = C in the base octave (*Oct*), **S** = C#, **X** = D … **M** = B.
- **Q** = C one octave higher.
- **1** or **A** writes **OFF**: the previous note in the column is released.
- With the default octave 4, **Z** = `C-4` and **Q** = `C-5`.
- Change octave with **F1/F2** or **Num / / Num ***.

Notes are always heard, even without edit mode, but they are only written into the pattern when edit mode is on. After a note is written, the cursor moves *Step* lines down.

MIDI keyboard: All MIDI inputs are active. Notes play on the cursor's track, and in edit mode they are written with the velocity as the Vol value.

Hex values

Put the cursor in the Ins, Vol or FX value field and type **0–9** and **A–F**:

- Each field has two digits (high and low). The cursor moves down after each digit.
- In the FX command field you type a letter, for example **T** or **D**.
- **Del** clears the field: in the note field the whole cell, otherwise only the field under the cursor.

Navigation and selection

Key	Function
↑ / ↓	One line up/down (wraps from bottom to top)
PgUp / PgDn	4 beats (16 lines at LPB 4)
Home / End	First / last line
← / →	Previous / next field, continuing into the next column and track
Tab / Shift+Tab	Next / previous track
Ctrl+← / Ctrl+→	Previous / next track
Shift + arrow keys	Select. Shift+←/→ selects a whole note column at a time
Mouse wheel	Scrolls 2 lines. Shift+wheel scrolls horizontally between tracks
Click / Shift+click / drag	Place the cursor / extend the selection / select an area

Editing

Key	Function
Ctrl+C / X / V	Copy / cut / paste (selection or single cell). Paste starts at the cursor.
Ctrl+A	Select the whole track
Ctrl+↑ / ↓	Transpose ±1 semitone
Ctrl+Shift+↑ / ↓	Transpose ±1 octave
Del	Clear the selection or field
Ins	Insert an empty line in the current note column (edit mode)
Backspace	Delete the line in the current note column and pull the rest up (edit mode)
Ctrl+Z / Ctrl+Y	Undo / redo

Right-clicking in the grid gives the same commands. You can also choose **Interpolate volume** (a linear ramp of Vol between the first and last line of the selection) and view a list of **Effect commands**.

7. Effect commands

Effects are written in the FX column as one letter followed by a hex value `xx`.

Command	Function	Example
`Txx`	Set tempo to `xx` BPM (hex, 20–FF = 32–255 BPM)	`T78` = 120 BPM
`Lxx`	Set lines per beat (01–20 hex = 1–32)	`L08`
`Dxx`	Delay the note by `xx`/256 of a line	`D80` = half a line (swing)
`Cxx`	Cut the note after `xx`/256 of a line	`C40` = staccato
`Rxy`	Retrigger the note every `y` ticks (12 ticks per line). `x` = how much the volume falls per retrigger (x/16)	`R03` = 4 hits per line
`Pxx`	Pitch bend: 00 = down, 80 = centre, FF = up	`P80`
`Mxx`	Modulation wheel (MIDI CC1), 00–7F	`M40`
`Bxx`	Jump to sequence slot `xx` after this line (not while looping a pattern)	`B00`

Tempo and LPB return to the song's values when playback is stopped and started again.

8. Sequence and patterns

The sequence list (*Seq*, left)

Each slot shows its number and the number of the pattern it plays, in the pattern's colour.

- **Click** a slot to show its pattern.
- **+** inserts a new pattern after the selected slot.

Right-click menu:

Item	Function
Insert new pattern after	New empty pattern after the slot
Repeat this pattern after	The same pattern once more
Duplicate pattern into new slot	A copy of the pattern in a new slot
Use pattern	Choose which pattern the slot plays
Move up / Move down	Move the slot
Remove slot	Remove the slot
Play from here	Play the song from this slot

The pattern list (right panel)

- **Click** selects a pattern.
- **Double-click** puts it into the selected sequence slot.
- **+** creates a new pattern without adding it to the sequence.

The ... menu:

- *Duplicate pattern*
- *Clear pattern*
- *Use in selected sequence slot*
- *Append to end of sequence*
- *Delete pattern*: also removes every sequence slot that uses the pattern.

Pattern Properties

Field	Function
Name	The pattern's name.
Length	8–512 lines. Making a pattern shorter deletes the lines past the new end and clears the undo history.
Colour	Colour in the sequence and pattern lists.

Notes	Free text, for example chords or ideas.

9. The mixer and channel strips

Every track has a **channel strip** below it. Sound runs through the strip in this order:

```
Instrument → plug-in effects (in order) → EQ → Compressor → Reverb → Pan / Volume → Master
```

From the top, the strip contains:

1. **Header** with track number, name and **...** menu (the same menu as the track tab).
2. **Instrument button**, showing the instrument's name and type.
   - **Click** opens the instrument menu.
   - **Double-click** or **Alt+click** opens a plug-in instrument's editor.
3. **PLUG-INS**: the list of plug-in effects, with **+** (add) and an arrow (collapse the list).
   - **Click** an effect to open its editor.
   - The power icon bypasses the effect.
   - ▲ ▼ × move up, move down and remove (shown when the mouse is over the row). The same actions are in the right-click menu.
   - Below the list are the built-in effects **EQ**, **Comp** and **Reverb** (see section 12).
4. **Fader** (–60 to +6 dB) with a stereo meter. Double-click resets it to 0 dB.
5. **Pan knob** (L–C–R). Double-click centres it.
6. **M** (mute) and **S** (solo). If any track is soloed, only the soloed tracks are heard.

The master strip

The master strip at the bottom left receives the sum of all tracks:

- It has plug-in effects, EQ, compressor, reverb, volume, pan and mute, but no solo.
- Its instrument button shows **Main Out** and the audio device. Clicking it opens the audio settings.
- Its menu has *Reset master strip* and *Audio settings…*.

Hiding the mixer

Hide Mixer, **Ctrl+M** or the arrow above the master strip shrinks all strips. Only the name, M/S, a horizontal fader and a meter remain, which leaves more room for patterns.

Collapse FX lists collapses or expands the plug-in lists in all strips at once.

10. Instruments

Click the instrument button on a channel strip to open the instrument menu.

- **Pop / Rock / Electro / Jazz**: curated instruments from the built-in SoundFont, for example drum kits (Pop, Room, Rock, Electronic, 808, Jazz, Brush), piano, Rhodes, bass, guitars, synths, pads, brass and vibraphone.
- **All presets: ...**: every preset in the default SoundFont, sorted by bank. Drum kits are in bank 128.
- **Load SoundFont file (.sf2)...**: use your own SoundFont. The first preset in the file is selected.
- **Load audio file as sampler...**: use an audio file (WAV, AIFF, FLAC, OGG, MP3) as an instrument.
  - The sample plays chromatically with root note `C–5`, i.e. note 60: the **Q** key at octave 4.
  - The sampler has 24 voices, and audio files up to 120 seconds long are loaded.
  - Same function: *File → Open Audio File as Instrument...* (**Ctrl+I**).
- **Instrument plug-ins**: VST3, AU (macOS) and CLAP instruments, sorted by vendor. The editor opens automatically.
- **Open instrument editor** / **Remove instrument**.

> Audio files and custom SoundFonts are saved in the project as **paths**, not as the files themselves. If you move the files, you must choose them again.

11. Plug-ins (VST3, AU, CLAP)

Open the **Plug-in Manager** with **Ctrl+P** or *Plug-ins → Plug-in Manager...*, and scan for plug-ins:

- **VST3** on all platforms, **Audio Unit** on macOS and **CLAP** on all platforms.
- CLAP plug-ins are searched for in the standard folders and in folders listed in the `CLAP_PATH` environment variable:
  - macOS: `/Library/Audio/Plug-Ins/CLAP`, `~/Library/Audio/Plug-Ins/CLAP`
  - Windows: `%COMMONPROGRAMFILES%\CLAP`
  - Linux: `~/.clap`, `/usr/lib/clap`
- If a plug-in crashes the program during a scan, it is skipped on the next scan.

You then pick plug-ins from the instrument menu or with **+** in the PLUG-INS list. Each plug-in's state is saved in the project. Plug-ins without their own editor get a simple parameter editor.

12. Built-in effects

Click **EQ**, **Comp** or **Reverb** on a strip to open the effect's editor:

- The effect turns on automatically when you turn a knob.
- Double-clicking a knob resets it.
- **Reset** sets all knobs back to their defaults.

EQ (low cut + 3 bands) shows a frequency curve with the result:

Parameter	Range	Default
Low Cut	20–1000 Hz	20 Hz (off)
Low Freq / Low Gain	30–600 Hz / ±18 dB	120 Hz / 0 dB
Mid Freq / Mid Gain / Mid Q	200–8000 Hz / ±18 dB / 0.2–6	1 kHz / 0 dB / 0.9
High Freq / High Gain	2–16 kHz / ±18 dB	8 kHz / 0 dB

Compressor has a gain-reduction meter:

Parameter	Range	Default
Threshold	−60–0 dB	−18 dB
Ratio	1:1–20:1	4:1
Attack	0.1–200 ms	10 ms
Release	10–1500 ms	150 ms
Knee	0–24 dB	6 dB
Makeup	0–24 dB	0 dB

Reverb:

Parameter	Range	Default
Size	0–1	0.55
Damping	0–1	0.45
Width	0–1	1.00
Mix	0–1	0.25

13. Projects, export and settings

- **Save**: *File → Save Project* (**Ctrl+S**) / *Save Project As…* (**Ctrl+Shift+S**).
  - Projects are saved as `.artixml`, a plain XML file (see Appendix A).
  - The file contains the song, all patterns, all channel strips and plug-in states.
- **Open**: *File → Open Project…* (**Ctrl+O**) or *Open Recent Project*. On macOS and Windows you can also double-click an `.artixml` file.
- **Older projects**: Files from version 1.0.0–1.0.2 use the `.artilody` extension and can still be opened. When you save, a new `.artixml` file is written next to the old one. The old file is left untouched.
- **Export**: *File → Export Song as Audio…* (**Ctrl+E**) saves the whole song as **WAV, AIFF or FLAC**.
  - The audio is 24-bit at the audio device's sample rate.
  - The sequence plays once, plus a 2.5-second tail.
  - The export can be cancelled while it runs.
- **Demo songs**: *File → Demo Songs* has *Sunrise Circuits* (pop/electro) and *Blue Corner Swing* (jazz).
- **New project** (**Ctrl+N**) creates four tracks:
  - Drums (Pop Drum Kit)
  - Bass (Finger Bass)
  - Chords (Grand Piano with 3 columns)
  - Lead (Square Lead)

Settings are saved automatically in the file `Artilody Tracker.settings`:

System	Location
macOS	`~/Library/Application Support/Artilody Tracker/`
Windows	`%APPDATA%\Artilody Tracker\`
Linux	`~/.config/artilody-tracker/`

The file holds the audio device, recent projects, last folder, default SoundFont, mixer state and the list of scanned plug-ins.

14. Menus

Menu	Contents
File	New Project, Open Project…, Open Recent Project, Save Project, Save Project As…, Open Audio File as Instrument…, Export Song as Audio…, Demo Songs, Quit
Edit	Undo, Redo, Cut, Copy, Paste, Delete, Select Track Column, Transpose ±1 / ±12, Interpolate Volume, Edit Mode
Song	Play Song, Play From Start, Go to Start, Loop Pattern, Stop, Follow Playback, Add Track, Rename Song…
View	Show Mixer, Collapse / Expand All Plug-in Lists
Plug-ins	Plug-in Manager (scan VST3 / AU / CLAP)…
Options	Audio & MIDI Settings…, Default SoundFont…
Help	Keyboard Shortcuts, About Artilody Tracker

15. Keyboard shortcuts

On macOS, use **Cmd** instead of **Ctrl**.

Key	Function
Esc	Edit mode on/off
Space / Shift+Space	Play song / loop pattern (stop if playing)
Enter	Play from the cursor's line
Z…M, Q…P	Notes (two octaves)
A or 1	Note off
0–9, A–F	Hex values in Ins / Vol / FX
Arrow keys, Tab, PgUp/PgDn, Home/End	Navigation
Shift + arrow keys / mouse drag	Selection
Del / Ins / Backspace	Clear, insert line, delete line
Ctrl+C / X / V	Copy, cut, paste
Ctrl+A	Select the whole track
Ctrl+Z / Ctrl+Y (or Ctrl+Shift+Z)	Undo / redo
Ctrl+↑/↓ (+Shift = octave)	Transpose
Num * / F2	Octave up
Num / / F1	Octave down
Ctrl+N / O / S / Shift+S	New, open, save, save as
Ctrl+I / Ctrl+E	Open audio file as instrument / export audio
Ctrl+T / M / P / Q	New track, mixer, plug-in manager, quit

16. Limits and troubleshooting

	Limit
Tracks	64
Note columns per track	8
Lines per pattern	512
Notes	`C–0` – `B–9` (0–119)
BPM / LPB	20–999 / 1–32
Export length	30 minutes

- **No sound:** Check the audio device under *Options* → *Audio & MIDI Settings…*, that the master strip is not muted, and that an instrument is selected. If you see *SoundFont missing*, choose an `.sf2` under *Options* → *Default SoundFont…*.
- **Crackling or stuttering sound:** Increase the buffer size in the audio settings, and close heavy plug-ins.
- **A plug-in is missing when a project is opened:** The program shows a list of the plug-ins and files that could not be loaded. Scan again in the Plug-in Manager and open the project again.

Appendix A – The `.artixml` file format

An `.artixml` file is a plain **UTF-8 XML document**. It can be read and edited in any text editor or processed with XML tools. The root element is `ARTILODY_PROJECT`.

A.1 Overall structure

```
<?xml version="1.0" encoding="UTF-8"?>
<ARTILODY_PROJECT version="1.0.3">
  <SONG title="…" bpm="128.0" lpb="4" sequence="0,0,1">
    <TRACKS>
      <TRACK … />            <!-- one per track, in order -->
    </TRACKS>
    <PATTERNS>
      <PATTERN …>            <!-- one per pattern; its number is its position (0, 1, 2 …) -->
        <T d="…"/>           <!-- one per track, same order as TRACKS -->
      </PATTERN>
    </PATTERNS>
  </SONG>
  <STRIPS>
    <STRIP …> … </STRIP>     <!-- one channel strip per track, same order -->
  </STRIPS>
  <STRIP master="1" …> … </STRIP>   <!-- the master strip -->
</ARTILODY_PROJECT>
```

Numbers are written in **decimal** in the file, including the ones shown in hex in the program. Colours are 8-digit ARGB hex, for example `ff2f7bf0` (alpha `ff`, red `2f`, green `7b`, blue `f0`). Booleans are written as `1`/`0`.

A.2 `ARTILODY_PROJECT`

Attribute	Meaning
`version`	The program version that saved the file.

A.3 `SONG`

Attribute	Type	Meaning
`title`	text	Song title
`bpm`	decimal	Initial tempo (20–999)
`lpb`	integer	Lines per beat (1–32)
`sequence`	comma-separated list	The sequence: pattern numbers (0-based) in playback order, for example `0,0,1,2`

A.4 `TRACK` (in `TRACKS`)

Attribute	Type	Meaning
`name`	text	Track name
`colour`	ARGB hex	Track colour
`columns`	1–8	Number of note columns
`uid`	integer	Internal unique track id

Track number *n* (1-based) is the *n*-th `TRACK` element. The same number is used in the Ins column.

A.5 `PATTERN` (in `PATTERNS`)

Attribute	Type	Meaning
`name`	text	Pattern name
`colour`	ARGB hex	Colour
`rows`	1–512	Number of lines
`notes`	text	The pattern's notes

Each `PATTERN` has one `T` element per track. Its `d` attribute holds the track's **non-empty cells** separated by spaces. Each cell is seven comma-separated integers:

```
row,column,note,ins,vol,fxCommand,fxValue
```

Field	Range	Meaning
`row`	0 – rows–1	Line number
`column`	0–7	Note column in the track
`note`	0–119, –1, –2	MIDI note number (60 = `C-5`, 48 = `C-4`). **–1** = empty, **–2** = note off (`OFF`)
`ins`	1–254, 255	Number of the track whose instrument plays the note. **255** = empty (the track's own instrument)
`vol`	0–127, 255	Velocity/volume. **255** = empty
`fxCommand`	0 or ASCII code	Character code of the effect letter: `T`=84, `L`=76, `D`=68, `C`=67, `R`=82, `P`=80, `M`=77, `B`=66. **0** = no effect
`fxValue`	0–255	The effect's value (shown as hex `xx` in the program)

Cells not in the list are empty. `d=""` means the track is empty in this pattern.

Example: `0,0,60,3,72,0,0 10,1,64,3,56,68,128 14,0,-2,255,255,0,0` means:

- Line 0, column 0: `C-5`, instrument 03, vol 48 (hex), no effect.
- Line 10, column 1: `E-5`, instrument 03, vol 38, effect `D80` (68 = `D`, 128 = hex `80`).
- Line 14, column 0: `OFF`.

A.6 `STRIP` (channel strip)

`STRIPS` holds one `STRIP` per track, in the same order as `TRACKS`. The master strip sits directly under `ARTILODY_PROJECT` with `master="1"`.

Attribute	Type	Meaning
`volume`	dB	Fader, −60 to +6
`pan`	−1 – 1	Panning (−1 = left, 0 = centre, 1 = right)
`mute` / `solo`	0/1	Mute and solo
`fxCollapsed`	0/1	Whether the plug-in list is collapsed
`master`	1	Master strip only

A `STRIP` contains three child elements: `INSTRUMENT`, `FXCHAIN` and `BUILTINS`.

`INSTRUMENT`

The `kind` attribute sets the type:

`kind`	Other attributes
`soundfont`	`genre` (Pop/Rock/Electro/Jazz or empty), `name` (preset name), `bank` (128 = drum kits), `program` (0–127), `drums` (0/1), `file` (only when a `.sf2` other than the default is used: full path)
`sample`	`file` (full path to the audio file), `root` (root note, default 60)
`plugin`	Contains one `PLUGIN` element (see below)
`none`	No instrument (always the case on the master strip)

`FXCHAIN`

Contains one `PLUGIN` element per plug-in effect, in signal order. Each element also has a `bypass` attribute (0/1).

`PLUGIN`

```
<PLUGIN state="…base64…" bypass="0">
  <PLUGIN name="…" format="VST3" manufacturer="…" file="…" uniqueId="…" isInstrument="0" … />
</PLUGIN>
```

- The `state` attribute is the plug-in's own state (its "chunk"), base64-encoded. Its contents are defined by the plug-in.
- The inner `PLUGIN` element is JUCE's *PluginDescription*. It is used to find and reload the plug-in: name, format (`VST3`, `AudioUnit`, `CLAP`), vendor, file/identifier, unique id and so on.

`BUILTINS`

Contains three `FX` elements for the built-in effects. Each has `name`, `enabled` (0/1) and one attribute per parameter:

`name`	Parameters (attribute name = value)
`EQ`	`lowcut`, `lowfreq`, `lowgain`, `midfreq`, `midgain`, `midq`, `hifreq`, `higain` (Hz / dB / Q)
`Compressor`	`threshold` (dB), `ratio`, `attack` (ms), `release` (ms), `knee` (dB), `makeup` (dB)
`Reverb`	`size`, `damping`, `width`, `mix` (0–1)

Ranges and default values are listed in section 12. If a parameter is missing, its default value is used.

A.7 Robustness and hand editing

The program tolerates many deviations in the file:

- Unknown elements and attributes are ignored.
- Missing values get their defaults.
- Sequence numbers, columns and row counts are clamped to valid ranges.
- Cells outside the pattern are skipped.
- Plug-ins or files that cannot be found are reported when the project is opened. The rest of the project still loads.

If you edit a file by hand, the number of `TRACK`, `T` (per pattern) and `STRIP` (in `STRIPS`) elements must match.

A.8 Complete minimal example

```
<?xml version="1.0" encoding="UTF-8"?>
<ARTILODY_PROJECT version="1.0.3">
  <SONG title="Mini" bpm="120.0" lpb="4" sequence="0">
    <TRACKS>
      <TRACK name="Piano" colour="ff2f7bf0" columns="1" uid="1"/>
    </TRACKS>
    <PATTERNS>
      <PATTERN name="Init" colour="ffff5a4e" rows="16" notes="">
        <T d="0,0,60,1,100,0,0 4,0,64,1,100,0,0 8,0,67,1,100,0,0 12,0,-2,255,255,0,0"/>
      </PATTERN>
    </PATTERNS>
  </SONG>
  <STRIPS>
    <STRIP volume="0.0" pan="0.0" mute="0" solo="0" fxCollapsed="0">
      <INSTRUMENT kind="soundfont" genre="Pop" name="Grand Piano" bank="0" program="0" drums="0"/>
      <FXCHAIN/>
      <BUILTINS/>
    </STRIP>
  </STRIPS>
  <STRIP volume="0.0" pan="0.0" mute="0" solo="0" fxCollapsed="0" master="1">
    <INSTRUMENT kind="none"/>
    <FXCHAIN/>
    <BUILTINS/>
  </STRIP>
</ARTILODY_PROJECT>
```

This example plays the notes of a C major chord (C-5, E-5, G-5) as quarter notes on a piano and releases the note on line 12.