

# Patient Intake Summariser Copilot

Every step, start to finish, including the current (2026) way to build the tool in Step 6 — an agent flow filing a Planner task and pinging the clinician in Teams.

i

What You're Building

An agent that turns intake notes into structured pre-consult summaries and files clinician follow-up tasks, grounded in one data file, acting through one governed tool.

|               |                                                                 |
|---------------|-----------------------------------------------------------------|
| AGENT NAME    | Patient Intake Summariser Copilot                               |
| ORCHESTRATION | Generative (AI-led)                                             |
| KNOWLEDGE     | Healthcare_Intake_Data.xlsx                                     |
| CUSTOM TOPIC  | Summarise Patient Intake                                        |
| TOOL          | Create Clinician Task in Planner (agent flow → Planner + Teams) |

Files & Where They Go

| FILE / ITEM                          | GOES TO                                                      | USED IN |
|--------------------------------------|--------------------------------------------------------------|---------|
| Healthcare_Intake_Data.xlsx          | Copilot Studio → <b>Knowledge</b> tab → Add knowledge → File | Step 3  |
| "Clinical Review Tasks" Planner plan | Create in Planner before Step 6                              | Step 6  |

Data here is synthetic and pseudonymised (e.g. PT-014) — no real PII.

**Before you start** — confirm Environment Maker permission, and that a Planner plan for clinician review tasks already exists.

# Set Up the Agent

Steps 1–3 — create the agent shell, pick how it reasons, and ground it in data.

1 Create Your Copilot Studio Agent

Open Copilot Studio ([copilotstudio.microsoft.com](https://copilotstudio.microsoft.com)), select **Create** → **New agent**, then configure:

|                        |                                                                                                                                                                                                         |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AGENT NAME             | Patient Intake Summariser Copilot                                                                                                                                                                       |
| DESCRIPTION            | Converts free-text intake notes (synthetic, clearly fictional) into a structured pre-consult summary for clinicians — symptoms, duration, and red flags, with safety concerns flagged for human review. |
| SOLUTION / ENVIRONMENT | Clinical Operations · Default environment                                                                                                                                                               |
| ICON                   | Use a recognisable colour and emoji or upload a brand icon                                                                                                                                              |

2 Choose Orchestration Mode

Under **Settings** → **Generative AI**, use **Generative Orchestration** (AI-led) so the agent can blend knowledge lookups with tool calls for patient intake summarisation and triage support.

3 Add Knowledge

**Knowledge tab** → **Add knowledge** → **File** → upload **Healthcare\_Intake\_Data.xlsx**. Contains:

- Intake metadata (intake ID, pseudonymised ID e.g. PT-001, intake date, clinician)
- Demographics (age band, sex — no PII)
- Clinical context (presenting complaint, duration in days)
- Safety signals (red flags detected Y/N, red flag notes, triage outcome)

You can layer additional sources later — SharePoint sites, Dataverse, public web, or Graph connectors.

# Behavior: Instructions & Topic

Steps 4–5 — tell the agent how to behave, then give it a reusable conversation flow.

## 4 Add Agent Instructions

Overview → Instructions — paste exactly:

You are the Patient Intake Summariser Copilot. You help two audiences:

- 1) Clinicians preparing for a consultation.
- 2) Triage nurses reviewing the intake queue.

Rules:

- Data is synthetic and pseudonymised. Never claim a clinical diagnosis.
- Use the uploaded intake dataset as your single source of truth.
- For every summary, surface red flags FIRST, then symptoms and duration.
- If a red flag is detected, recommend escalation and call the clinician task tool — do not assume someone else will see it.
- Use clinical-precise language. Avoid colloquialisms.
- Always say: 'This is a pre-consult summary, not a diagnosis.'

## 5 Add a Custom Topic

Topics → Add a topic → Create from description:

**Topic name:** Summarise Patient Intake

**Description:** Reads a free-text intake note for a pseudonymised patient and returns a structured pre-consult summary with red flags highlighted at the top.

**Trigger phrases:**

- Summarise the intake for PT-014
- Pre-consult brief for my next patient
- Give me a pre-consult summary
- Walk me through PT-022's intake

**Conversation steps:**

- Ask for the pseudonymised patient ID (e.g. PT-014)
- Look up the matching row from knowledge — confirm one match found
- Render structured summary: Age band · Sex · Presenting complaint · Duration
- If RedFlagsDetected = Y, render a RED FLAGS section verbatim from RedFlagNotes
- Append the line 'Pre-consult summary, not a diagnosis — clinician review required'
- If red flags present, offer to call 'Create Clinician Task in Planner'

# Build the Tool (Current Method)

Step 6 — updated for 2026, using current Copilot Studio tool-building.

## 6a Set Up the Planner Plan

In Planner, create (or reuse) a plan such as **Clinical Review Tasks**. This is where red-flag follow-up tasks will land.

## 6b Build the Agent Flow

1. **Flows** → **New flow** → **Agent flow**.
2. Trigger inputs: **PatientID**, **ClinicianName**, **TaskTitle**, **RedFlagContext**, **TriageOutcome**.
3. Action: **Planner — Create a task** → plan **Clinical Review Tasks** → title from **TaskTitle**, description from **RedFlagContext**.
4. Action: **Teams — Post your own adaptive card as the Flow bot to a user** → the clinician.
5. **Respond to the agent** → output **PlannerTaskURL**. Confirm **Asynchronous response = Off**.
6. **Publish** the flow.

## 6c Attach It as a Tool

1. **Tools** → **Add a tool** → filter by **Flow** → select it → **Add and configure**.
2. **Name**: Create Clinician Task in Planner. **Description**: "Creates a Planner task for clinician review of a red-flag intake and pings the clinician in Teams."
3. Under **Completion**, respond using **PlannerTaskURL**.
4. **Save**.

**Original spec, for reference** — Tool: Create Clinician Task in Planner. Type: Microsoft Planner connector (Create task) + Teams adaptive card to clinician. Creates a Planner task for clinician review with the pseudonymised patient reference and red flag context, and pings the clinician in Teams. Inputs: Pseudonymised patient ID (string — never real PII); Clinician name (from knowledge or authenticated user); Task title (string — defaults to 'Review red flag intake'); Red flag context (string — copied verbatim from intake); Triage outcome suggestion (Routine / Urgent / Same-day / Emergency). Outcome: Returns the Planner task URL and posts an adaptive card to the clinician's Teams chat for immediate visibility.

# Configure, Evaluate, Test, Publish

Steps 7–10 — lock down settings, prove quality, and ship it.

## 7 Configure Settings

Settings cog (top right) — four areas before real users touch the agent:

- **General** — confirm name, description, primary language
- **Generative AI** — orchestration mode, content moderation (start at Medium)
- **Authentication** — "Authenticate with Microsoft" so the agent runs as the signed-in user
- **Security** — review DLP policy, enabled channels, end-user authentication

## 8 Evaluate Your Agent

**Analytics** → **Evaluations** → **New evaluation** — "Patient Intake Summariser — Baseline v1". Score every response on Groundedness, Relevance, Accuracy.

Input: Summarise the intake for PT-014

Expect: Returns structured summary with red flags first; appends 'not a diagnosis' line.

Input: Show me all intakes with red flags this week

Expect: Filters where RedFlagsDetected=Y and IntakeDate within 7 days; lists by triage outcome.

Input: Create a clinician task for PT-022 – red flag chest pain over 3 days

Expect: Triggers Summarise Patient Intake topic and calls Create Clinician Task in Planner.

## 9 Test in the Test Pane

For each query, open **Activity map** to see: which topic/tool/knowledge fired, the inputs collected and outputs returned, citations to source rows, and per-step latency.

## 10 Publish to a Channel

**Recommended for this build:** Microsoft Teams — clinicians already use Teams for shift coordination. Pin to the clinical team channel for the on-call clinician; surface in **Microsoft 365 Copilot** for triage nurses reviewing the queue at the start of clinic; embed on the clinical intranet for read-only use. **Do not enable public web channels** — keep this agent inside the tenant. Teams and M365 Copilot channels require tenant admin approval.

# Try These Live

Sample queries to run once the agent is built — and what it replaces.

## Pre-consult Briefs

- Summarise the intake for PT-007.
- Give me a pre-consult brief for my next three patients.

## Safety Surveillance

- Show all intakes flagged red this week.
- Are any red flags recurring (same presenting complaint, same week)?

## Governed Action

- Create a clinician task for PT-022 with the red flag chest pain context.
- Try a paraphrase: 'ping the on-call clinician about PT-011 — urgent'.

## This agent replaces

- Reading raw intake notes mid-clinic
- Re-typing red flags into Planner or paper
- Ad-hoc Teams pings with patient context in plain text

## With

- Consistent pre-consult summaries on demand
- Red flags surfaced first, every time
- Planner tasks created with full audit trail

**Tip for real-world use** — use Microsoft Purview sensitivity labels on the Knowledge file and the agent so it cannot accidentally surface in unmanaged channels. Pair with strict DLP and require Entra authentication on every chat.