


В



Α

Vendor	Quantity 4	Bou	ght	Material N/A				
Finish		NAME	DATE	Description SUSPENBSION COMPONENT - FULL/				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES: ANGULAR: ± 1° .XX: ± .01 .XXX: ± .005		LS	05/01/20 21	FRONT / SIDE				
	CHECKED Commen			SIZE	Part No.	SC - A	Weight	
				SCAL		3C - A	SHEET 1 OF 4	

2

1

	ITEM NO.	PARTNO	DESCRIPTION	QTY.	MATERIAL		
В	1	95615A120	Steel Nylon Locknut, 1/4"-20	32	Medium Strength Steel Nylon	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
	2	92141A029-18	Washer 0.281" ID, 0.625" OD	22	Steel		
	3	8649T6	Mounted Linear Sleeve Bearing	4	6061 ALLOY		В
	4	SM - A	Sprung Mass Frame	1	Plain Carbon Steel		ט
	5	SM - A1	Control Arm Tabs	8	AISI 1020		
	6	92865A542	1/4"-20 1" HHS	18	Medium Strength Steel	(19)	
	7	WF - A	Weight Frame Assembly	1	Plain Carbon Steel	$\begin{array}{c} 14 \end{array}$	
	8	92865A546	1/4"-20 1-1/2" HHS	8	Medium-Strength Steel		
	9	SA - A1	Inner Pivot Tube	4	AISI 1020		
	10	SA - A2	OUTER PIVOT TUBE	2	AISI 1020		
	11	SA - A3	UCA Tubes	2	AISI 1020		
	12	SA - A4	Pivot Bushing	12	Tin Bearing Bronze	$\begin{array}{c c} & & & \\ & & & \\ & & & \\ \end{array}$	
	13	SA - A5	LCA Tubes	2	6063 - T5	20	
	14	UA - A	Control Arms to hub Tabs	1	AISI 4130 Steel		
	15	91286A151	1/4-28 3.125" HHS	2	Alloy Steel		
	16	SA - E	Fox Float CTD	1	Aluminum	3 1 8 (12) (13) (13)	
Α	17	92141A030	0.344" ID, 0.75" OD	4	18-8 Stainless Steel		
	18	91257A551	1/4"-20 2-1/4" HHS	4	High - Strength Steel	Finish Vendor Metals Depot	Α
	19	91247A589	5/16"-18 1-3/4" HHS	2	Medium-Strength Steel	MATERIAL 6061 MAJIAy Quantity: 4 Description	, ,
	20	95615A160	Locknut 5/16"-18	2	Medium - Strenth Steel	NAME DATE Suspension Components	
						vise specified drawing LS 04/27/20 Exploded drawing	
					DIMENSIONS A TOLERA ANGULA	NCES: SIZE DWG. NO. SC A	
					.XX: ±		

