

The LaTeX report

Generated by elijahsheridan on 29 March 2020, 01:40:35

This report has been generated automatically by MADANALYSIS 5.

Please cite:

E. Conte, B. Fuks and G. Serret,
MadAnalysis 5, A User-Friendly Framework for Collider Phenomenology,
Comput. Phys. Commun. **184** (2013) 222-256,
arXiv:1206.1599 [hep-ph].

To contact us:

<http://madananalysis.irmp.ucl.ac.be>
ma5team@iphc.cnrs.fr

Contents

| | | |
|----------|------------------------|-----------|
| 1 | Setup | 2 |
| 1.1 | Command history | 2 |
| 1.2 | Configuration | 3 |
| 2 | Datasets | 4 |
| 2.1 | signal | 4 |
| 2.2 | bg_vbf_0_100 | 4 |
| 2.3 | bg_vbf_100_200 | 4 |
| 2.4 | bg_vbf_200_400 | 5 |
| 2.5 | bg_vbf_400_600 | 5 |
| 2.6 | bg_vbf_600_800 | 6 |
| 2.7 | bg_vbf_800_1200 | 6 |
| 2.8 | bg_vbf_1200_1600 | 7 |
| 2.9 | bg_vbf_1600_inf | 7 |
| 2.10 | bg_dip_0_100 | 7 |
| 2.11 | bg_dip_100_200 | 8 |
| 2.12 | bg_dip_200_400 | 8 |
| 2.13 | bg_dip_400_600 | 9 |
| 2.14 | bg_dip_600_800 | 9 |
| 2.15 | bg_dip_800_1200 | 9 |
| 2.16 | bg_dip_1200_1600 | 10 |
| 2.17 | bg_dip_1600_inf | 10 |
| 3 | Histos and cuts | 11 |
| 3.1 | Cut 1 | 11 |
| 3.2 | Cut 2 | 12 |
| 4 | Summary | 13 |
| 4.1 | Cut-flow charts | 13 |

1 Setup

1.1 Command history

```
ma5># set directory where running "./bin/ma5"; set lumi; define the signal significance
ma5>set main.currentdir = /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno # need to
change this directory path -> exit and type "pwd" to get the path
ma5>set main.lumi = 40.0
ma5># import samples -> change the path to the LHE file
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/axion_signal/-
axion_signal_gurrola_cuts_1MeV.lhe.gz as signal
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_0_100_merged.lhe.gz as bg_vbf_0_100
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_100_200_merged.lhe.gz as bg_vbf_100_200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_200_400_merged.lhe.gz as bg_vbf_200_400
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_400_600_merged.lhe.gz as bg_vbf_400_600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_600_800_merged.lhe.gz as bg_vbf_600_800
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_800_1200_merged.lhe.gz as bg_vbf_800_1200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_1200_1600_merged.lhe.gz as bg_vbf_1200_1600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_1600_inf_merged.lhe.gz as bg_vbf_1600_inf
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_0_100_merged.lhe.gz as bg_dip_0_100
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_100_200_merged.lhe.gz as bg_dip_100_200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_200_400_merged.lhe.gz as bg_dip_200_400
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_400_600_merged.lhe.gz as bg_dip_400_600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_600_800_merged.lhe.gz as bg_dip_600_800
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_800_1200_merged.lhe.gz as bg_dip_800_1200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_1200_1600_merged.lhe.gz as bg_dip_1200_1600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_1600_inf_merged.lhe.gz as bg_dip_1600_inf
ma5># define bg and signal samples
ma5>set signal.type = signal
ma5>set bg_vbf_0_100.type = background
ma5>set bg_vbf_100_200.type = background
ma5>set bg_vbf_200_400.type = background
ma5>set bg_vbf_400_600.type = background
ma5>set bg_vbf_600_800.type = background
```

```

ma5>set bg_vbf_800_1200.type = background
ma5>set bg_vbf_1200_1600.type = background
ma5>set bg_vbf_1600_inf.type = background
ma5>set bg_dip_0_100.type = background
ma5>set bg_dip_100_200.type = background
ma5>set bg_dip_200_400.type = background
ma5>set bg_dip_400_600.type = background
ma5>set bg_dip_600_800.type = background
ma5>set bg_dip_800_1200.type = background
ma5>set bg_dip_1200_1600.type = background
ma5>set bg_dip_1600_inf.type = background
ma5># define weights for the samples
ma5>#set sample_1.weight = 1
ma5>#set sample_2.weight = 1
ma5># a jet can be from a light quark or b quark
ma5>define jets = j
ma5>define e = e+ e-
ma5>define mu = mu+ mu-
ma5>define ta = ta+ ta-
ma5>define lept = e mu ta
ma5>define ax = 9000005
ma5># selections
ma5>select (sdETA(jets[1] jets[2]) > 3.6 or sdETA(jets[1] jets[2]) < -3.6) and M(jets[1]
jets[2]) > 1250
ma5>select PT(a[1]) > 400 and M(a[1] a[2]) > 550
ma5>submit analysis_tight_pta400_maa550

```

1.2 Configuration

- MadAnalysis version 1.6.33 (2017/11/20).
- Histograms given for an integrated luminosity of 40.0fb^{-1} .

2 Datasets

2.1 signal

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [signal](#) events.
- Generated events: [1000000](#) events.
- Normalization to the luminosity: [4094+/- 2](#) events.
- Ratio (event weight): [0.0041](#) .

| Path to the event file | Nr. of events | Cross section (pb) | Negative wgts (%) |
|---|---------------|--------------------|-------------------|
| /Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/-madgraph_data/axion_signal/-axion_signal_gurrola_cuts_1MeV.lh | 1000000 | 0.102 @ 0.028% | 0.0 |

2.2 bg_vbf_0_100

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1000000](#) events.
- Normalization to the luminosity: [12150+/- 24](#) events.
- Ratio (event weight): [0.012](#) .

| Path to the event file | Nr. of events | Cross section (pb) | Negative wgts (%) |
|--|---------------|--------------------|-------------------|
| /Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_0_100 | 1000000 | 0.304 @ 0.19% | 0.0 |

2.3 bg_vbf_100_200

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [965662](#) events.

- Normalization to the luminosity: 9695 \pm 17 events.
- Ratio (event weight): 0.01 .

| Path to the event file | Nr. of events | Cross section (pb) | Negative wgts (%) |
|---|---------------|--------------------|-------------------|
| /Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_100_ | 965662 | 0.242 @ 0.17% | 0.0 |

2.4 bg_vbf_200_400

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-
optimization .
- Sample consisting of: background events.
- Generated events: 984165 events.
- Normalization to the luminosity: 5413 \pm 11 events.
- Ratio (event weight): 0.0055 .

| Path to the event file | Nr. of events | Cross section (pb) | Negative wgts (%) |
|---|---------------|--------------------|-------------------|
| /Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_200_ | 984165 | 0.135 @ 0.2% | 0.0 |

2.5 bg_vbf_400_600

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-
optimization .
- Sample consisting of: background events.
- Generated events: 1000000 events.
- Normalization to the luminosity: 986 \pm 2 events.
- Ratio (event weight): 0.00099 .

| Path to the event file | Nr. of events | Cross section (pb) | Negative wgts (%) |
|---|---------------|--------------------|-------------------|
| /Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_400_ | 1000000 | 0.0247 @ 0.14% | 0.0 |

2.6 bg_vbf_600_800

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1000000](#) events.
- Normalization to the luminosity: [252+/- 1](#) events.
- Ratio (event weight): [0.00025](#) .

| Path to the event file | Nr. of events | Cross section (pb) | Negative wgts (%) |
|---|---------------|--------------------|-------------------|
| /Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_600_ | 1000000 | 0.0063 @ 0.13% | 0.0 |

2.7 bg_vbf_800_1200

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [400839](#) events.
- Normalization to the luminosity: [114+/- 1](#) events.
- Ratio (event weight): [0.00028](#) .

| Path to the event file | Nr. of events | Cross section (pb) | Negative wgts (%) |
|---|---------------|--------------------|-------------------|
| /Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_800_ | 400839 | 0.00287 @ 0.16% | 0.0 |

2.8 bg_vbf_1200_1600

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [953803](#) events.
- Normalization to the luminosity: [20+/- 1](#) events.
- Ratio (event weight): [2.1e-05](#) .

| Path to the event file | Nr. of events | Cross section (pb) | Negative wgts (%) |
|---|---------------|--------------------|-------------------|
| /Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_1200 | 953803 | 0.000515 @ 0.16% | 0.0 |

2.9 bg_vbf_1600_inf

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [270148](#) events.
- Normalization to the luminosity: [7+/- 1](#) events.
- Ratio (event weight): [2.6e-05](#) .

| Path to the event file | Nr. of events | Cross section (pb) | Negative wgts (%) |
|---|---------------|--------------------|-------------------|
| /Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_1600 | 270148 | 0.000191 @ 0.11% | 0.0 |

2.10 bg_dip_0_100

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1040000](#) events.
- Normalization to the luminosity: [2710847+/- 4614](#) events.

- **Ratio (event weight): 2.6 - warning: please generate more events (weight larger than 1)!**

| Path to the event file | Nr. of events | Cross section (pb) | Negative wgts (%) |
|--|---------------|--------------------|-------------------|
| /Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l | 1040000 | 67.8 @ 0.17% | 0.0 |

2.11 bg_dip_100_200

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1040000](#) events.
- Normalization to the luminosity: [1095362+/- 1528](#) events.
- **Ratio (event weight): 1.1 - warning: please generate more events (weight larger than 1)!**

| Path to the event file | Nr. of events | Cross section (pb) | Negative wgts (%) |
|--|---------------|--------------------|-------------------|
| /Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l | 1040000 | 27.4 @ 0.14% | 0.0 |

2.12 bg_dip_200_400

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1040000](#) events.
- Normalization to the luminosity: [239548+/- 414](#) events.
- **Ratio (event weight): 0.23** .

| Path to the event file | Nr. of events | Cross section (pb) | Negative wgts (%) |
|--|---------------|--------------------|-------------------|
| /Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l | 1040000 | 5.99 @ 0.17% | 0.0 |

2.13 bg_dip_400_600

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1040000](#) events.
- Normalization to the luminosity: [28798+/- 53](#) events.
- Ratio (event weight): [0.028](#) .

| Path to the event file | Nr. of events | Cross section (pb) | Negative wgts (%) |
|--|---------------|--------------------|-------------------|
| /Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l | 1040000 | 0.72 @ 0.18% | 0.0 |

2.14 bg_dip_600_800

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [662009](#) events.
- Normalization to the luminosity: [6674+/- 28](#) events.
- Ratio (event weight): [0.01](#) .

| Path to the event file | Nr. of events | Cross section (pb) | Negative wgts (%) |
|--|---------------|--------------------|-------------------|
| /Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l | 662009 | 0.167 @ 0.41% | 0.0 |

2.15 bg_dip_800_1200

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1040000](#) events.
- Normalization to the luminosity: [2942+/- 6](#) events.

- Ratio (event weight): 0.0028 .

| Path to the event file | Nr. of events | Cross section (pb) | Negative wgts (%) |
|--|---------------|--------------------|-------------------|
| /Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l | 1040000 | 0.0736 @ 0.17% | 0.0 |

2.16 bg_dip_1200_1600

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization .
- Sample consisting of: background events.
- Generated events: 337115 events.
- Normalization to the luminosity: 513+/- 3 events.
- Ratio (event weight): 0.0015 .

| Path to the event file | Nr. of events | Cross section (pb) | Negative wgts (%) |
|--|---------------|--------------------|-------------------|
| /Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l | 337115 | 0.0128 @ 0.51% | 0.0 |

2.17 bg_dip_1600_inf

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization .
- Sample consisting of: background events.
- Generated events: 1040000 events.
- Normalization to the luminosity: 187+/- 1 events.
- Ratio (event weight): 0.00018 .

| Path to the event file | Nr. of events | Cross section (pb) | Negative wgts (%) |
|--|---------------|--------------------|-------------------|
| /Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l | 1040000 | 0.00469 @ 0.15% | 0.0 |

3 Histos and cuts

3.1 Cut 1

* Cut: select (sdETA (jets[1] jets[2]) > 3.6 or sdETA (jets[1] jets[2]) < -3.6) and M (jets[1] jets[2]) > 1250.0

| Dataset | Events kept: K | Rejected events: R | Efficiency: K / (K + R) | Cumul. efficiency: K / Initial |
|-------------|-------------------|--------------------|-------------------------|--------------------------------|
| signal | 814.6 +/- 25.5 | 3279.5 +/- 25.6 | 0.19896 +/- 0.00624 | 0.19896 +/- 0.00624 |
| bg_vbf_0_10 | 204.2 +/- 14.2 | 11946.1 +/- 26.8 | 0.01681 +/- 0.00117 | 0.01681 +/- 0.00117 |
| bg_vbf_100_ | 950.9 +/- 29.3 | 8744.4 +/- 32.9 | 0.09808 +/- 0.00302 | 0.09808 +/- 0.00302 |
| bg_vbf_200_ | 1147.9 +/- 30.2 | 4265.4 +/- 31.3 | 0.21205 +/- 0.00556 | 0.21205 +/- 0.00556 |
| bg_vbf_400_ | 273.7 +/- 14.1 | 713.1 +/- 14.1 | 0.2774 +/- 0.0143 | 0.2774 +/- 0.0143 |
| bg_vbf_600_ | 47.78 +/- 6.22 | 204.30 +/- 6.23 | 0.1895 +/- 0.0247 | 0.1895 +/- 0.0247 |
| bg_vbf_800_ | 12.06 +/- 3.29 | 102.70 +/- 3.29 | 0.1051 +/- 0.0286 | 0.1051 +/- 0.0286 |
| bg_vbf_1200 | 0.678 +/- 0.810 | 19.92 +/- 0.81 | 0.0329 +/- 0.0393 | 0.0329 +/- 0.0393 |
| bg_vbf_1600 | 0.0483 +/- 0.2191 | 7.610 +/- 0.219 | 0.00631 +/- 0.02860 | 0.00631 +/- 0.02860 |
| bg_dip_0_10 | 229.4 +/- 15.1 | 2710617 +/- 4612 | 8.46e-05 +/- 5.59e-06 | 8.46e-05 +/- 5.59e-06 |
| bg_dip_100_ | 990.1 +/- 31.5 | 1094372 +/- 1526 | 9.04e-04 +/- 2.87e-05 | 9.04e-04 +/- 2.87e-05 |
| bg_dip_200_ | 1641.8 +/- 40.5 | 237907 +/- 412 | 0.006854 +/- 0.000169 | 0.006854 +/- 0.000169 |
| bg_dip_400_ | 593.2 +/- 24.1 | 28205.5 +/- 56.5 | 0.020599 +/- 0.000837 | 0.020599 +/- 0.000837 |
| bg_dip_600_ | 88.41 +/- 9.35 | 6585.9 +/- 28.8 | 0.0132 +/- 0.0014 | 0.0132 +/- 0.0014 |
| bg_dip_800_ | 22.00 +/- 4.67 | 2920.34 +/- 6.86 | 0.00748 +/- 0.00159 | 0.00748 +/- 0.00159 |
| bg_dip_1200 | 1.34 +/- 1.16 | 512.16 +/- 2.87 | 0.00261 +/- 0.00225 | 0.00261 +/- 0.00225 |
| bg_dip_1600 | 0.0921 +/- 0.3034 | 187.691 +/- 0.412 | 0.00049 +/- 0.00162 | 0.00049 +/- 0.00162 |

3.2 Cut 2

* Cut: select $PT(a[1]) > 400.0$ and $M(a[1] a[2]) > 550.0$

| Dataset | Events kept: K | Rejected events: R | Efficiency: K / (K + R) | Cumul. efficiency: K / Initial |
|--------------|---------------------|--------------------|-------------------------|--------------------------------|
| signal | 461.8 +/- 20.2 | 352.8 +/- 18.0 | 0.5669 +/- 0.0174 | 0.11279 +/- 0.00494 |
| bg_vbf_0_10 | 0.0 +/- 0.0 | 204.2 +/- 14.2 | 0.0 +/- 0.0 | 0.0 +/- 0.0 |
| bg_vbf_100_ | 0.151 +/- 0.388 | 950.7 +/- 29.3 | 0.000158 +/- 0.000408 | 1.55e-05 +/- 4.00e-05 |
| bg_vbf_200_ | 1.14 +/- 1.07 | 1146.7 +/- 30.2 | 0.000992 +/- 0.000929 | 0.000210 +/- 0.000197 |
| bg_vbf_400_ | 1.76 +/- 1.33 | 271.9 +/- 14.0 | 0.00644 +/- 0.00483 | 0.00179 +/- 0.00134 |
| bg_vbf_600_ | 0.961 +/- 0.979 | 46.82 +/- 6.17 | 0.0201 +/- 0.0203 | 0.00381 +/- 0.00388 |
| bg_vbf_800_ | 0.445 +/- 0.666 | 11.61 +/- 3.23 | 0.0369 +/- 0.0543 | 0.00388 +/- 0.00580 |
| bg_vbf_1200_ | 0.041 +/- 0.202 | 0.637 +/- 0.786 | 0.0605 +/- 0.2895 | 0.00199 +/- 0.00982 |
| bg_vbf_1600_ | 0.00489 +/- 0.06994 | 0.0434 +/- 0.2077 | 0.101 +/- 1.373 | 0.000639 +/- 0.009133 |
| bg_dip_0_10 | 0.0 +/- 0.0 | 229.4 +/- 15.1 | 0.0 +/- 0.0 | 0.0 +/- 0.0 |
| bg_dip_100_ | 0.0 +/- 0.0 | 990.1 +/- 31.5 | 0.0 +/- 0.0 | 0.0 +/- 0.0 |
| bg_dip_200_ | 2.30 +/- 1.52 | 1639.5 +/- 40.5 | 0.001403 +/- 0.000924 | 9.62e-06 +/- 6.34e-06 |
| bg_dip_400_ | 3.02 +/- 1.74 | 590.2 +/- 24.1 | 0.00509 +/- 0.00292 | 1.05e-04 +/- 6.03e-05 |
| bg_dip_600_ | 1.7 +/- 1.3 | 86.72 +/- 9.26 | 0.0192 +/- 0.0146 | 0.000254 +/- 0.000195 |
| bg_dip_800_ | 0.86 +/- 0.93 | 21.14 +/- 4.58 | 0.0391 +/- 0.0413 | 0.000292 +/- 0.000315 |
| bg_dip_1200_ | 0.0746 +/- 0.2731 | 1.27 +/- 1.12 | 0.0556 +/- 0.1978 | 0.000145 +/- 0.000532 |
| bg_dip_1600_ | 0.00849 +/- 0.09212 | 0.0836 +/- 0.2890 | 0.0922 +/- 0.9534 | 4.52e-05 +/- 4.91e-04 |

4 Summary

4.1 Cut-flow charts

- How to compare signal (S) and background (B): $S/\sqrt{S+B}$.
- Object definition selections are indicated in cyan.
- Reject and select are indicated by 'REJ' and 'SEL' respectively

| Cuts | Signal (S) | Background (B) | S vs B |
|--|------------------|------------------|---------------------|
| Initial (no cut) | 4094.08 +/- 1.13 | 4113516 +/- 4877 | 2.01760 +/- 0.00132 |
| SEL: (sdETA (jets[1] jets[2]) > 3.6 or sdETA (| 814.6 +/- 25.5 | 6203.5 +/- 76.0 | 9.723 +/- 0.292 |
| SEL: PT (a[1]) > 400.0 and M (a[1] a[2]) > 550 | 461.8 +/- 20.2 | 12.46 +/- 3.53 | 21.205 +/- 0.483 |