The LaTeX report

Generated by elijahsheridan on 26 March 2020, 15:58:45

This report has been generated automatically by MadAnalysis 5.

Please cite:

> **E. Conte, B. Fuks and G. Serret**,
> *MadAnalysis 5, A User-Friendly Framework for Collider Phenomenology*,
> Comput. Phys. Commun. **184** (2013) 222-256,
> arXiv:1206.1599 [hep-ph].

To contact us:

> **http://madanalysis.irmp.ucl.ac.be**
> **ma5team@iphc.cnrs.fr**

Contents

1 Setup

1.1 Command history

```
ma5>
# set directory where running "./bin/ma5"; set lumi; define the signal significance
ma5>set main.currentdir = /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno # need to
change this directory path -> exit and type "pwd" to get the path
ma5>set main.lumi = 40.0
ma5>
# import samples -> change the path to the LHE file
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/axion_signal/-
axion_signal_gurrola_cuts_1MeV.lhe.gz as signal
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_0_100_merged.lhe.gz as bg_vbf_0_100
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_100_200_merged.lhe.gz as bg_vbf_100_200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_200_400_merged.lhe.gz as bg_vbf_200_400
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_400_600_merged.lhe.gz as bg_vbf_400_600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_600_800_merged.lhe.gz as bg_vbf_600_800
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_800_1200_merged.lhe.gz as bg_vbf_800_1200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_1200_1600_merged.lhe.gz as bg_vbf_1200_1600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_1600_inf_merged.lhe.gz as bg_vbf_1600_inf
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_0_100_merged.lhe.gz as bg_dip_0_100
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_100_200_merged.lhe.gz as bg_dip_100_200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_200_400_merged.lhe.gz as bg_dip_200_400
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_400_600_merged.lhe.gz as bg_dip_400_600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_600_800_merged.lhe.gz as bg_dip_600_800
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_800_1200_merged.lhe.gz as bg_dip_800_1200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_1200_1600_merged.lhe.gz as bg_dip_1200_1600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_1600_inf_merged.lhe.gz as bg_dip_1600_inf
ma5>
# define bg and signal samples
ma5>set signal.type = signal
ma5>set bg_vbf_0_100.type = background
ma5>set bg_vbf_100_200.type = background
ma5>set bg_vbf_200_400.type = background
ma5>set bg_vbf_400_600.type = background
ma5>set bg_vbf_600_800.type = background
```

```
ma5>set bg_vbf_800_1200.type = background
ma5>set bg_vbf_1200_1600.type = background
ma5>set bg_vbf_1600_inf.type = background
ma5>set bg_dip_0_100.type = background
ma5>set bg_dip_100_200.type = background
ma5>set bg_dip_200_400.type = background
ma5>set bg_dip_400_600.type = background
ma5>set bg_dip_600_800.type = background
ma5>set bg_dip_800_1200.type = background
ma5>set bg_dip_1200_1600.type = background
ma5>set bg_dip_1600_inf.type = background
ma5># define weights for the samples
ma5>#set sample_1.weight = 1
ma5>#set sample_2.weight = 1
ma5># a jet can be from a light quark or b quark
ma5>define jets = j
ma5>define e = e+ e-
ma5>define mu = mu+ mu-
ma5>define ta = ta+ ta-
ma5>define lept = e mu ta
ma5>define ax = 9000005
ma5># selections
ma5>select (sdETA(jets[1] jets[2]) > 2.6 or sdETA(jets[1] jets[2]) < -2.6) and M(jets[1]
jets[2]) > 1250
ma5>select PT(a[1]) > 100 and M(a[1] a[2]) > 200
ma5>submit analysis_loose_pta100_maa200
```

1.2 Configuration

- MadAnalysis version 1.6.33 (2017/11/20).
- Histograms given for an integrated luminosity of 40.0fb^{-1}.

2 Datasets

2.1 signal

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization .
- Sample consisting of: signal events.
- Generated events: 1000000 events.
- Normalization to the luminosity: 4094+/- 2 events.
- Ratio (event weight): 0.0041 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/-madgraph_data/axion_signal/-axion_signal_gurrola_cuts_1MeV.ll	1000000	0.102 @ 0.028%	0.0

2.2 bg_vbf_0_100

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization .
- Sample consisting of: background events.
- Generated events: 1000000 events.
- Normalization to the luminosity: 12150+/- 24 events.
- Ratio (event weight): 0.012 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_0_1(	1000000	0.304 @ 0.19%	0.0

2.3 bg_vbf_100_200

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization .
- Sample consisting of: background events.
- Generated events: 965662 events.

- Normalization to the luminosity: 9695+/- 17 events.
- Ratio (event weight): 0.01 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_100_	965662	0.242 @ 0.17%	0.0

2.4 bg_vbf_200_400

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization .
- Sample consisting of: background events.
- Generated events: 984165 events.
- Normalization to the luminosity: 5413+/- 11 events.
- Ratio (event weight): 0.0055 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_200_	984165	0.135 @ 0.2%	0.0

2.5 bg_vbf_400_600

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization .
- Sample consisting of: background events.
- Generated events: 1000000 events.
- Normalization to the luminosity: 986+/- 2 events.
- Ratio (event weight): 0.00099 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_400_	1000000	0.0247 @ 0.14%	0.0

2.6 bg_vbf_600_800

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization .
- Sample consisting of: background events.
- Generated events: 1000000 events.
- Normalization to the luminosity: 252+/- 1 events.
- Ratio (event weight): 0.00025 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_600_	1000000	0.0063 @ 0.13%	0.0

2.7 bg_vbf_800_1200

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization .
- Sample consisting of: background events.
- Generated events: 400839 events.
- Normalization to the luminosity: 114+/- 1 events.
- Ratio (event weight): 0.00028 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_800_	400839	0.00287 @ 0.16%	0.0

2.8 bg_vbf_1200_1600

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization .
- Sample consisting of: background events.
- Generated events: 953803 events.
- Normalization to the luminosity: 20+/- 1 events.
- Ratio (event weight): 2.1e-05 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_1200	953803	0.000515 @ 0.16%	0.0

2.9 bg_vbf_1600_inf

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization .
- Sample consisting of: background events.
- Generated events: 270148 events.
- Normalization to the luminosity: 7+/- 1 events.
- Ratio (event weight): 2.6e-05 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_1600	270148	0.000191 @ 0.11%	0.0

2.10 bg_dip_0_100

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization .
- Sample consisting of: background events.
- Generated events: 1040000 events.
- Normalization to the luminosity: 2710847+/- 4614 events.

- Ratio (event weight): 2.6 - warning: please generate more events (weight larger than 1)!

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-diphoton_double_isr_background_c merged_lhe/-diphoton_double_isr_background_l	1040000	67.8 @ 0.17%	0.0

2.11 bg_dip_100_200

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization .
- Sample consisting of: background events.
- Generated events: 1040000 events.
- Normalization to the luminosity: 1095362+/- 1528 events.
- Ratio (event weight): 1.1 - warning: please generate more events (weight larger than 1)!

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-diphoton_double_isr_background_c merged_lhe/-diphoton_double_isr_background_l	1040000	27.4 @ 0.14%	0.0

2.12 bg_dip_200_400

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization .
- Sample consisting of: background events.
- Generated events: 1040000 events.
- Normalization to the luminosity: 239548+/- 414 events.
- Ratio (event weight): 0.23 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-diphoton_double_isr_background_c merged_lhe/-diphoton_double_isr_background_l	1040000	5.99 @ 0.17%	0.0

2.13 bg_dip_400_600

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization .
- Sample consisting of: background events.
- Generated events: 1040000 events.
- Normalization to the luminosity: 28798+/- 53 events.
- Ratio (event weight): 0.028 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-diphoton_double_isr_background_merged_lhe/-diphoton_double_isr_background_l	1040000	0.72 @ 0.18%	0.0

2.14 bg_dip_600_800

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization .
- Sample consisting of: background events.
- Generated events: 662009 events.
- Normalization to the luminosity: 6674+/- 28 events.
- Ratio (event weight): 0.01 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-diphoton_double_isr_background_merged_lhe/-diphoton_double_isr_background_l	662009	0.167 @ 0.41%	0.0

2.15 bg_dip_800_1200

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization .
- Sample consisting of: background events.
- Generated events: 1040000 events.
- Normalization to the luminosity: 2942+/- 6 events.

- Ratio (event weight): 0.0028 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-diphoton_double_isr_background_c merged_lhe/-diphoton_double_isr_background_l	1040000	0.0736 @ 0.17%	0.0

2.16 bg_dip_1200_1600

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization .
- Sample consisting of: background events.
- Generated events: 337115 events.
- Normalization to the luminosity: 513+/- 3 events.
- Ratio (event weight): 0.0015 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-diphoton_double_isr_background_c merged_lhe/-diphoton_double_isr_background_l	337115	0.0128 @ 0.51%	0.0

2.17 bg_dip_1600_inf

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization .
- Sample consisting of: background events.
- Generated events: 1040000 events.
- Normalization to the luminosity: 187+/- 1 events.
- Ratio (event weight): 0.00018 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-diphoton_double_isr_background_c merged_lhe/-diphoton_double_isr_background_l	1040000	0.00469 @ 0.15%	0.0

3 Histos and cuts

3.1 Cut 1

*** Cut: select (sdETA (jets[1] jets[2]) > 2.6 or sdETA (jets[1] jets[2]) < -2.6) and M (jets[1] jets[2]) > 1250.0**

Dataset	Events kept: K	Rejected events: R	Efficiency: K / (K + R)	Cumul. efficiency: K / Initial
signal	1711.8 +/- 31.6	2382.3 +/- 31.6	0.41812 +/- 0.00771	0.41812 +/- 0.00771
bg_vbf_0_10	204.2 +/- 14.2	11946.1 +/- 26.8	0.01681 +/- 0.00117	0.01681 +/- 0.00117
bg_vbf_100_	950.9 +/- 29.3	8744.4 +/- 32.9	0.09808 +/- 0.00302	0.09808 +/- 0.00302
bg_vbf_200_	1147.9 +/- 30.2	4265.4 +/- 31.3	0.21205 +/- 0.00556	0.21205 +/- 0.00556
bg_vbf_400_	349.4 +/- 15.0	637.5 +/- 15.0	0.3540 +/- 0.0152	0.3540 +/- 0.0152
bg_vbf_600_	111.21 +/- 7.88	140.87 +/- 7.89	0.4412 +/- 0.0313	0.4412 +/- 0.0313
bg_vbf_800_	40.31 +/- 5.11	74.45 +/- 5.12	0.3513 +/- 0.0446	0.3513 +/- 0.0446
bg_vbf_1200_	4.49 +/- 1.87	16.10 +/- 1.87	0.218 +/- 0.091	0.218 +/- 0.091
bg_vbf_1600_	0.784 +/- 0.839	6.874 +/- 0.839	0.102 +/- 0.110	0.102 +/- 0.110
bg_dip_0_10	229.4 +/- 15.1	2710617 +/- 4612	8.46e-05 +/- 5.59e-06	8.46e-05 +/- 5.59e-06
bg_dip_100_	990.1 +/- 31.5	1094372 +/- 1526	9.04e-04 +/- 2.87e-05	9.04e-04 +/- 2.87e-05
bg_dip_200_	1641.8 +/- 40.5	237907 +/- 412	0.006854 +/- 0.000169	0.006854 +/- 0.000169
bg_dip_400_	1066.5 +/- 32.1	27732.1 +/- 59.6	0.03703 +/- 0.00111	0.03703 +/- 0.00111
bg_dip_600_	531.3 +/- 22.2	6143.1 +/- 33.7	0.07960 +/- 0.00331	0.07960 +/- 0.00331
bg_dip_800_	193.3 +/- 13.4	2749.1 +/- 14.2	0.06568 +/- 0.00457	0.06568 +/- 0.00457
bg_dip_1200_	21.80 +/- 4.57	491.71 +/- 5.22	0.0424 +/- 0.0089	0.0424 +/- 0.0089
bg_dip_1600_	4.1 +/- 2.0	183.71 +/- 2.01	0.0217 +/- 0.0106	0.0217 +/- 0.0106

3.2 Cut 2

*** Cut: select PT (a[1]) > 100.0 and M (a[1] a[2]) > 200.0**

Dataset	Events kept: K	Rejected events: R	Efficiency: K / (K + R)	Cumul. efficiency: K / Initial
signal	1599.8 +/- 31.2	112.0 +/- 10.4	0.93458 +/- 0.00598	0.39076 +/- 0.00763
bg_vbf_0_10	1.75 +/- 1.32	202.5 +/- 14.1	0.00857 +/- 0.00645	0.000144 +/- 0.000109
bg_vbf_100_	30.21 +/- 5.49	920.7 +/- 28.9	0.03177 +/- 0.00569	0.003116 +/- 0.000566
bg_vbf_200_	107.6 +/- 10.3	1040.3 +/- 29.1	0.0937 +/- 0.0086	0.0199 +/- 0.0019
bg_vbf_400_	54.9 +/- 7.2	294.5 +/- 14.4	0.1570 +/- 0.0195	0.05559 +/- 0.00729
bg_vbf_600_	21.27 +/- 4.41	89.94 +/- 7.61	0.1912 +/- 0.0373	0.0844 +/- 0.0175
bg_vbf_800_	9.28 +/- 2.92	31.03 +/- 4.76	0.2302 +/- 0.0663	0.0808 +/- 0.0254
bg_vbf_1200_	1.13 +/- 1.03	3.36 +/- 1.68	0.252 +/- 0.205	0.0549 +/- 0.0502
bg_vbf_1600_	0.201 +/- 0.442	0.583 +/- 0.734	0.256 +/- 0.493	0.0262 +/- 0.0577
bg_dip_0_10	0.0 +/- 0.0	229.4 +/- 15.1	0.0 +/- 0.0	0.0 +/- 0.0
bg_dip_100_	46.36 +/- 6.81	943.7 +/- 30.7	0.04682 +/- 0.00671	4.23e-05 +/- 6.22e-06
bg_dip_200_	133.8 +/- 11.6	1508.0 +/- 38.8	0.08151 +/- 0.00675	5.59e-04 +/- 4.83e-05
bg_dip_400_	111.5 +/- 10.5	955.0 +/- 30.4	0.10455 +/- 0.00937	0.003872 +/- 0.000366
bg_dip_600_	66.66 +/- 8.13	464.6 +/- 20.9	0.1255 +/- 0.0144	0.00999 +/- 0.00122
bg_dip_800_	31.54 +/- 5.59	161.7 +/- 12.4	0.1632 +/- 0.0266	0.0107 +/- 0.0019
bg_dip_1200_	4.10 +/- 2.02	17.70 +/- 4.14	0.1879 +/- 0.0837	0.00798 +/- 0.00393
bg_dip_1600_	0.817 +/- 0.902	3.25 +/- 1.79	0.201 +/- 0.198	0.00435 +/- 0.00480

4 Summary

4.1 Cut-flow charts

- How to compare signal (S) and background (B): S/sqrt(S+B) .
- Object definition selections are indicated in cyan.
- Reject and select are indicated by 'REJ' and 'SEL' respectively

Cuts	Signal (S)	Background (B)	S vs B
Initial (no cut)	4094.08 +/- 1.13	4113516 +/- 4877	2.01760 +/- 0.00132
SEL: (sdETA (jets[1] jets[2]) > 2.6 or sdETA (	1711.8 +/- 31.6	7487.3 +/- 82.9	17.848 +/- 0.309
SEL: PT (a[1]) > 100.0 and M (a[1] a[2]) > 200	1599.8 +/- 31.2	621.1 +/- 24.7	33.947 +/- 0.464