The LaTeX report

Generated by elijahsheridan on 22 March 2020, 20:30:34

This report has been generated automatically by MadAnalysis 5.

Please cite:

> **E. Conte, B. Fuks and G. Serret**,
> *MadAnalysis 5, A User-Friendly Framework for Collider Phenomenology*,
> Comput. Phys. Commun. **184** (2013) 222-256,
> arXiv:1206.1599 [hep-ph].

To contact us:

> **http://madanalysis.irmp.ucl.ac.be**
> **ma5team@iphc.cnrs.fr**

Contents

1 Setup

1.1 Command history

```
ma5>
# set directory where running "./bin/ma5"; set lumi; define the signal significance
ma5>set main.currentdir = /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data # need to
change this directory path -> exit and type "pwd" to get the path
ma5>set main.lumi = 40.0
ma5>set main.SBratio = 'S/sqrt(S+B)'
ma5>
# import samples -> change the path to the LHE file
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/axion_signal/axion_signal_gurrola_cuts_
as signal
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/vbf_diphoton_background_data/-
merged_lhe/vbf_diphoton_background_ht_0_100_merged.lhe.gz as bg_vbf_0_100
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/vbf_diphoton_background_data/-
merged_lhe/vbf_diphoton_background_ht_100_200_merged.lhe.gz as bg_vbf_100_200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/vbf_diphoton_background_data/-
merged_lhe/vbf_diphoton_background_ht_200_400_merged.lhe.gz as bg_vbf_200_400
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/vbf_diphoton_background_data/-
merged_lhe/vbf_diphoton_background_ht_400_600_merged.lhe.gz as bg_vbf_400_600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/vbf_diphoton_background_data/-
merged_lhe/vbf_diphoton_background_ht_600_800_merged.lhe.gz as bg_vbf_600_800
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/vbf_diphoton_background_data/-
merged_lhe/vbf_diphoton_background_ht_800_1200_merged.lhe.gz as bg_vbf_800_1200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/vbf_diphoton_background_data/-
merged_lhe/vbf_diphoton_background_ht_1200_1600_merged.lhe.gz as bg_vbf_1200_1600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/vbf_diphoton_background_data/-
merged_lhe/vbf_diphoton_background_ht_1600_inf_merged.lhe.gz as bg_vbf_1600_inf
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/diphoton_double_isr_background_data/-
merged_lhe/diphoton_double_isr_background_ht_0_100_merged.lhe.gz as bg_dip_0_100
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/diphoton_double_isr_background_data/-
merged_lhe/diphoton_double_isr_background_ht_100_200_merged.lhe.gz as bg_dip_100_200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/diphoton_double_isr_background_data/-
merged_lhe/diphoton_double_isr_background_ht_200_400_merged.lhe.gz as bg_dip_200_400
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/diphoton_double_isr_background_data/-
merged_lhe/diphoton_double_isr_background_ht_400_600_merged.lhe.gz as bg_dip_400_600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/diphoton_double_isr_background_data/-
merged_lhe/diphoton_double_isr_background_ht_600_800_merged.lhe.gz as bg_dip_600_800
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/diphoton_double_isr_background_data/-
merged_lhe/diphoton_double_isr_background_ht_800_1200_merged.lhe.gz as bg_dip_800_1200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/diphoton_double_isr_background_data/-
merged_lhe/diphoton_double_isr_background_ht_1200_1600_merged.lhe.gz as bg_dip_1200_1600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/diphoton_double_isr_background_data/-
merged_lhe/diphoton_double_isr_background_ht_1600_inf_merged.lhe.gz as bg_dip_1600_inf
ma5>
# define bg and signal samples
ma5>set signal.type = signal
ma5>set bg_vbf_0_100.type = background
ma5>set bg_vbf_100_200.type = background
ma5>set bg_vbf_200_400.type = background
ma5>set bg_vbf_400_600.type = background
```

```
ma5>set bg_vbf_600_800.type = background
ma5>set bg_vbf_800_1200.type = background
ma5>set bg_vbf_1200_1600.type = background
ma5>set bg_vbf_1600_inf.type = background
ma5>set bg_dip_0_100.type = background
ma5>set bg_dip_100_200.type = background
ma5>set bg_dip_200_400.type = background
ma5>set bg_dip_400_600.type = background
ma5>set bg_dip_600_800.type = background
ma5>set bg_dip_800_1200.type = background
ma5>set bg_dip_1200_1600.type = background
ma5>set bg_dip_1600_inf.type = background
ma5># define weights for the samples
ma5>#set sample_1.weight = 1
ma5>#set sample_2.weight = 1
ma5># a jet can be from a light quark or b quark
ma5>define jets = j
ma5>define e = e+ e-
ma5>define mu = mu+ mu-
ma5>define ta = ta+ ta-
ma5>define lept = e mu ta
ma5># reduce contribution from V+Zp ==> jj+Zp
ma5>select sdETA(jets[1] jets[2]) > 3.6 and M(jets[1] jets[2]) > 1250
ma5>submit lum_probe_40_tight
```

1.2 Configuration

- MadAnalysis version 1.6.33 (2017/11/20).
- Histograms given for an integrated luminosity of 40.0fb^{-1}.

2 Datasets

2.1 signal

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .
- Sample consisting of: signal events.
- Generated events: 1000000 events.
- Normalization to the luminosity: 4094+/- 2 events.
- Ratio (event weight): 0.0041 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/axion_signal/-axion_signal_gurrola_cuts_1MeV.lh	1000000	0.102 @ 0.028%	0.0

2.2 bg_vbf_0_100

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .
- Sample consisting of: background events.
- Generated events: 1000000 events.
- Normalization to the luminosity: 12150+/- 24 events.
- Ratio (event weight): 0.012 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_0_1(	1000000	0.304 @ 0.19%	0.0

2.3 bg_vbf_100_200

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .
- Sample consisting of: background events.
- Generated events: 965662 events.
- Normalization to the luminosity: 9695+/- 17 events.

- Ratio (event weight): 0.01 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_100_	965662	0.242 @ 0.17%	0.0

2.4 bg_vbf_200_400

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .
- Sample consisting of: background events.
- Generated events: 984165 events.
- Normalization to the luminosity: 5413+/- 11 events.
- Ratio (event weight): 0.0055 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_200_	984165	0.135 @ 0.2%	0.0

2.5 bg_vbf_400_600

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .
- Sample consisting of: background events.
- Generated events: 1000000 events.
- Normalization to the luminosity: 986+/- 2 events.
- Ratio (event weight): 0.00099 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_400_	1000000	0.0247 @ 0.14%	0.0

2.6 bg_vbf_600_800

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .
- Sample consisting of: background events.
- Generated events: 1000000 events.
- Normalization to the luminosity: 252+/- 1 events.
- Ratio (event weight): 0.00025 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_600_	1000000	0.0063 @ 0.13%	0.0

2.7 bg_vbf_800_1200

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .
- Sample consisting of: background events.
- Generated events: 400839 events.
- Normalization to the luminosity: 114+/- 1 events.
- Ratio (event weight): 0.00028 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_800_	400839	0.00287 @ 0.16%	0.0

2.8 bg_vbf_1200_1600

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .
- Sample consisting of: background events.
- Generated events: 953803 events.
- Normalization to the luminosity: 20+/- 1 events.

- Ratio (event weight): 2.1e-05 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_1200	953803	0.000515 @ 0.16%	0.0

2.9 bg_vbf_1600_inf

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .
- Sample consisting of: background events.
- Generated events: 270148 events.
- Normalization to the luminosity: 7+/- 1 events.
- Ratio (event weight): 2.6e-05 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_1600	270148	0.000191 @ 0.11%	0.0

2.10 bg_dip_0_100

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .
- Sample consisting of: background events.
- Generated events: 1040000 events.
- Normalization to the luminosity: 2710847+/- 4614 events.
- Ratio (event weight): 2.6 - warning: please generate more events (weight larger than 1)!

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/-diphoton_double_isr_background_d-merged_lhe/-diphoton_double_isr_background_l	1040000	67.8 @ 0.17%	0.0

2.11 bg_dip_100_200

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .
- Sample consisting of: background events.
- Generated events: 1040000 events.
- Normalization to the luminosity: 1095362+/- 1528 events.
- Ratio (event weight): 1.1 - warning: please generate more events (weight larger than 1)!

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/-diphoton_double_isr_background_c merged_lhe/-diphoton_double_isr_background_l	1040000	27.4 @ 0.14%	0.0

2.12 bg_dip_200_400

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .
- Sample consisting of: background events.
- Generated events: 1040000 events.
- Normalization to the luminosity: 239548+/- 414 events.
- Ratio (event weight): 0.23 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/-diphoton_double_isr_background_c merged_lhe/-diphoton_double_isr_background_l	1040000	5.99 @ 0.17%	0.0

2.13 bg_dip_400_600

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .
- Sample consisting of: background events.
- Generated events: 1040000 events.
- Normalization to the luminosity: 28798+/- 53 events.

- Ratio (event weight): 0.028 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_data/- diphoton_double_isr_background_ merged_lhe/- diphoton_double_isr_background_l	1040000	0.72 @ 0.18%	0.0

2.14 bg_dip_600_800

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .
- Sample consisting of: background events.
- Generated events: 662009 events.
- Normalization to the luminosity: 6674+/- 28 events.
- Ratio (event weight): 0.01 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_data/- diphoton_double_isr_background_ merged_lhe/- diphoton_double_isr_background_l	662009	0.167 @ 0.41%	0.0

2.15 bg_dip_800_1200

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .
- Sample consisting of: background events.
- Generated events: 1040000 events.
- Normalization to the luminosity: 2942+/- 6 events.
- Ratio (event weight): 0.0028 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_data/- diphoton_double_isr_background_ merged_lhe/- diphoton_double_isr_background_l	1040000	0.0736 @ 0.17%	0.0

2.16 bg_dip_1200_1600

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .
- Sample consisting of: background events.
- Generated events: 337115 events.
- Normalization to the luminosity: 513+/- 3 events.
- Ratio (event weight): 0.0015 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/-diphoton_double_isr_background_c merged_lhe/-diphoton_double_isr_background_l	337115	0.0128 @ 0.51%	0.0

2.17 bg_dip_1600_inf

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .
- Sample consisting of: background events.
- Generated events: 1040000 events.
- Normalization to the luminosity: 187+/- 1 events.
- Ratio (event weight): 0.00018 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/-diphoton_double_isr_background_c merged_lhe/-diphoton_double_isr_background_l	1040000	0.00469 @ 0.15%	0.0

3 Histos and cuts

3.1 Cut 1

*** Cut: select sdETA (jets[1] jets[2]) > 3.6 and M (jets[1] jets[2]) > 1250.0**

Dataset	Events kept: K	Rejected events: R	Efficiency: K / (K + R)	Cumul. efficiency: K / Initial
signal	405.3 +/- 19.1	3688.8 +/- 19.1	0.09899 +/- 0.00467	0.09899 +/- 0.00467
bg_vbf_0_10	102.9 +/- 10.1	12047.5 +/- 25.0	0.008467 +/- 0.000831	0.008467 +/- 0.000831
bg_vbf_100_	477.8 +/- 21.3	9217.5 +/- 26.5	0.0493 +/- 0.0022	0.0493 +/- 0.0022
bg_vbf_200_	573.7 +/- 22.7	4839.6 +/- 24.7	0.10598 +/- 0.00418	0.10598 +/- 0.00418
bg_vbf_400_	136.8 +/- 10.9	850.1 +/- 10.9	0.139 +/- 0.011	0.139 +/- 0.011
bg_vbf_600_	23.84 +/- 4.65	228.24 +/- 4.65	0.0946 +/- 0.0184	0.0946 +/- 0.0184
bg_vbf_800_	6.03 +/- 2.39	108.7 +/- 2.4	0.0526 +/- 0.0208	0.0526 +/- 0.0208
bg_vbf_1200_	0.336 +/- 0.575	20.260 +/- 0.576	0.0163 +/- 0.0279	0.0163 +/- 0.0279
bg_vbf_1600_	0.0247 +/- 0.1569	7.634 +/- 0.157	0.00323 +/- 0.02049	0.00323 +/- 0.02049
bg_dip_0_10	117.3 +/- 10.8	2710729 +/- 4613	4.33e-05 +/- 3.99e-06	4.33e-05 +/- 3.99e-06
bg_dip_100_	496.1 +/- 22.3	1094866 +/- 1526	4.53e-04 +/- 2.03e-05	4.53e-04 +/- 2.03e-05
bg_dip_200_	814.2 +/- 28.5	238734 +/- 413	0.003399 +/- 0.000119	0.003399 +/- 0.000119
bg_dip_400_	293.0 +/- 17.0	28505.7 +/- 54.4	0.010174 +/- 0.000591	0.010174 +/- 0.000591
bg_dip_600_	44.57 +/- 6.66	6629.8 +/- 28.2	0.006677 +/- 0.000997	0.006677 +/- 0.000997
bg_dip_800_	10.89 +/- 3.29	2931.45 +/- 6.02	0.00370 +/- 0.00112	0.00370 +/- 0.00112
bg_dip_1200_	0.675 +/- 0.821	512.83 +/- 2.75	0.00131 +/- 0.00160	0.00131 +/- 0.00160
bg_dip_1600_	0.0437 +/- 0.2090	187.740 +/- 0.348	0.000233 +/- 0.001113	0.000233 +/- 0.001113

4 Summary

4.1 Cut-flow charts

- How to compare signal (S) and background (B): S/sqrt(S+B) .
- Object definition selections are indicated in cyan.
- Reject and select are indicated by 'REJ' and 'SEL' respectively

Cuts	Signal (S)	Background (B)	S vs B
Initial (no cut)	4094.08 +/- 1.13	4113516 +/- 4877	2.01760 +/- 0.00132
SEL: sdETA (jets[1] jets[2]) > 3.6 and M (jets[	405.3 +/- 19.1	3098.1 +/- 54.7	6.847 +/- 0.309