

### Generated by elijahsheridan on 29 September 2020, 14:52:45

This report has been generated automatically by Madanalysis 5.

Please cite:

E. Conte, B. Fuks and G. Serret,

MadAnalysis 5, A User-Friendly Framework for Collider Phenomenology, Comput. Phys. Commun. **184** (2013) 222-256, arXiv:1206.1599 [hep-ph].

To contact us:

 ${\bf http://madanalysis.irmp.ucl.ac.be} \\ {\bf ma5team@iphc.cnrs.fr} \\$ 

#### Contents Setup 2 1.1 Command history 1.2 Configuration 3 Datasets 4 2.1signal 4 2.2 $bg\_vbf\_0\_100$ 4 2.3 $bg\_vbf\_100\_200$ 4 2.4 $bg\_vbf\_200\_400$ 5 $bg\_vbf\_400\_600$ 2.55 6 2.6 bg\_vbf\_600\_800 $2.7 ext{ bg\_vbf\_}800\_1200$ 6 bg\_vbf\_1200\_1600 7 2.8 2.9 bg\_vbf\_1600\_inf 7 $2.10 \ bg_dip_0_100$ 7 $2.11 \ \ \mathrm{bg\_dip\_100\_200}$ 8 2.12 bg dip 200 4008 2.13 bg dip 400 600 9 $2.14 \ \ bg\_dip\_600\_800$ 9 9 $2.15 \ \text{bg\_dip\_}800\_1200$ $2.16 \ \ bg\_dip\_1200\_1600$ 10 $2.17 \hspace{0.1in} bg\_dip\_1600\_inf$ 10 Histos and cuts 11 3.1 Cut 1 11 **12** Summary 4.1 Cut-flow charts 12

# 1 Setup

#### 1.1 Command history

```
ma5>set main.currentdir = /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/optimization/-
ma_scripts
ma5># set directory where running "./bin/ma5"
ma5>set main.currentdir = /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data
# need to change this directory path -> exit and type "pwd" to get the path
ma5>set main.lumi = 40
ma5>set main.fom.formula = 5
ma5>set main.fom.x = 0.0
ma5># import samples -> change the path to the LHE file
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/axion_signal/-
on_discovery_contour/ma100MeV_L2pt2TeV_deta2.lhe.gz as signal
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_0_100_merged.lhe.gz as bg_vbf_0_100
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_100_200_merged.lhe.gz as bg_vbf_100_200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_200_400_merged.lhe.gz as bg_vbf_200_400
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_400_600_merged.lhe.gz as bg_vbf_400_600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_600_800_merged.lhe.gz as bg_vbf_600_800
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_800_1200_merged.lhe.gz as bg_vbf_800_1200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_1200_1600_merged.lhe.gz as bg_vbf_1200_1600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_1600_inf_merged.lhe.gz as bg_vbf_1600_inf
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_0_100_merged.lhe.gz as bg_dip_0_100
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_100_200_merged.lhe.gz as bg_dip_100_200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_200_400_merged.lhe.gz as bg_dip_200_400
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_400_600_merged.lhe.gz as bg_dip_400_600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_600_800_merged.lhe.gz as bg_dip_600_800
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_800_1200_merged.lhe.gz as bg_dip_800_1200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_1200_1600_merged.lhe.gz as bg_dip_1200_1600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_1600_inf_merged.lhe.gz as bg_dip_1600_inf
ma5># define bg and signal samples
ma5>set signal.type = signal
ma5>set bg_vbf_0_100.type = background
```

```
ma5>set bg_vbf_100_200.type = background
ma5>set bg_vbf_200_400.type = background
ma5>set bg_vbf_400_600.type = background
ma5>set bg_vbf_600_800.type = background
ma5>set bg_vbf_800_1200.type = background
ma5>set bg_vbf_1200_1600.type = background
ma5>set bg_vbf_1600_inf.type = background
ma5>set bg_dip_0_100.type = background
ma5>set bg_dip_100_200.type = background
ma5>set bg_dip_200_400.type = background
ma5>set bg_dip_400_600.type = background
ma5>set bg_dip_600_800.type = background
ma5>set bg_dip_800_1200.type = background
ma5>set bg_dip_1200_1600.type = background
ma5>set bg_dip_1600_inf.type = background
ma5># a jet can be from a light quark or b quark
ma5>define jets = j
ma5>define e = e+ e-
ma5>define mu = mu+ mu-
ma5>define ta = ta+ ta-
ma5>define lept = e mu ta
ma5>define ax = 9000005
ma5>select ((sdETA(jets[1] jets[2]) > 3.1 or sdETA(jets[1] jets[2]) < -3.1) and M(jets[1]
jets[2]) > 1250) and (PT(a[1]) > 300 and M(a[1] a[2]) > 500)
ma5>submit disc_contour_sdEta3.1_mjj1250
```

#### 1.2 Configuration

- MadAnalysis version 1.6.33 (2017/11/20).
- Histograms given for an integrated luminosity of 40.0fb<sup>-1</sup>.

#### 2 Datasets

#### 2.1 signal

 $\bullet$  Samples stored in the directory: /Users/elijahsheridan/MG5\_aMC\_v2\_6\_5/axion\_pheno/post\_optimization studies/disc\_contour\_jet\_optimization .

• Sample consisting of: signal events.

• Generated events: 100000 events.

• Normalization to the luminosity: 69+/-1 events.

• Ratio (event weight): 0.00069.

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
$MG5\_aMC\_v2\_6\_5/-$			
axion_pheno/-	100000	0.00174 @ 0.094%	0.0
$madgraph\_data/axion\_signal/-$	100000	0.00174 @ 0.09470	0.0
on_discovery_contour/-			
$ma100 MeV\_L2pt2 TeV\_deta2.lhe.gz$			

### $\mathbf{2.2} \quad \mathbf{bg\_vbf\_0\_100}$

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5\_aMC\_v2\_6\_5/axion\_pheno/post\_optimization\_studies/disc\_contour\_jet\_optimization\ .$ 

• Sample consisting of: background events.

• Generated events: 1000000 events.

 $\bullet$  Normalization to the luminosity: 12150+/- 24  $\,$  events.

• Ratio (event weight): 0.012 .

		Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht 0 1	0.304 @ 0.19%	0.0

# $\mathbf{2.3} \quad \mathbf{bg\_vbf\_100\_200}$

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5\_aMC\_v2\_6\_5/axion\_pheno/post\_optimization\_studies/disc\_contour\_jet\_optimization\ .$ 

• Sample consisting of: background events.

• Generated events: 965662 events.

 $\bullet$  Normalization to the luminosity: 9695+/- 17  $\,$  events.

• Ratio (event weight): 0.01.

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_100_	965662	0.242 @ 0.17%	0.0

### $2.4 \quad bg\_vbf\_200\_400$

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5\_aMC\_v2\_6\_5/axion\_pheno/post\_optimization\_studies/disc\_contour\_jet\_optimization\ .$ 

• Sample consisting of: background events.

• Generated events: 984165 events.

 $\bullet$  Normalization to the luminosity: 5413+/- 11 events.

• Ratio (event weight): 0.0055.

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
$MG5\_aMC\_v2\_6\_5/-$			
$axion\_pheno/madgraph\_data/-$	004165	0.127 @ 0.207	0.0
vbf_diphoton_background_data/-	984165	0.135 @ 0.2%	0.0
$\mathrm{merged\_lhe/-}$			
vbf_diphoton_background_ht_200_			

### $\mathbf{2.5} \quad \mathbf{bg\_vbf\_400\_600}$

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5\_aMC\_v2\_6\_5/axion\_pheno/post\_optimization\_studies/disc\_contour\_jet\_optimization\ .$ 

• Sample consisting of: background events.

• Generated events: 1000000 events.

• Normalization to the luminosity: 986+/-2 events.

 $\bullet$  Ratio (event weight): 0.00099 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_400_	1000000	0.0247 @ 0.14%	0.0

# $2.6 \quad \mathrm{bg\_vbf\_600\_800}$

- $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5\_aMC\_v2\_6\_5/axion\_pheno/post\_optimization\_studies/disc\_contour\_jet\_optimization \ .$
- Sample consisting of: background events.
- Generated events: 1000000 events.
- Normalization to the luminosity: 252+/-1 events.
- Ratio (event weight): 0.00025 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_600_	1000000	0.0063 @ 0.13%	0.0

# 2.7 bg\_vbf\_800\_1200

- $\bullet$  Samples stored in the directory: /Users/elijahsheridan/MG5\_aMC\_v2\_6\_5/axion\_pheno/post\_optimization studies/disc\_contour\_jet\_optimization .
- Sample consisting of: background events.
- $\bullet$  Generated events: 400839 events.
- Normalization to the luminosity: 114+/- 1 events.
- $\bullet$  Ratio (event weight): 0.00028.

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
$MG5\_aMC\_v2\_6\_5/-$			
$axion\_pheno/madgraph\_data/-$	400020	0.00287 @ 0.16%	0.0
vbf_diphoton_background_data/-	400839	0.00207 @ 0.10%	0.0
merged_lhe/-			
vbf_diphoton_background_ht_800_			

### $2.8 \quad \ \, bg\_vbf\_1200\_1600$

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5\_aMC\_v2\_6\_5/axion\_pheno/-post\_optimization\_studies/disc\_contour\_jet\_optimization \ .$ 

• Sample consisting of: background events.

• Generated events: 953803 events.

• Normalization to the luminosity: 20+/- 1 events.

• Ratio (event weight): 2.1e-05 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
$MG5\_aMC\_v2\_6\_5/-$			
$axion\_pheno/madgraph\_data/-$	052002	0.000515 @ 0.16%	0.0
vbf_diphoton_background_data/-	953803	0.000313 @ 0.10%	0.0
$merged_lhe/-$			
vbf_diphoton_background_ht_1200			

#### 2.9 bg vbf 1600 inf

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5\_aMC\_v2\_6\_5/axion\_pheno/post\_optimization\_studies/disc\_contour\_jet\_optimization\ .$ 

• Sample consisting of: background events.

 $\bullet$  Generated events: 270148 events.

• Normalization to the luminosity: 7+/-1 events.

• Ratio (event weight): 2.6e-05 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_1600	270148	0.000191 @ 0.11%	0.0

#### $2.10 \quad \text{bg dip } 0 \quad 100$

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5\_aMC\_v2\_6\_5/axion\_pheno/post\_optimization\_studies/disc\_contour\_jet\_optimization \ .$ 

• Sample consisting of: background events.

• Generated events: 1040000 events.

 $\bullet$  Normalization to the luminosity: 2710847+/- 4614 events.

• Ratio (event weight): 2.6 - warning: please generate more events (weight larger than 1)!

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
$MG5\_aMC\_v2\_6\_5/-$			
$axion\_pheno/madgraph\_data/-$	1040000	67.8 @ 0.17%	0.0
diphoton_double_isr_background_o	1040000	07.8 @ 0.1770	0.0
$merged_lhe/-$			
diphoton_double_isr_background_l			

### 2.11 bg dip 100 200

- $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5\_aMC\_v2\_6\_5/axion\_pheno/post\_optimization\_studies/disc\_contour\_jet\_optimization \ .$
- Sample consisting of: background events.
- Generated events: 1040000 events.
- Normalization to the luminosity: 1095362+/- 1528 events.
- Ratio (event weight): 1.1 warning: please generate more events (weight larger than 1)!

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
$MG5\_aMC\_v2\_6\_5/-$			
$axion\_pheno/madgraph\_data/-$	1040000	27.4 @ 0.14%	0.0
diphoton_double_isr_background_d	1040000	27.4 @ 0.14%	0.0
$merged_lhe/-$			
diphoton_double_isr_background_l			

# $2.12 \quad \ \, \text{bg\_dip\_200\_400}$

- $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5\_aMC\_v2\_6\_5/axion\_pheno/post\_optimization\_studies/disc\_contour\_jet\_optimization \ .$
- Sample consisting of: background events.
- $\bullet$  Generated events:  $1040000\,$  events.
- Normalization to the luminosity: 239548+/- 414 events.
- Ratio (event weight): 0.23 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
$MG5\_aMC\_v2\_6\_5/-$			
$axion\_pheno/madgraph\_data/-$	1040000	5.99 @ 0.17%	0.0
diphoton_double_isr_background_d	1040000	5.99 @ 0.1770	0.0
$\mathrm{merged\_lhe/-}$			
diphoton double isr background b			

#### $2.13 \quad bg_dip_400_600$

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5\_aMC\_v2\_6\_5/axion\_pheno/-post\_optimization\_studies/disc\_contour\_jet\_optimization \ .$ 

• Sample consisting of: background events.

• Generated events: 1040000 events.

• Normalization to the luminosity: 28798+/- 53 events.

• Ratio (event weight): 0.028 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
$MG5\_aMC\_v2\_6\_5/-$			
$axion\_pheno/madgraph\_data/-$	1040000	0.72 @ 0.18%	0.0
diphoton_double_isr_background_o	1040000	0.72 @ 0.18%	0.0
$\mathrm{merged\_lhe/-}$			
diphoton_double_isr_background_l			

#### 2.14 bg dip 600 800

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5\_aMC\_v2\_6\_5/axion\_pheno/post\_optimization\_studies/disc\_contour\_jet\_optimization\ .$ 

• Sample consisting of: background events.

 $\bullet$  Generated events: 662009 events.

• Normalization to the luminosity: 6674+/- 28 events.

• Ratio (event weight): 0.01 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
MG5_aMC_v2_6_5/- axion pheno/madgraph data/-			
diphoton double isr background of	662009	0.167 @ 0.41%	0.0
merged_lhe/-			
diphoton_double_isr_background_l			

#### 2.15 bg dip 800 1200

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5\_aMC\_v2\_6\_5/axion\_pheno/post\_optimization\_studies/disc\_contour\_jet\_optimization \ .$ 

• Sample consisting of: background events.

• Generated events: 1040000 events.

• Normalization to the luminosity: 2942+/- 6 events.

• Ratio (event weight): 0.0028.

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
$MG5\_aMC\_v2\_6\_5/-$			
$axion\_pheno/madgraph\_data/-$	1040000	0.0736 @ 0.17%	0.0
diphoton_double_isr_background_d	1040000	0.0730 @ 0.1770	0.0
$\mathrm{merged\_lhe/-}$			
diphoton_double_isr_background_l			

# $2.16 \quad \ \, \text{bg\_dip\_1200\_1600}$

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5\_aMC\_v2\_6\_5/axion\_pheno/post\_optimization\_studies/disc\_contour\_jet\_optimization \ .$ 

• Sample consisting of: background events.

• Generated events: 337115 events.

• Normalization to the luminosity: 513+/-3 events.

• Ratio (event weight): 0.0015.

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
$MG5\_aMC\_v2\_6\_5/-$			
$axion\_pheno/madgraph\_data/-$	337115	0.0128 @ 0.51%	0.0
diphoton_double_isr_background_o	337113	0.0128 @ 0.5170	0.0
$\mathrm{merged\_lhe/-}$			
diphoton_double_isr_background_l			

### $2.17 \quad \ \, \text{bg\_dip\_1600\_inf}$

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5\_aMC\_v2\_6\_5/axion\_pheno/post\_optimization\_studies/disc\_contour\_jet\_optimization \ .$ 

• Sample consisting of: background events.

• Generated events: 1040000 events.

• Normalization to the luminosity: 187+/- 1 events.

• Ratio (event weight): 0.00018 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
$MG5\_aMC\_v2\_6\_5/-$			
$axion\_pheno/madgraph\_data/-$	1040000	0.00469 @ 0.15%	0.0
diphoton_double_isr_background_d	1040000	0.00409 @ 0.1070	0.0
$\mathrm{merged\_lhe/-}$			
diphoton_double_isr_background_l			

# 3 Histos and cuts

# 3.1 Cut 1

\* Cut: select ( ( sdETA ( jets[1] jets[2] ) > 3.1 or sdETA ( jets[1] jets[2] ) < -3.1 ) and M ( jets[1] jets[2] ) > 1250.0 ) and ( PT ( a[1] ) > 300.0 and M ( a[1] a[2] ) > 500.0 )

Dataset	Events kept: K	Rejected events: R	Efficiency: $K / (K + R)$	Cumul. efficiency: K / Initial
signal	17.40 +/- 3.61	52.05 + /- $3.61$	0.251 + / - 0.052	0.251 + / - 0.052
bg_vbf_0_10	0.0 +/- 0.0	12150.3 + / - 23.1	0.0 +/- 0.0	0.0 +/- 0.0
bg_vbf_100_	0.582 + / - 0.763	9694.7 +/- 16.6	6.01e-05 +/- 7.87e-05	$egin{array}{cccccccccccccccccccccccccccccccccccc$
bg_vbf_200_	3.87 +/- 1.97	5409.4 +/- 11.1	0.000715 +/- 0.000363	$egin{array}{ccc} 0.000715 & +/- \ 0.000363 & \end{array}$
bg_vbf_400_	4.37 + / - 2.08	982.48 + / - 2.49	0.00442 +/ -0.00211	0.00442 + / - 0.00211
bg_vbf_600_	2.20 +/- 1.48	249.88 +/- 1.51	0.00872 + / - 0.00585	0.00872 + / - 0.00585
bg_vbf_800_	1.05 + / - 1.02	113.71 +/- 1.04	0.00914 + / - 0.00889	0.00914 + / - 0.00889
bg_vbf_1200	0.127 + / - 0.355	20.469 +/- 0.357	0.00617 + / - 0.01725	0.00617 + / - 0.01725
bg_vbf_1600	0.0173 + / - 0.1313	7.641 + / - 0.132	0.00225 + / - 0.01714	0.00225 + / - 0.01714
bg_dip_0_10	0.0 + / - 0.0	2710847 + / -4613	0.0 +/- 0.0	0.0 +/- 0.0
bg_dip_100_	1.06 + / - 1.03	1095361 +/- 1527	9.63e-07 +/- 9.38e-07	$egin{array}{cccccccccccccccccccccccccccccccccccc$
bg_dip_200_	5.8 +/- 2.4	239543 +/- 413	2.40e-05 +/- 1.00e-05	2.40e-05 +/- 1.00e- 05
bg_dip_400_	8.22 +/- 2.87	28790.5 +/- 52.3	2.86e-04 +/- 9.96e-05	2.86e-04 +/- 9.96e- 05
bg_dip_600_	4.8 + /- $2.2$	6669.5 + / - 27.7	0.00073 + / - 0.00033	0.00073 + / - 0.00033
bg_dip_800_	2.48 +/- 1.57	2939.86 +/- 5.29	0.000841 + /- 0.000535	0.000841 +/- 0.000535
bg_dip_1200_	0.295 + / - 0.543	513.21 +/- 2.69	0.000575 +/- 0.001058	0.000575 + /- 0.001058
bg_dip_1600_	0.0323 + / - 0.1797	187.751 +/- 0.332	0.000172 +/- 0.000957	0.000172 +/- 0.000957

# 4 Summary

# 4.1 Cut-flow charts

- $\bullet$  How to compare signal (S) and background (B): S/sqrt(S+B+(xB)\*\*2) .
- $\bullet$  Object definition selections are indicated in cyan.
- $\bullet\,$  Reject and select are indicated by 'REJ' and 'SEL' respectively

Cuts	Signal (S)	Background (B)	S vs B
Initial (no cut)	69.4462 +/- 0.0651	4113516 +/- 4877	3.42 e-02 +/- 3.80 e-05
SEL: ( ( sdETA ( jets[1] jets[2] ) $> 3.1$ or sdETA	17.40 +/- 3.61	34.9 +/- 5.9	2.406 +/- 0.438